

Site/Project Name: **Ascott-under-Wychwood
Flood Alleviation Scheme**

Site Code: ASCUWW 09

Site/Project Type: Watching Brief

Year(s): 2009

Accession Number: OXCMS:2009.81

Record Group	Contents	Comments	Box/File Number
	INTRODUCTION Brief for an archaeological watching brief Written scheme of investigation	1 double sided sheet 9 sheets	Box 1 file 1
A	REPORT see http://library.thehumanjourney.net/245 OASIS report print out	3 sheets	Box 1 file 2
B	SITE DIARY Watching brief records	3 sheets	Box 1 file 3
B	PRIMARY CONTEXT DATA Context record checklist Context record sheets	1 sheet 8 sheets	Box 1 file 4
B	CATALOGUE OF DRAWINGS Plan record sheet Section record sheet	1 sheet 1 sheet	Box 1 file 5
B	PRIMARY DRAWINGS Plans Sections	1 A4 and 1 A3 sheets 1 A4 sheet	Box 1 file 6 Roll 1 of 1
D	CATALOGUE OF PHOTOGRAPHS Black and white photographic record sheet Digital photographic record sheet	1 sheet 14 sheets	Box 1 file 7

PDF/A SCAN

FILMING INSTRUCTIONS

Submitter OASouth
 No. of Scan copies: 3

Headings

Site information

Line 1: [OASouth] County: [Oxfordshire] Parish:[Ascott-under-Wychwood] Site: [Ascott-under-Wychwood Flood Alleviation Scheme] Site code: [ASCUWW 09]

Line 2: Excavators name [D. Score]

Line 3:

Classification of material

Tick if present

Classification of material	Tick if present
Index to archive	<input checked="" type="checkbox"/>
Introduction	<input type="checkbox"/>
A:Final Report	<input type="checkbox"/>
A:Publication Report	<input type="checkbox"/>
B:Site Data – Text: Diary/Daybook/Fieldnotes	<input type="checkbox"/>
B: Site Data – Text: General Summaries	<input type="checkbox"/>
B: Site Data – Text: Primary Context Records	<input type="checkbox"/>
B: Site Data – Text: Synthesised Context Records	<input type="checkbox"/>
B: Site Data – Text: Survey Reports	<input type="checkbox"/>
B: Site Data – Text: Catalogue of Drawings	<input type="checkbox"/>
B: Site Data – Text: Primary Drawings	<input type="checkbox"/>
B: Site Data – Text: Synthesised Drawings	<input type="checkbox"/>
C: Finds Data – Text: Primary Finds Data	<input type="checkbox"/>
C: Finds Data – Text: Synthesised Finds Data	<input type="checkbox"/>
C: Finds Data – Text: Specialist Reports	<input type="checkbox"/>
C: Finds Data – Text: Box/Bag List	<input type="checkbox"/>
D: Catalogue of Photos/Slides/Videos/X--rays	<input type="checkbox"/>
E: Environmental/Ecofact Data: Primary Records	<input type="checkbox"/>
E: Environmental/Ecofact Data: Synthesised Records	<input type="checkbox"/>
E: Environmental/Ecofact Data: Specialist Reports	<input type="checkbox"/>
F: Documentary	<input type="checkbox"/>
F: Press and Publicity	<input type="checkbox"/>
G: Correspondence	<input type="checkbox"/>
H: Miscellaneous	<input type="checkbox"/>

Ascott-under-Wychwood
Flood Alleviation Scheme
ASCUW09

Box 1 FILE 1

INTRODUCTION

--	--	--	--	--	--

PDF/A SCAN

FILMING INSTRUCTIONS

Submitter OASouth

No. of Scan copies: 3

Headings

Site information

Line 1: [OASouth] County: [Oxfordshire] Parish:[Ascott-under-Wychwood] Site: [Ascott-under-Wychwood Flood Alleviation Scheme] Site code: [ASCUWW 09]

Line 2: Excavators name [D. Score]

Line 3:

Classification of material

Tick if present

Classification of material	Tick if present
Index to archive	
Introduction	<input checked="" type="checkbox"/>
A:Final Report	
A:Publication Report	
B:Site Data – Text: Diary/Daybook/Fieldnotes	
B: Site Data – Text: General Summaries	
B: Site Data – Text: Primary Context Records	
B: Site Data – Text: Synthesised Context Records	
B: Site Data – Text: Survey Reports	
B: Site Data – Text: Catalogue of Drawings	
B: Site Data – Text: Primary Drawings	
B: Site Data – Text: Synthesised Drawings	
C: Finds Data – Text: Primary Finds Data	
C: Finds Data – Text: Synthesised Finds Data	
C: Finds Data – Text: Specialist Reports	
C: Finds Data – Text: Box/Bag List	
D: Catalogue of Photos/Slides/Videos/X--rays	
E: Environmental/Ecofact Data: Primary Records	
E: Environmental/Ecofact Data: Synthesised Records	
E: Environmental/Ecofact Data: Specialist Reports	
F: Documentary	
F: Press and Publicity	
G: Correspondence	
H: Miscellaneous	

LAND TO THE REAR OF 36 SHIPTON ROAD, ASCOTT UNDER WYCHWOOD

Design Brief for Archaeological Watching Brief

1. SUMMARY OF BRIEF:

- 1.1 This brief provides the outline framework on which a detailed specification of work should be based. It is advisable that archaeological organisations forward the specification to the County Archaeological Officer or his representative for validation before submitting costed proposals to the agency commissioning the Watching Brief.
- 1.2 A formal programme of archaeological observation and investigation shall be conducted during any operations on site that may disturb or destroy archaeological deposits. Significant features to be hand cleaned and sample excavated.

2. BACKGROUND:

2.1 Site Location and Description

- 2.1.1 The development is located to the rear of 36 Shipton Road at the south western end of Ascott under Wychwood (NGR SP29651853). The site is currently pasture and lies at approximately 94m OD. The geology is first terrace gravel and lower lias clay.

2.2 Planning Background

- 2.2.1 In September 2008 planning permission was sought from West Oxfordshire District Council to excavate the land behind 36 Shipton Road, Ascott under Wychwood to create a swale and to construct two bunds for flood alleviation (08/1511/P/FP). The swale will consist of channel 57m in length 3m wide at the base and 1.6m deep. The sides have a 1:4 slope. The bunds will be constructed by moving the topsoil and raising the ground surface by the deposition and compaction of the soil from the excavation of the swale. Planning permission was subsequently granted but due to the potential presence of archaeological features Condition 3 requires that an archaeological watching brief be maintained during the period of ground works. This is in line with PPG16 and Policy BE13 of the Local Plan. This brief outlines our requirements for the watching brief.

2.3 Archaeological Background

- 2.3.1 There is a small motte and bailey castle adjacent to the permitted works. This is a Scheduled Ancient Monument (SAM 21806). The motte is largely built over but still survives as a pronounced mound 3.5m high with a diameter of approximately 56m. It has a flat summit and would have had a rampart round its edge. The bailey survives relatively intact and appears to be relatively well preserved. It is crescent shaped with its interior measuring approximately 70m by 30m. It is bounded by a rampart bank that is between 3 and 4.5m in width and up to 1.7 m high. This is enclosed by a largely infilled ditch. Limited excavation in 1956 revealed that the mound is built of lias clay with an occupation debris relating to the occupation including pottery, animal bones and burnt daub. Little further information was found. The site is known as Ascott Earl motte and bailey castle and is contemporary with

the Ascott Earl castle at the north east end of the village. The castle appears to date to the civil war between King Stephen and Mathilda (1138 1153). Medieval pottery has also been found consistently around the area of the permitted development. The 1956 excavations also revealed limited evidence of Iron Age and possible Anglo Saxon activity and settlement.

3. REQUIREMENT FOR WORK:

- 3.1 This Archaeological Watching Brief has been required in accordance with PPG16 because of the presence of known sites of archaeological interest within the immediate vicinity of the development.
- 3.2 The requirements are for a formal programme of observation and investigation conducted during any operations on site that may disturb or destroy archaeological deposits. The programme will result in the preparation and dissemination of a report and ordered archive. Archive deposition, publication and dissemination should follow the guidelines outlined in Annexes 2, 4, 5 and 6 of the Evaluation Brief.
- 3.3 The Archaeological Watching Brief should, within the resources available, allow the preservation by record of archaeological deposits, the presence and nature of which could not be established (or established with sufficient accuracy) in advance of development or other potentially disruptive works.
- 3.4 It should provide an opportunity, if needed, for the engaged archaeological organisations to signal, before the destruction of the material in question, that an archaeological find has been made for which the resources allocated are not sufficient to support a treatment to a satisfactory and proper standard.
- 3.5 Should the Watching Brief encounter archaeological remains of sufficient significance, it will not replace any requirement for contingent excavation or the physical preservation of those remains.

4. SPECIFIC REQUIREMENTS:

- 4.1 The watching brief will be maintained during the excavations and topsoil stripping for construction of the swale and of the bunds. Provision should be made for taking environmental/organic samples where appropriate.

Hugh Coddington
Deputy County Archaeologist
26th August 2009

Environment Agency

**LAND TO REAR OF 36 SHIPTON ROAD,
ASCOTT UNDER WYCHWOOD, OXFORDSHIRE**

NGR: SP 2965 1853

**Written Scheme of Investigation for
an Archaeological Watching Brief**

Planning Ref. 08/1511/P/FP

1 Introduction

- 1.1 Planning permission has been granted by West Oxfordshire District Council to allow the excavation of land behind 36 Shipton Road, Ascott Under Wychwood to create a swale and to construct two bunds for flood alleviation (08/1511/P/FP). The swale will consist of a channel 57m in length, 3m wide at the base and 1.6m deep. The sides have a 1:4 slope. The bunds will be constructed by moving the topsoil and raising the ground surface by the deposition and compaction of the soil from the excavation of the swale. Due to the potential presence of archaeological features and in line with PPG16 and Policy BE13 of the Local Plan, Condition 3 requires that an archaeological watching brief be maintained during the period of ground works.
- 1.2 Oxford Archaeology (OA) has been instructed by the Environment Agency to undertake the archaeological work. This Written Scheme of Investigation details how OA will implement the requirements of the Oxfordshire County Archaeological Service (OCAS), laid out in a brief prepared by the Deputy County Archaeologist, Hugh Coddington. The first part is site specific while the appendices detail general OA standards and procedures.
- 1.3 The work will be undertaken in line with this WSI and the brief and annexes supplied by OCAS (OCAS 2009).
- 1.4 Should this watching brief encounter archaeological remains of sufficient significance, it will not replace any requirement for contingent excavation or the physical preservation of those remains.

2 Site Location and Description

- 2.1 The development is located to the rear of 36 Shipton Road at the south western end of Ascott under Wychwood (NGR SP 2965 1853). The site is currently pasture and lies at approximately 94m OD. The geology is first terrace gravel and lower lias clay.

3 Archaeological Background

- 3.1 There is a small motte and bailey castle adjacent to the works. This is a

Scheduled Ancient Monument (SAM 21806). The motte is largely built over but still survives as a pronounced mound 3.5m high with a diameter of approximately 56m. It has a flat summit and would have had a rampart round its edge. The bailey survives relatively intact and appears to be relatively well preserved. It is crescent shaped with its interior measuring approximately 70m by 30m. It is bounded by a rampart bank that is between 3 and 4.5m in width and up to 1.7 m high. This is enclosed by a largely infilled ditch. Limited excavation in 1956 revealed that the mound is built of lias clay with debris relating to the occupation including pottery, animal bones and burnt daub. Little further information was found. The site is known as Ascott Earl motte and bailey castle and is contemporary with the Ascott Earl castle at the north east end of the village. The castle appears to date to the civil war between King Stephen and Mathilda (1138-1153). Medieval pottery has also been found consistently around the area of the development. The 1956 excavations also revealed limited evidence of Iron Age and possible Anglo Saxon activity and settlement.

4 Aims

- 4.1 To preserve by record any archaeological remains (if present) that the works may remove or damage within the area of the site being investigated.
- 4.2 To signal, before the destruction of the material in question, the discovery of a significant archaeological find, for which the resources allocated are not sufficient to support treatment to a satisfactory and proper standard.
- 4.3 To make available the results of the investigation.

5 Strategy

- 5.1 The watching brief will maintain an archaeological presence during any excavations and topsoil stripping for the construction of the swale and the bunds that may affect or reveal archaeological deposits.
- 5.2 Excavation of revealed archaeological features will be undertaken to fulfil the basic objective of retrieval of archaeological data affected by the works. In the event that human remains are discovered, and their retrieval cannot be avoided, OA will obtain the necessary burial licence from the Ministry of Justice and remove the remains to established OA practises and with due care and respect. Wherever possible human remains will be located and planned and left in-situ.
- 5.3 All features and deposits will be issued with unique context numbers. Fieldwork recording will be in accordance with the established OA *Field Manual* (OAU 1992) and Institute for Archaeologists guidance (IFA 2008). All contexts, and any small finds and samples from them will be allocated unique numbers. Bulk finds will be collected by context. Colour transparency and black-and-white negative photographs will be taken of all trenches and archaeological features.
- 5.4 Deposits deemed to be of potential environmental significance will be

appropriately sampled and analysed for environmental and economic indicators.

- 5.5 Site plans will be drawn at an appropriate scale (normally 1:50 or 1:100) with larger scale plans of features as necessary. Section drawings of features and trenches will be drawn at a scale of 1:20.
- 5.6 The project will be carried out by a suitably qualified OA supervisor, under the overall direction of a project manager and OA Head of Fieldwork, Dan Poore.
- 5.7 The watching brief will be monitored by Oxfordshire County Council Archaeological Services.

6 Report and Archive

- 6.1 A client report (Appendix 8) on the results of the investigation will be completed within four weeks of the end of the fieldwork. The project supervisor and OA finds specialists will undertake the report stage under the direction of the project manager. Copies will be forwarded to the client. Three copies of the report will be submitted to the County Archaeological Service including one to be forwarded to the SMR.
- 6.2 If environmental remains are recovered, then the staff from the OA Environmental Department will scan these to assess the potential of the remains. Detailed analysis, if required, would normally be undertaken by the University Museum, Oxford.
- 6.3 The County Museums Service (Oxfordshire Museums), if required, will undertake finds conservation.
- 6.4 The site archive including finds (subject to the landowner's agreement) will be deposited with the County Museums Service (Oxfordshire Museums) in an approved format.

7 Health and Safety

- 7.1 OA will comply with all relevant health and safety legislation.

8 References

IFA 2008 *Standards and Guidance for Archaeological Watching Briefs*

OCAS 2009 Land to the rear of 36 Shipton Road, Ascott Under Wychwood. Design Brief for Archaeological Watching Brief. Annex 2, 4, 5, 6.

OAU 1992 *Fieldwork Manual* (ed. D. Wilkinson)

9 General

Appendices 7, 8 and 11 are relevant.

OA Standard Fieldwork Methodology Appendices

The following methods and terms will apply, where appropriate, to all OA fieldwork unless varied by undertakings specified in a detailed Written Scheme of Investigation.

7 WATCHING BRIEFS

- 7.1 Ground disturbances (demolition, general site strip and levelling, reduction for roads, excavation for service trenches and foundation trenches) will be monitored by an archaeological supervisor assisted, where necessary, by archaeological technicians and under the overall guidance of a project manager.
- 7.2 All archaeological features and deposits exposed will be recorded.
- 7.3 Where only the tops of features or deposits are exposed, these will be located on a site plan, planned, and recorded by written description and by photographs.
- 7.4 Visible artefacts will be collected in order to assist in the dating of features and deposits.
- 7.5 Where trenches are excavated through cut features (pits, ditches, etc.) and vertical stratigraphy is not present, the features will be recorded in section with appropriate collection of finds.
- 7.6 Where ground disturbance exposes stratified remains or significant features, these will be hand excavated by the archaeologist and recorded.
- 7.7 The archaeological curator will be advised at the earliest opportunity of any archaeological features or deposits that appear worthy of preservation *in situ*.
- 7.8 On completion of the fieldwork the site archive will be compiled and security copied.
- 7.9 Proposals for analysis and publication will be determined in the light of the results of the fieldwork.

RECORDING

- 7.10 All on-site recording will be undertaken in accordance with the *OA Field Manual* (ed. D Wilkinson 1992).
- 7.11 A continuous unique numbering system will be operated. Written descriptions will be recorded on proforma sheets comprising factual data and interpretative elements.
- 7.12 Plans will normally be drawn at 1:50 but in urban or deeply stratified sites a scale of 1:20 will be used. Detailed plans will be at an appropriate scale. Burials will be drawn at 1:10.
- 7.13 A register of plans will be kept.
- 7.14 Sections of features or trenches showing stratigraphy will be drawn at 1:20 or 1:10.
- 7.15 A register of sections will be kept.
- 7.16 All sections will be tied in to Ordnance Datum if possible or into the contractors TBM.
- 7.17 A black and white and colour (35 mm transparency) photographic record, illustrating in both detail and general context the principal features and finds discovered will be maintained. The

photographic record will also include working shots to illustrate more generally the nature of the archaeological work.

7.18 Photographs will be recorded on OA Photographic Record Sheets.

7.19 All identified finds and artefacts from stratified archaeological deposits will be retained, although certain classes of building material or post medieval pottery may sometimes be discarded after recording if an appropriate sample is retained.

8 EVALUATION AND WATCHING BRIEF REPORTS

8.1 Style and format of the report will be determined by OA, but will include as a minimum the following:

- A location plan of trenches and/or other fieldwork in relation to the proposed development.
- Plans and sections of features as appropriate located at an appropriate scale.
- A section drawing showing depth of significant deposits (if encountered) including present ground level with Ordnance Datum, vertical and horizontal scale.
- A summary statement of the results.
- A table summarising per trench the features, classes and numbers of artefacts contained within, spot dating of significant finds and an interpretation.
- A reconsideration of the methodology used, and a confidence rating for the results.
- An interpretation of the archaeological findings within both the site and their wider landscape/townscape setting.

8.2 Copies of the report will be supplied to the client and the Archaeological Officer monitoring the works. Copies of the report will also be supplied to the County Sites and Monuments Record on the understanding that it will become a public document after an appropriate period of time (normally six months).

8.3 If the evaluation works generate archaeological results of importance which merit wider publication, the client will be consulted about further arrangements.

ARCHIVES

8.4 The site archive, including finds and environmental material, will be ordered, catalogued, labelled and conserved and stored according to the UKIC Guidelines for the preparation of excavation archives for long-term storage.

8.5 The site archive will be prepared to at least the minimum acceptable standard defined in Management of Archaeological Projects 2, English Heritage 1991.

8.6 The site archive will be microfilmed by the RCHME National Archaeological Record as a safeguard against the accidental loss and the long-term degeneration of paper records and photographs.

8.7 The site archive will be deposited with the relevant receiving Museum at the earliest opportunity unless further archaeological work on the site is expected within one year of completion of the archive. The OA will advise the landowner that any artefacts resulting from the project work should be given to the relevant Museum.

11 GENERAL

11.1 The requirements of the Brief will be met in full where reasonably practicable.

11.2 Any significant variations to the proposed methodology will be agreed with the local authority's archaeological representative in advance.

11.3 The scope of work detailed in the main part of the Written Scheme of Investigation is aimed at meeting the aims of the project in a cost-effective manner. Oxford Archaeology attempts to

foresee possible site-specific problems and resource these. However there may be unusual circumstances which have not been included in the costing and programme.

- Unavoidable delays due to extreme bad weather, vandalism, etc.
- Complex structures or objects, including those in waterlogged conditions, requiring specialist removal.
- Extensions to specified trenches or feature sample sizes requested by the archaeological curator.
- Trenches requiring shoring or stepping, ground contamination, unknown services, poor ground conditions requiring additional plant, specialist reinstatement of surfaces (i.e. tarmac, turf).

HEALTH AND SAFETY and INSURANCE

- 11.4 All work will be carried out to the requirements of *Health and Safety at Work, etc. Act 1974*, *The Management of Health and Safety Regulations 1999*, the OA Health and Safety Policy and Procedures Manual, and any main contractor's requirements.
- 11.5 A copy of the OA's Health and Safety Policy is available on request. OA will require copies of the H & S policies of all other contractors and operators present on site in compliance with *The Manual of H & S Regulations 1992*.
- 11.6 The OA holds Employers Liability Insurance, Public Liability Insurance and Professional Indemnity Insurance. Details will be supplied on request.
- 11.7 The OA will not be liable to indemnify the client against any compensation or damages for or with respect to:
- Damage to crops being on the Area or Areas of Work (save in so far as possession has not been given to the Archaeological Contractor);
 - The use or occupation of land (which has been provided by the Client) by the Project or for the purposes of completing the Project (including consequent loss of crops). Interference whether temporary or permanent with any right of way, light, air or water or other easement or quasi easement which are the unavoidable result of the Project in accordance with the Agreement;
 - Any other damage which is the unavoidable result of the Project in accordance with the Agreement;
 - Injuries or damage to persons or property resulting from any act or neglect or breach of statutory duty done or committed by the client or his agents, servants or their contractors (not being employed by Oxford Archaeology) or for or in respect of any claims demands proceedings damages costs charges and expenses in respect thereof or in relation thereto.

COPYRIGHT and CONFIDENTIALITY

- 11.8 Oxford Archaeology will retain full copyright of any commissioned reports, tender documents or other project documents, under the Copyright, Designs and Patents Act 1988 with all rights reserved; excepting that it will provide an exclusive licence to the client in all matters directly relating to the project as described in the Written Scheme of Investigation.
- 11.9 Oxford Archaeology will assign copyright to the client upon written request but retains the right to be identified as the author of all project documentation and reports as defined in the Copyright, Designs and Patents Act 1988 (Chapter IV, s.79).
- 11.10 OA will advise the client of any such materials supplied in the course of projects that are not OA's copyright.
- 11.11 OA undertakes to respect all requirements for confidentiality about the client's proposals provided that these are clearly stated. It is expected that such conditions shall not unreasonably impede the satisfactory performance of the services required. OA further undertake to keep confidential any conclusions about the likely implications of such proposals for the historic

environment. It is expected that clients respect OA's general ethical obligations not to suppress significant archaeological data for an unreasonable period.


OA STANDARDS AND PROCEDURES

- 11.12 OA shall conform to the standards of professional conduct outlined in the Institute of Field Archaeologists' Code of Conduct, the IFA Code of Approved Practice for the Regulation of Contractual Arrangements in Field Archaeology, the IFA Standards and Guidance for Field Evaluations, Desk Based Assessments, etc. and the British Archaeologists and Developers Liaison Group Code of Practice.
- 11.13 OA is a member of the Institute of Environmental Assessment and the Council for British Archaeology.
- 11.14 Project Directors normally will be recognised in an appropriate Area of Competence by the IFA. For more extensive and complicated evaluation projects especially where they are part of large-scale programmes of work in historic urban centres, the procedures outlined in English Heritage's *Management of Archaeological Projects* 2nd Edition 1991 (MAP 2) will be followed for immediate post-field archive preparation and initial assessment. Agreement to then be reached, in collaboration with the local authority's archaeological representative, about what aspects will need to be taken forward to provide a report in the required format containing the information needed for planning purposes.

Ascott-under-Wychwood - proposed works



Legend



0 20 40 60 m.



© Crown Copyright. All rights reserved. Environment Agency, 100026380, 2008.

Ascott-under-Wychwood
Flood Alleviation Scheme
ASCUW09

Box 1 FILE 2

A-REPORT

--	--	--	--	--

PDF/A SCAN

FILMING INSTRUCTIONS

Submitter OASouth

No. of Scan copies: 3

Headings

Site information

Line 1: [OASouth] County: [Oxfordshire] Parish:[Ascott-under-Wychwood] Site: [Ascott-under-Wychwood Flood Alleviation Scheme] Site code: [ASCUWW 09]

Line 2: Excavators name [D. Score]

Line 3:

Classification of material

Tick if present

Classification of material	Tick if present
Index to archive	
Introduction	
A:Final Report	✓
A:Publication Report	
B:Site Data – Text: Diary/Daybook/Fieldnotes	
B: Site Data – Text: General Summaries	
B: Site Data – Text: Primary Context Records	
B: Site Data – Text: Synthesised Context Records	
B: Site Data – Text: Survey Reports	
B: Site Data – Text: Catalogue of Drawings	
B: Site Data – Text: Primary Drawings	
B: Site Data – Text: Synthesised Drawings	
C: Finds Data – Text: Primary Finds Data	
C: Finds Data – Text: Synthesised Finds Data	
C: Finds Data – Text: Specialist Reports	
C: Finds Data – Text: Box/Bag List	
D: Catalogue of Photos/Slides/Videos/X--rays	
E: Environmental/Ecofact Data: Primary Records	
E: Environmental/Ecofact Data: Synthesised Records	
E: Environmental/Ecofact Data: Specialist Reports	
F: Documentary	
F: Press and Publicity	
G: Correspondence	
H: Miscellaneous	

OASIS DATA COLLECTION FORM:

England

[List of Projects](#) | [Search Projects](#) | [New project](#) | [Change your details](#) | [HER coverage](#) | [Change country](#) | [Log out](#)

Printable version

OASIS ID: oxfordar1-83599

Project details

Project name	Ascott-under-Wychwood Flood Alleviation Scheme
Short description of the project	Between October and December 2009, Oxford Archaeology (OA) carried out an archaeological watching brief on land to the rear of 36 Shipton Road, Ascott-under-Wychwood, Oxfordshire (centred at NGR: SP 2965 1853). The work was commissioned by the Environment Agency in advance of the construction of a swale and two associated bunds. The watching brief revealed thick deposits of modern made ground directly overlying natural clay throughout the length of the route of the swale and a 19th-century trackway on the site of the southern bund. No other significant archaeology was observed.
Project dates	Start: 09-10-2009 End: 13-12-2009
Previous/future work	No / Not known
Any associated project reference codes	ASCUWW 09 - Sitecode
Any associated project reference codes	OXCMS:2009.81 - Museum accession ID
Type of project	Recording project
Site status	None
Current Land use	Cultivated Land 4 - Character Undetermined
Monument type	NONE None
Significant Finds	NONE None
Significant Finds	NONE None
Investigation type	'Watching Brief'
Prompt	Direction from Local Planning Authority - PPG16
Project location	
Country	England
Site location	OXFORDSHIRE WEST OXFORDSHIRE ASCOTT UNDER WYCHWOOD Flood Alleviation Scheme
Study area	6000.00 Square metres

Site coordinates SP 296 185 51.8638537439 -1.570091384740 51 51 49 N 001 34 12 W Point

Project creators

Name of Organisation Oxford Archaeology
 Project brief originator Oxford County archaeological officer
 Project design originator Oxford Archaeology
 Project director/manager D. Score
 Project supervisor M.Sims

Project archives

Physical Archive Exists? No
 Digital Archive recipient Oxford Archaeology
 Digital Archive ID ASCUWW 09/ASCUWWWB
 Digital Contents 'Stratigraphic'
 Digital Media available 'Images raster / digital photography','Text'
 Paper Archive recipient Oxfordshire County Museum Service
 Paper Archive ID OXCMS:2009.81
 Paper Contents 'Stratigraphic'
 Paper Media available 'Context sheet','Diary','Photograph','Plan','Report','Section','Unpublished Text'

Project bibliography 1

Publication type Grey literature (unpublished document/manuscript)
 Title Flood Alleviation Ascott- under- Waychwood Oxfordshire, Archaeological Watching Brief Report
 Author(s)/Editor(s) Sims M.
 Date 2009
 Issuer or publisher OXFORD ARCHAEOLOGY
 Place of issue or publication OXFORD
 Description A4 plastic bound client report
 Entered by wajdan.majeed (wajdan.majeed@oxfordarch.co.uk)
 Entered on 4 October 2010

OASIS:

Please e-mail English Heritage for OASIS help and advice

© ADS 1996-2006 Created by Jo Gilham and Jen Mitcham, email Last modified Friday 3 February 2006

Cite only: /dl/export/home/web/oasis/form/print.cfm for this page

Ascott-under-Wychwood
Flood Alleviation Scheme

Ascuwwo9

Box 1 FILE 3

B. DIARY / FIELD NOTES :

--	--	--	--	--	--

PDF A SCAN

FILMING INSTRUCTIONS

Submitter OASouth

No. of Scan copies: 3

Headings

Site information

Line 1: [OASouth] County: [Oxfordshire] Parish:[Ascott-under-Wychwood] Site: [Ascott-under-Wychwood Flood Alleviation Scheme] Site code: [ASCUWW 09]

Line 2: Excavators name [D. Score]

Line 3:

Classification of material

Tick if present

Classification of material	Tick if present
Index to archive	
Introduction	
A:Final Report	
A:Publication Report	
B:Site Data – Text: Diary/Daybook/Fieldnotes	<input checked="" type="checkbox"/>
B: Site Data – Text: General Summaries	
B: Site Data – Text: Primary Context Records	
B: Site Data – Text: Synthesised Context Records	
B: Site Data – Text: Survey Reports	
B: Site Data – Text: Catalogue of Drawings	
B: Site Data – Text: Primary Drawings	
B: Site Data – Text: Synthesised Drawings	
C: Finds Data – Text: Primary Finds Data	
C: Finds Data – Text: Synthesised Finds Data	
C: Finds Data – Text: Specialist Reports	
C: Finds Data – Text: Box/Bag List	
D: Catalogue of Photos/Slides/Videos/X--rays	
E: Environmental/Ecofact Data: Primary Records	
E: Environmental/Ecofact Data: Synthesised Records	
E: Environmental/Ecofact Data: Specialist Reports	
F: Documentary	
F: Press and Publicity	
G: Correspondence	
H: Miscellaneous	



WATCHING BRIEF RECORD

SITE CODE ASC02W
09

SITE NAME Ascott under Wychood

DATE 9/10/09

NGR

County OXON

Start Time 08.30

Finish Time 15.30

Milage

Previous Visit

Visit By M. SIMS

Type of construction work Excavation of Sdale.

Contacts made

Archaeology present?

Yes:

No: /

Undated:

Other:

COMMENTS

Topsoil 0.2m - 0.3m of grey brack clay loam already stripped prior to visit.

Excavation of sdale strip 16m wide up to 1.3m deep in centre

Modern debris exposed after topsoil strip.
Sample profile dug (section 1)

0.25m topsoil
0.3m light brack silt clay modern made ground
0.3m light grey brack silt clay Bricks Tamac
0.2-0.3m Light grey brack silt clay " "
Natural clay yellow brack lias clay.
No evidence of buried soils below made ground

Records? Photos plan cut sections



Oxford Archaeology

WATCHING BRIEF RECORD

SITE CODE ASCW2209

SITE NAME Ascott under Wychood

DATE 12-11-09

NGR

County

OXON

Start Time

09-00

Finish Time

13-00

Milage

Previous Visit

9-11-09

Visit By

[Signature]

Type of construction work

Excavation of stable.

Contacts made

Archaeology present?

Yes:

No:

Undated:

Other:

COMMENTS

Excavation of stable continuing

Stratigraphy same as before.

Approx 50% of length dug

Asst. A30 recovered from layer 4

No evidence of truncated features in base of cut.

Probable extensive silt as well as topsoil strip.

Records?

Photos cut plan section



Oxford Archaeology

WATCHING BRIEF RECORD

SITE CODE *ASC Delw 09*

SITE NAME *Ascott Under Wychnwood*

DATE *7/12/09*

NGR

County
OXON

Start Time

0830

Finish Time

11-00

Milage

Previous Visit

Visit By
msms.

Type of construction work
Topsail strip for bench

Contacts made

Archaeology present?

Yes:

No: */*

Undated:

Other:

COMMENTS

Topsail strip over approx 12m x 28m x 12m for northern bench

0.25m - 0.3m of dark grey brown topsail striped onto grey brown clay s.s., continuation of layer 2.

No buried topsail horizons exposed

Records? *Photos cut plan.*

AScott-under-Wychwood
Flood Alleviation Scheme
ASCUW09

Box 1 FILE 4

B. PRIMARY CONTEXT RECORDS

--	--	--	--	--	--

PDF A SCAN

FILMING INSTRUCTIONS

Submitter OASouth

No. of Scan copies: 3

Headings

Site information

Line 1: [OASouth] County: [Oxfordshire] Parish:[Ascott-under-Wychwood] Site: [Ascott-under-Wychwood Flood Alleviation Scheme] Site code: [ASCUWW 09]

Line 2: Excavators name [D. Score]

Line 3:

Classification of material

Tick if present

Index to archive	
Introduction	
A:Final Report	
A:Publication Report	
B:Site Data – Text: Diary/Daybook/Fieldnotes	
B: Site Data – Text: General Summaries	
B: Site Data – Text: Primary Context Records	✓
B: Site Data – Text: Synthesised Context Records	
B: Site Data – Text: Survey Reports	
B: Site Data – Text: Catalogue of Drawings	
B: Site Data – Text: Primary Drawings	
B: Site Data – Text: Synthesised Drawings	
C: Finds Data – Text: Primary Finds Data	
C: Finds Data – Text: Synthesised Finds Data	
C: Finds Data – Text: Specialist Reports	
C: Finds Data – Text: Box/Bag List	
D: Catalogue of Photos/Slides/Videos/X--rays	
E: Environmental/Ecofact Data: Primary Records	
E: Environmental/Ecofact Data: Synthesised Records	
E: Environmental/Ecofact Data: Specialist Reports	
F: Documentary	
F: Press and Publicity	
G: Correspondence	
H: Miscellaneous	



CONTEXT RECORD

Context No.

1

SITE *Asciadunog*

ADDITIONAL SHEETS:

TYPE *Layer*

Trench

Context Type: Deposit / Cut / Structure

Check Lists:

Site sub-div

Overlain by:

DEPOSIT:

1. compaction
2. colour
3. composition
4. inclusion
5. thickness
6. extent
7. comments
8. method & conditions

Structure No.

Abuted by:

Plan No.

1

Cut by:

Filled by:

Section, No.

1:2:3

Same as:

Part of:

CUT:

1. shape in plan
2. base/sides/top profile
3. dimension and depth
4. sketch
5. truncation
6. fill nos
7. other comments

Co-Ordinates

Consists of:

Overlies: 2

Level

Butts:

MASONRY:

1. materials
2. size of bricks etc
3. finish of stones
4. coursing/bond
5. form
6. faces
7. bond
8. dimensions as found
9. other comments

Slide No.

Cuts:

Neg. No.


Fill of:

Matrix location

Relationships uncertain

Description (See check lists):

STRATIGRAPHIC MATRIX

1) *Frisable*2) *Dark grey brown*3) *Clay loam*4) *N.V*5) *0.25m*6) *Throughst length of side.*

Interpretation/Discussion:

*Present day topsoil and turf.
Modern landscaping deposit.*

Finds (tick): None [] Pot [] Bone [] Flint [] Stone [] Burnt stone [] Glass []
Metal [] CBM [] Wood [] Leather []

 Small Finds
Recorder *[Signature]*
 Samples

Date

 Building Materials

Initials



CONTEXT RECORD

Context No.

2

SITE *Ascot Wood*

ADDITIONAL SHEETS:

TYPE *Layer*

Trench

Context Type: Deposit / Cut / Structure

Check Lists:

Site sub-div

Overlain by: 1

DEPOSIT:

1. compaction
2. colour
3. composition
4. inclusion
5. thickness
6. extent
7. comments
8. method & conditions

Structure No.

Abuted by:

Plan No.

1

Cut by:

Filled by:

Section No.

1:2:3

Same as:

Part of:

CUT:

1. shape in plan
2. base/sides/top profile
3. dimension and depth
4. sketch
5. truncation
6. fill nos
7. other comments

Co-Ordinates

Consists of:

Overlies: 3

Level

Butts:

MASONRY:

1. materials
2. size of bricks etc
3. finish of stones
4. coursing/bond
5. form
6. faces
7. bond
8. dimensions as found
9. other comments

Slide No.

Cuts:

Neg No.

Fill of:


Matrix location

Relationships uncertain

Description (See check lists):

STRATIGRAPHIC MATRIX

- 1) Friable
- 2) light brown
- 3) Silt clay
- 4) Many concrete and brick fragments
- 5) Up to 0.3m deep
- 6) Runs length of road



Interpretation/Discussion:

Modern made ground.

Finds (tick): None Pot Bone Flint Stone Burnt stone Glass
 Metal CBM Wood Leather

 Small Finds
Recorder *JS*
 Samples

Date

 Building Materials

Initials



CONTEXT RECORD

Context No.

*M 3*SITE *ASC 5000*

ADDITIONAL SHEETS:

TYPE *Layer*

Trench

Context Type: Deposit / Cut / Structure

Check Lists:

Site sub-div

Overlain by: *B 2*

DEPOSIT:

- 1. compaction
- 2. colour
- 3. composition
- 4. inclusion
- 5. thickness
- 6. extent
- 7. comments
- 8. method & conditions

Structure No.

Abuted by:

Plan No.

1

Cut by:

Filled by:

Section No.

1:2:3

Same as:

Part of:

CUT:

- 1. shape in plan
- 2. base/sides/top profile
- 3. dimension and depth
- 4. sketch
- 5. truncation
- 6. fill nos
- 7. other comments

Co-Ordinates

Consists of:

Overlies: *# 4*

Level

Butts:

MASONRY:

- 1. materials
- 2. size of bricks etc
- 3. finish of stones
- 4. coursing/bond
- 5. form
- 6. faces
- 7. bond
- 8. dimensions as found
- 9. other comments

Slide No.

Cuts:

Neg No.

Fill of:


Matrix location

Relationships uncertain

Description (See check lists):

STRATIGRAPHIC MATRIX

- 1) Terra violeta
- 2) Grey brown
- 3) s.f. clay
- 4) Concrete, brick fragments
- 5) Depth 0.25m - 0.3m
- 6) Rows length of side.



Interpretation/Discussion:

Modern made ground.

Finds (tick): None Pot Bone Flint Stone Burnt stone Glass
 Metal CBM Wood Leather

 Small FindsRecorder *[Signature]* Samples

Date

 Building Materials

Initials



CONTEXT RECORD

Context No.

34

SITE ASCW 2009

ADDITIONAL SHEETS:

TYPE Layer

Trench

Context Type: Deposit / Cut / Structure

Check Lists:

Site sub-div

Overlain by: 3

DEPOSIT:

1. compaction
2. colour
3. composition
4. inclusion
5. thickness
6. extent
7. comments
8. method & conditions

Structure No.

Abutted by:

Plan No.

1

Cut by:

Filled by:

Section No.

1:2:3

Same as:

Part of:

CUT:

1. shape in plan
2. base/sides/top profile
3. dimension and depth
4. sketch
5. truncation
6. fill nos
7. other comments

Co-Ordinates

Consists of:

Overlies: 5

Level

Butts:

MASONRY:

1. materials
2. size of bricks etc
3. finish of stones
4. coursing/bond
5. form
6. faces
7. bond
8. dimensions as found
9. other comments

Slide No.

Cuts:

Neg No.

Fill of:

Matrix location

Relationships uncertain

Description (See check lists):

STRATIGRAPHIC MATRIX

1) Terrazzo


2) Lt. Grey brick

3) silt clay

4) Brick, concrete, tarmac Aston A30 car

5) Depth 0.25m - 0.3m

6) Row length of rubble.



Interpretation/Discussion:

Modern made ground.

Finds (tick): None Pot Bone Flint Stone Burnt stone Glass
 Metal CBM Wood Leather

 Small Finds
Recorder *ME*
 Samples

Date

 Building Materials

Initials



CONTEXT RECORD

Context No.

5

SITE ASC 2009

ADDITIONAL SHEETS:

TYPE Layer

Trench

Context Type: Deposit / Cut / Structure

Check Lists:

Site sub-div

Overlain by: 4

DEPOSIT:

1. compaction
2. colour
3. composition
4. inclusion
5. thickness
6. extent
7. comments
8. method & conditions

Structure No.

Abutted by:

Plan No.

1

Cut by:

Filled by:

Section No.

132

Same as:

Part of:

CUT:

1. shape in plan
2. base/sides/top profile
3. dimension and depth
4. sketch
5. truncation
6. fill nos
7. other comments

Co-Ordinates

Consists of:

Overlies:

Level

Butts:

MASONRY:

1. materials
2. size of bricks etc
3. finish of stones
4. coursing/bond
5. form
6. faces
7. bond
8. dimensions as found
9. other comments

Slide No.

Cuts:

Neg No.

Fill of:


Matrix location

Relationships uncertain

Description (See check lists):

STRATIGRAPHIC MATRIX

- 1) Tenacious
- 2) Light yellow brown
- 3) s.b. clay
- 4) Nil
- 5) Depth > 0.3m
- 6) Exposed in northern 60% of site only.



Interpretation/Discussion:

Natural clay

Finds (tick): None Pot Bone Flint Stone Burnt stone Glass
 Metal CBM Wood Leather

 Small Finds

Recorder

 Samples

Date

 Building Materials

Initials



CONTEXT RECORD

Context No.

*b*SITE *ASCO 09*

ADDITIONAL SHEETS:

TYPE *Layer*

Trench

Context Type: Deposit / Cut / Structure

Check Lists:

Site sub-div

Overlain by:

DEPOSIT:

Structure No.

Abutted by:

1. compaction
2. colour
3. composition
4. inclusion
5. thickness
6. extent
7. comments
8. method & conditions

Plan No.

1:2

Cut by:

Filled by:

Section No.

—

Same as:

Part of:

CUT:

1. shape in plan
2. base/sides/top profile
3. dimension and depth
4. sketch
5. truncation
6. fill nos
7. other comments

Co-Ordinates

Consists of:

Overlies: *7:0*

Level

Butts:

MASONRY:

1. materials
2. size of bricks etc
3. finish of stones
4. coursing/bond
5. form
6. faces
7. bond
8. dimensions as found
9. other comments

Slide No.

Cuts:

Neg No.

Fill of:


Matrix location

Relationships uncertain

Description (See check lists):

STRATIGRAPHIC MATRIX

- 1) Friable
- 2) Dark brown
- 3) Clay loam
- 4) n.t
- 5) 0.25m depth



Interpretation/Discussion:

Topsoil and turf.

Finds (tick): None Pot Bone Flint Stone Burnt stone Glass
 Metal CBM Wood Leather

 Small Finds
Recorder *[Signature]*
 Samples

Date

 Building Materials

Initials



CONTEXT RECORD

Context No.

7

SITE *Ascott*

ADDITIONAL SHEETS:

TYPE *Surface*

Trench

Context Type: Deposit / Cut / Structure

Check Lists:

Site sub-div

Overlain by: *6*

DEPOSIT:

1. compaction
2. colour
3. composition
4. inclusion
5. thickness
6. extent
7. comments
8. method & conditions

Structure No.

Abutted by:

Plan No.

1:2

Cut by:

Filled by:

Section No.

-

Same as:

Part of:

CUT:

1. shape in plan
2. base/sides/top profile
3. dimension and depth
4. sketch
5. truncation
6. fill nos
7. other comments

Co-Ordinates

Consists of:

Overlies: *B*

Level

Butts:

MASONRY:

1. materials
2. size of bricks etc
3. finish of stones
4. coursing/bond
5. form
6. faces
7. bond
8. dimensions as found
9. other comments

Slide No.

Cuts:

Neg No.

Fill of:


Matrix location

Relationships uncertain

Description (See check lists):

STRATIGRAPHIC MATRIX

- 1) Compact.
- 2) Yellow brown
- 3) Sh-angled fragments of oolitic limestone
- 4) one brick
- 5) Depth 0.2m ~~and~~
- 6) Parallel sided linear 3.8m wide.



Interpretation/Discussion:

Farm trackway. C19th early C20th in date. Aligns with gap between Barn house and Ascott Earl House

Finds (tick): None Pot Bone Flint Stone Burnt stone Glass
 Metal CBM Wood Leather

 Small Finds
Recorder *[Signature]*
 Samples

Date

 Building Materials

Initials



CONTEXT RECORD

Context No.

8

SITE ASCW^{dy}

ADDITIONAL SHEETS:

TYPE Layer

Trench

Context Type: Deposit / Cut / Structure

Check Lists:

Site sub-div

Overlain by: 4 6: 7

DEPOSIT:

1. compaction
2. colour
3. composition
4. inclusion
5. thickness
6. extent
7. comments
8. method & conditions

Structure No.

Abutted by:

Plan No.

1:2

Cut by:

Filled by:

Section No.

Same as:

Part of:

CUT:

1. shape in plan
2. base/sides/top profile
3. dimension and depth
4. sketch
5. truncation
6. fill nos
7. other comments

Co-Ordinates

Consists of:

Overlies:

Level

Butts:

MASONRY:

1. materials
2. size of bricks etc
3. finish of stones
4. coursing/bond
5. form
6. faces
7. bond
8. dimensions as found
9. other comments

Slide No.

Cuts:

Neg No.

Fill of:


Matrix location

Relationships uncertain

Description (See check lists):

STRATIGRAPHIC MATRIX

- 1) Friable
- 2) light grey brown
- 3) silt clay
- 4) Occ small-med sub-angular limestone fragments
- 5) > 0.1m
- 6) Throughout area of eastern bond.



Interpretation/Discussion:

Possible layer of collision.

Finds (tick): None [/] Pot [] Bone [] Flint [] Stone [] Burnt stone [] Glass []
 Metal [] CBM [] Wood [] Leather []

 Small Finds

Recorder

 Samples

Date

 Building Materials

Initials

Ascott-under-Wychwood
Flood Alleviation Scheme
ASCUW09

Box 1 FILES

B. CATALOGUE OF DRAWINGS

--	--	--	--	--	--

PDFA SCAN

FILMING INSTRUCTIONS

Submitter OASouth

No. of Scan copies: 3

Headings

Site information

Line 1: [OASouth] County: [Oxfordshire] Parish:[Ascott-under-Wychwood] Site: [Ascott-under-Wychwood Flood Alleviation Scheme] Site code: [ASCUWW 09]

Line 2: Excavators name [D. Score]

Line 3:

Classification of material

Tick if present

Classification of material	Tick if present
Index to archive	
Introduction	
A:Final Report	
A:Publication Report	
B:Site Data – Text: Diary/Daybook/Fieldnotes	
B: Site Data – Text: General Summaries	
B: Site Data – Text: Primary Context Records	
B: Site Data – Text: Synthesised Context Records	
B: Site Data – Text: Survey Reports	
B: Site Data – Text: Catalogue of Drawings	<input checked="" type="checkbox"/>
B: Site Data – Text: Primary Drawings	
B: Site Data – Text: Synthesised Drawings	
C: Finds Data – Text: Primary Finds Data	
C: Finds Data – Text: Synthesised Finds Data	
C: Finds Data – Text: Specialist Reports	
C: Finds Data – Text: Box/Bag List	
D: Catalogue of Photos/Slides/Videos/X--rays	
E: Environmental/Ecofact Data: Primary Records	
E: Environmental/Ecofact Data: Synthesised Records	
E: Environmental/Ecofact Data: Specialist Reports	
F: Documentary	
F: Press and Publicity	
G: Correspondence	
H: Miscellaneous	

Ascott-under-Wychwood
Flood Alleviation Scheme
ASCUWW09

Box 1 FILE 6

B. PRIMARY DRAWINGS:

--	--	--	--	--	--

PDF/A SCAN

FILMING INSTRUCTIONS

Submitter OASouth

No. of Scan copies: 3

Headings

Site information

Line 1: [OASouth] County: [Oxfordshire] Parish:[Ascott-under-Wychwood] Site: [Ascott-under-Wychwood Flood Alleviation Scheme] Site code: [ASCUWW 09]

Line 2: Excavators name [D. Score]


Line 3:

Classification of material

Tick if present

Classification of material	Tick if present
Index to archive	
Introduction	
A:Final Report	
A:Publication Report	
B:Site Data – Text: Diary/Daybook/Fieldnotes	
B: Site Data – Text: General Summaries	
B: Site Data – Text: Primary Context Records	
B: Site Data – Text: Synthesised Context Records	
B: Site Data – Text: Survey Reports	
B: Site Data – Text: Catalogue of Drawings	
B: Site Data – Text: Primary Drawings	<input checked="" type="checkbox"/>
B: Site Data – Text: Synthesised Drawings	
C: Finds Data – Text: Primary Finds Data	
C: Finds Data – Text: Synthesised Finds Data	
C: Finds Data – Text: Specialist Reports	
C: Finds Data – Text: Box/Bag List	
D: Catalogue of Photos/Slides/Videos/X--rays	
E: Environmental/Ecofact Data: Primary Records	
E: Environmental/Ecofact Data: Synthesised Records	
E: Environmental/Ecofact Data: Specialist Reports	
F: Documentary	
F: Press and Publicity	
G: Correspondence	
H: Miscellaneous	

The Barn Horse Garden



Limit of Strip


ASCUWU 09
Plan 2
Scale 1:200

Stripping for southern bond.


ASCOTT - UNDER - WYCHWOOD Flood Alleviation Scheme

Plan 1 1:1000

OXCMS: 2009.81




ASCOWW 09
Plan 1
Scale 1:1000



ASCUWW 09

Section 1


Scale 1:100



ASCUWW 09

Section 2

Scale 1:100



ASCUWW 09

Section 3

Scale 1:100

Ascott-under-Wychwood
Flood Alleviation Scheme
ASCUWW09

Box 1 FILE 7

D-CATALOGUE OF PHOTOGRAPHS

--	--	--	--	--	--

PDF/A SCAN

FILMING INSTRUCTIONS

Submitter OASouth
 No. of Scan copies: 3

Headings

Site information

Line 1: [OASouth] County: [Oxfordshire] Parish:[Ascott-under-Wychwood] Site: [Ascott-under-Wychwood Flood Alleviation Scheme] Site code: [ASCUWW 09]

Line 2: Excavators name [D. Score]

Line 3:

Classification of material

Tick if present

Index to archive	
Introduction	
A:Final Report	
A:Publication Report	
B:Site Data – Text: Diary/Daybook/Fieldnotes	
B: Site Data – Text: General Summaries	
B: Site Data – Text: Primary Context Records	
B: Site Data – Text: Synthesised Context Records	
B: Site Data – Text: Survey Reports	
B: Site Data – Text: Catalogue of Drawings	
B: Site Data – Text: Primary Drawings	
B: Site Data – Text: Synthesised Drawings	
C: Finds Data – Text: Primary Finds Data	
C: Finds Data – Text: Synthesised Finds Data	
C: Finds Data – Text: Specialist Reports	
C: Finds Data – Text: Box/Bag List	
D: Catalogue of Photos/Slides/Videos/X--rays	✓
E: Environmental/Ecofact Data: Primary Records	
E: Environmental/Ecofact Data: Synthesised Records	
E: Environmental/Ecofact Data: Specialist Reports	
F: Documentary	
F: Press and Publicity	
G: Correspondence	
H: Miscellaneous	

DIGITAL PHOTOGRAPHIC RECORD SHEET

Oxford Archaeology Oxford Archaeology Janus
House, Osney Mead Oxford, OX2 0ES


Site code ASCUWW 09		Site name Land to the rear of No 36, Shipton Road, Ascott under Wychwood, Oxon		Camera number		Sheet 1		
View No.	Photo No.	Context No.	Description (Add context numbers where applicable)	Geo-Ref Photo	Object Photo	Scale (m)	View to	Initials and date
1	Picture 000.jpg		ASCUWW 09 ID Shot					ms
2	Picture 001.jpg		Working shot, topsoil strip of the swale				SW	ms
3	Picture 002.jpg		Working shot, topsoil strip of the swale				SW	ms
4	Picture 003.jpg		Working shot, topsoil strip of the swale				SW	ms
5	Picture 004.jpg		Pre-ex view of the northern end of the swale				NE	ms
6	Picture 005.jpg		Test profile, north end of swale			1 m	NE	ms
7	Picture 006.jpg		Test profile, north end of swale			1 m	NE	ms
8	Picture 007.jpg		Section 1			1 m	NE	ms
9	Picture 008.jpg		Section 1			1 m	NE	ms
10	Picture 009.jpg		Working shot, topsoil strip of the swale				SW	ms
11	Picture 010.jpg		Working shot, topsoil strip of the swale				SW	ms
12	Picture 011.jpg		Post-ex view, topsoil strip of the swale				NE	ms
13	Picture 012.jpg		Post-ex view, topsoil strip of the swale				NE	ms
14	Picture 013.jpg		Remains of the Motte and Bailey castle				E	ms
15	Picture 014.jpg		Remains of the Motte and Bailey castle				E	ms
16	Picture 015.jpg		Remains of the Motte and Bailey castle				E	ms
17	Picture 016.jpg		Remains of the Motte and Bailey castle				E	ms
18	Picture 017.jpg		Pre-ex view, site of southern bund				SE	ms
19	Picture 018.jpg		Pre-ex view, site of southern bund				SE	ms
20	Picture 019.jpg		Post-ex view, site of southern bund			1 m	NE	ms
21	Picture 020.jpg		Post-ex view, site of southern bund			1 m	NE	ms
22	Picture 021.jpg		C19th farm track (7), southern bund			1 m	SE	ms
23	Picture 022.jpg		C19th farm track (7), southern bund			1 m	SE	ms
24	Picture 023.jpg		Excavation of swale, working shot				SW	ms

ASCWW09 Digital Photographs Sheet 1 of 12

2) 001.jpg Topsoil strip for swale → SW



4) 003.jpg Topsoil strip for swale → SW



1) 000.jpg ASCWW09 I.D. shot

3) 002.jpg Topsoil strip for swale → SW

ASCAWU09 Digital Photographs sheet 2 of 12

b) 005.jpg Section 1 → NE



6) 007.jpg Detail of section 1 → NE



5) Pre-ex view of north end soak → NE

7) 006.jpg Section 1 → NE

ASCDW09 Digital Photographs Sheet 3 of 12

10) 009.jpg Working shot, topsoil strip → SW



12) 011.jpg Post-ex 'view' topsoil strip → NE



9) 008.jpg Detail of section 1 → NE



11) 010.jpg Working shot, topsoil strip → SW

ASUWUWU v9 Digital Photographs Sheet 4 of 12

14) 013.jpg Remains of Motte and Bailey Castle → E



16) 015.jpg Remains of Motte and Bailey → E



13) 012.jpg Post-ex view of trench strip → NE



15) 014.jpg Remains of Motte and Bailey → E

ASCDW09 Digital Photographs Sheet 5 of 12

18) 017.jpg Pre-ex view site of southern band → SE 20) 019.jpg Post-ex view southern band → NE



17) 016.jpg Remains of motte and bailey → E 19) 018.jpg Pre-ex view south band → SE

ASCUWU 09 Digital Photographs Sheet 6 of 12

22) 021.jpg Trackway (7)

→ SE



24) 023.jpg Excavation of the site → SW



21) 020 Post-ex ~~Pre-ex~~ view southern bond → NE

23) 022.jpg Trackway (7) → SE

ASUWU09 Digital Photographs Sheet Feb 12

26) 025.jpg Excavation of swale → SW



28) 027.jpg Fall profile of swale → NE



25) 024.jpg Excavation of swale → SW

27) 026.jpg Fall profile of swale → NE

ASUWDOG Digital Photographs Sheet 8 of 12

30) 029.jpg SF Δ Asst'n A30



29) 028.jpg SF Δ Asst'n A30

32) 031.jpg Finished length of swale \rightarrow NW



31) 30.jpg Finished length of swale \rightarrow NW

ASCUWU09 Digital Photographs Sheet 9 of 12

34) 033.jpg Finished length of swale → SE



36) 036.jpg Completed southern band → SE



33) 032.jpg Finished length of swale → SE

35) 035.jpg Completed southern band → SE

ASCUW09 Digital Photographs Sheet 10 of 12

38) 038.jpg Completed southern bond → SE



40) 040.jpg Causeway Post castle motte → NE



37) 037.jpg Completed southern bond SE

39) 039.jpg Causeway post castle motte → NE

ASUW09 Digital Photographs, Sheet 11 of 12

42) 042.jpg Casserway past swale → NE



44) 044.jpg Construction of northern bond → NE



41) 041.jpg Casserway past swale → NE

43) 043.jpg Construction of northern bond → NE

ASCUW09 Digital Photographs Sheet 12 of 12

46)046.jpg Connection of the swale to the Evenlode → S



45)045.jpg Connection of the swale to the evenlode



47)047.jpg Connection of the swale to the evenlode → S