



Dearnley Old Hall, Dearnley, Rochdale, Greater Manchester

Archaeological Evaluation Report

January 2020

Client: Keystone Estates

Issue No: V. 1

OA Reference No: 2019-20/2055


NGR: SD 92195 15792



Client Name: Keystone Estates
Document Title: Dearnley Old Hall, Dearnley, Rochdale, Greater Manchester
Document Type: Evaluation Report
Report No.: 2019-20/2055
Grid Reference: SD 92195 15792
Planning Reference: 15-00916-OUT
Site Code: DOH19
Invoice Code: L11280
Receiving Body: Touchstone Rochdale

OA Document File Location: X:\Paul\Projects\L11280_Dearnley_Old_Hall\Report
OA Graphics File Location: X:\Paul\Projects\L11280_Dearnley_Old_Hall\OAN_CAD

Issue No: V. 1
Date: January 2020
Prepared by: Anne Templeton (Supervisor)
Checked by: Paul Dunn (Senior Project Manager)
Edited by: Paul Dunn (Senior Project Manager)
Approved for Issue by: Alan Lupton (Operations Manager)
Signature:



Disclaimer:

This document has been prepared for the titled project or named part thereof and should not be relied upon or used for any other project without an independent check being carried out as to its suitability and prior written authority of Oxford Archaeology being obtained. Oxford Archaeology accepts no responsibility or liability for the consequences of this document being used for a purpose other than the purposes for which it was commissioned. Any person/party using or relying on the document for such other purposes agrees and will by such use or reliance be taken to confirm their agreement to indemnify Oxford Archaeology for all loss or damage resulting therefrom. Oxford Archaeology accepts no responsibility or liability for this document to any party other than the person/party by whom it was commissioned.

OA South

Janus House
Osney Mead
Oxford
OX2 0ES

t. +44 (0)1865 263 800

OA East

15 Trafalgar Way
Bar Hill
Cambridge
CB23 8SQ

t. +44 (0)1223 850 500

OA North

Mill 3
Moor Lane Mills
Moor Lane
Lancaster
LA1 1QD

t. +44 (0)1524 880 250

e. info@oxfordarch.co.uk
w. oxfordarchaeology.com

Oxford Archaeology is a registered Charity: No. 285627



Director and Chief Executive
Gill Hey, BA PhD FSA MCIFA
Private Limited Company, No: 1618597
Registered Charity, No: 285627
Registered Office: Oxford Archaeology Ltd
Janus House, Osney Mead, Oxford OX2 0ES

Dearnley Old Hall, Dearnley, Rochdale, Greater Manchester

Archaeological Evaluation Report

Written by Anne Templeton

With illustrations by Mark Tidmarsh

Contents

| | |
|--|-----------|
| Summary..... | vii |
| Acknowledgements..... | viii |
| 1 INTRODUCTION..... | 1 |
| 1.1 Scope of work..... | 1 |
| 1.2 Location, topography and geology..... | 1 |
| 1.3 Archaeological and historical background..... | 1 |
| 2 AIMS AND METHODOLOGY..... | 2 |
| 2.1 Aims..... | 2 |
| 2.2 Methodology..... | 2 |
| 3 RESULTS..... | 4 |
| 3.1 Introduction and presentation of results..... | 4 |
| 3.2 General soils and ground conditions..... | 4 |
| 3.3 Trench 1..... | 4 |
| 3.4 Trench 2..... | 6 |
| 3.5 Trench 3..... | 7 |
| 3.6 Finds and Environmental Summary..... | 8 |
| 4 DISCUSSION..... | 9 |
| 4.1 Reliability of field investigation..... | 9 |
| 4.2 Evaluation objectives and results..... | 9 |
| 4.3 Interpretation..... | 9 |
| 4.4 Significance..... | 9 |
| APPENDIX A WRITTEN SCHEME OF INVESTIGATION..... | 10 |
| APPENDIX B TRENCH DESCRIPTIONS AND CONTEXT INVENTORY..... | 11 |
| APPENDIX C BIBLIOGRAPHY..... | 13 |
| APPENDIX D SITE SUMMARY DETAILS / OASIS REPORT FORM..... | 14 |

List of Figures

- Fig 1 Site location
- Fig 2 Location of evaluation trenches and detail of walls in Trench 1
- Fig 3 Evaluation trenches superimposed on the Ordnance Survey 6": 1-mile map of 1851
- Fig 4 Evaluation trenches superimposed on the Ordnance Survey 25": 1-mile map of 1893

List of Plates

- Plate 1 Trench 1, looking north-west with 1 x 1m scale
- Plate 2 South-west-facing section of Trench 1, showing stone-capped drain **1009**, with 1 x 1m scale
- Plate 3 Trench 2 looking south, scale 1m
- Plate 4 Trench 3 looking south, scale 1m

Summary

Oxford Archaeology (OA) North was commissioned by Keystone Estates to undertake an archaeological evaluation on the site of a proposed residential development at Dearnley Old Hall, Dearnley, Rochdale, Greater Manchester (Fig 1, NGR: SD 92195 15792). Although the Local Planning Authority had not set a brief for the work, discussions with Andrew Myers and Norman Redhead of Greater Manchester Archaeological Advisory Service (GMAAS) established the required scope of work. OA North were then subsequently commissioned by Keystone Estates to produce a Written Scheme of Investigation (WSI) detailing the proposed scheme of works. The evaluation fieldwork was undertaken on 17th December 2019.

Three evaluation trenches were excavated, which revealed that the site had been heavily disturbed by previous construction and demolition of known outbuildings, detailed on historic mapping. It was apparent that the demolition material from this had been used as a levelling layer and had been capped by a concrete slab. Only Trench 1 contained archaeological features, four poorly preserved wall footings and a stone-capped drain.

Acknowledgements

Oxford Archaeology would like to thank Adil Ansari of Keystone Estates for commissioning this project. Thanks are also extended to Norman Redhead and Andrew Myers of Greater Manchester Archaeological Advisory Service (GMAAS), for their help and advice.

The project was managed for OA North by Paul Dunn. The fieldwork was directed by Anne Templeton, who was supported by Stephen Morgan. Survey and digitising was carried out by Stephen Morgan and Mark Tidmarsh.

1 INTRODUCTION

1.1 Scope of work

- 1.1.1 Oxford Archaeology (OA) North was commissioned by Keystone Estates to undertake an archaeological evaluation on the site of a proposed residential development at Dearnley Old Hall, Dearnley, Rochdale, Greater Manchester (Fig 1, NGR: SD 92195 15792).
- 1.1.2 The work was undertaken as a condition a Planning Application (planning ref. 15-00916-OUT). Although the Local Planning Authority had not set a brief for the work, discussions with Andrew Myers and Norman Redhead of Greater Manchester Archaeological Advisory Service (GMAAS) established the required scope of work. OA North were then subsequently commissioned by Keystone Estates to produce a Written Scheme of Investigation (WSI; *Appendix A*) detailing the proposed scheme of works. The evaluation fieldwork was undertaken on 17th December 2019. This document outlines how OA implemented the specified requirements.

1.2 Location, topography and geology

- 1.2.1 The site lies within the centre of Dearnley, Littleborough, Rochdale, Greater Manchester (Fig 1; NGR: SD 92195 15792). The site is bounded by houses fronting Union Road to the west, shops and houses fronting Halifax Road to the south, playing fields associated with St Andrews Church of England Primary School to the east and houses to the north. The land to be developed is currently covered in hardstanding, with only Dearnley Old Hall upstanding.
- 1.2.2 The solid geology of the area is mapped as sandstone of the Milnrow Sandstone formation, formed in the Carboniferous Period (BGS 2019). The superficial deposits of the site are mapped as Devensian Till, formed in the Quaternary Period (*ibid*). The soils of the site are identified as slowly permeable seasonally wet acid loamy and clayey soils (Cranfield 2019).

1.3 Archaeological and historical background

- 1.3.1 There has been no archaeological desk-based assessment produced for this project, however, there has been a Historic Building Recording report, produced by Garry Miller (2009), and subsequent addendum report, produced by Nichol Thomas (2014), which detail the historical background of the site in relation to Dearnley Old Hall. The hall, a Grade II* listed building, was first depicted on historic mapping in 1851 along with several outbuildings. The hall is being retained as part of the proposed development; however, the associated outbuildings have already been demolished.
- 1.3.2 The principal potential for archaeological remains are related to the outbuildings associated with Dearnley Old Hall, as well as a row of buildings fronting Back Union Road.

2 AIMS AND METHODOLOGY

2.1 Aims

2.1.1 The project aims and objectives were as follows:

- i. to adhere to and fulfil the agreed programme of works associated with the archaeological potential of the site;
- ii. to determine or confirm the general nature of any remains present, specifically any structures present on the historic mapping;
- iii. to determine or confirm the approximate date or date range of any remains, by means of artefactual or other evidence;
- iv. to inform a decision as to whether further archaeological investigation will be required prior to or during the construction phase of works, i.e. excavation or watching brief;
- v. to establish the significance of any archaeological remains present;
- vi. to compile a professional archival record of any archaeological remains within the site.

2.2 Methodology

2.2.1 The full methodology is outlined in the written scheme of investigation (*Appendix A*) and was adhered to in full, and, as such, was fully compliant with prevailing guidelines and established industry best practice (ClfA 2014a: 2014b: 2014c: Historic England 2015). A programme of field observation accurately recorded the character of deposits within the excavations.

2.2.2 The topsoil and overburden were removed using an 8-ton, 360°, tracked excavator (fitted with a toothless ditching bucket) to the surface of the first significant archaeological deposit, under direct archaeological supervision at all times. Subsequent cleaning and investigation of all archaeological deposits were undertaken manually, using either hoes, shovel scraping, and/or trowels depending on the subsoil conditions. All features of archaeological interest were investigated and recorded.

2.2.3 The trenches were located by use of a differential Global Positioning System (dGPS), accurate to within 0.02-0.03m, and altitude information was established with respect to Ordnance Survey Datum. Prior to excavating, the trenches were scanned using a Cable Avoidance Tool (CAT) and Signal Generator (Genny), to identify any potential services. All trenches were excavated in a stratigraphic manner.

2.2.4 All information identified during the site works was recorded stratigraphically, using a system adapted from that used by the former Centre of Archaeology of English Heritage, with an accompanying pictorial record (plans, sections, and digital photographs). Primary records were available for inspection at all times.

2.2.5 Results of all field investigations were recorded on *pro forma* context sheets. The site archive includes a photographic record. The site archive includes both a photographic and accurate large-scale plans and sections at appropriate scales (1:50, 1:20 1:10).

2.2.6 A full professional archive has been compiled in accordance with the Written Scheme of Investigation, and in accordance with current ClfA (2014c) and Historic England

guidelines (Historic England 2015). The archive will be deposited with Touchstone Rochdale.

3 RESULTS

3.1 Introduction and presentation of results

3.1.1 The results of the evaluation are presented below, and include a stratigraphic description of the trenches that contained archaeological remains. The full details of all trenches with dimensions and depths of all deposits can be found in *Appendix B*.

3.2 General soils and ground conditions

3.2.1 The soil sequence in the trenches was fairly uniform. The clay natural geology was overlain by made ground, presumably relating to the demolition of buildings identified on historic mapping. This made ground or levelling layer was, in turn, overlain by concrete hard standing. Additional concrete slabs, presumably modern floor surfaces, were present in Trenches 1 and 2.

3.2.2 Ground conditions throughout the evaluation were generally good, and the site remained relatively dry throughout, however, rising ground water was present at the southernmost ends of Trenches 2 and 3. Archaeological features, where present, were easy to identify due to their structural nature.

3.3 Trench 1

3.3.1 Trench 1, located in the south-western part of the site (Fig 2 and Plate 1) and targeting buildings fronting Back Union Road, was aligned north-west/south-east and measured 15m long by 2m wide, and was excavated to a maximum depth of 1m. Natural geology **1002** was identified as light pinkish orange clay at a depth of 1m below ground level (bgl). **1002** was cut by an undated stone-capped drain, **1009**, which was aligned north/south and was approximately 0.4m wide (Plate 2).

3.3.2 The remaining archaeological features within Trench 1 consisted of four north-east/south-west aligned walls footings (**1004**, **1005**, **1006**, and **1007**; Plate 1) extending across the width of the trench, which correspond well with buildings identified on historic mapping fronting Back Union Road. The wall footings were all constructed from hand-made bricks laid as soldiers and bonded with a pale brown lime mortar, only surviving to a single course. The walls were overlain by made ground **1001**, which was 0.9m thick, which was, in turn, overlain by concrete **1000**, which was 0.1m thick.



Plate 1: Trench 1, looking north-west with 1 x 1m scale



Plate 2: South-west-facing section of Trench 1, showing stone-capped drain **1009**, with 1 x 1 m scale

3.4 Trench 2

- 3.4.1 Trench 2, located in the north-eastern part of the site (Fig 2 and Plate 3) and targeted an outbuilding related to Dearnley Old Hall, was aligned north/south and measured 15m long by 2m wide, and was excavated to a maximum depth of 1m. Natural geology **2002** was identified as light pinkish orange clay at a depth of 1m bgl. **2002** was overlain by a concrete slab, **2003**, which was identified approximately 7m from the northern end of the trench and was 0.1m thick. Concrete slab **2003** was overlain by made ground **2001**, which was 0.9m thick, which was, in turn, overlain by concrete **2000**, which was 0.1m thick.



Plate 3: Trench 2, looking south with 1 x 1m scale

3.5 Trench 3

- 3.5.1 Trench 3, located in the north-western part of the site (Fig 2 and Plate 4) and targeted an outbuilding related to Dearnley Old Hall, was aligned north/south and measured 13m long by 2m wide, and was excavated to a maximum depth of 1m. Natural geology **3002** was identified as light pinkish orange clay at a depth of 1m bgl. **3002** was overlain by made ground **3001**, which was 0.7m thick, which was, in turn, overlain by concrete **3000**, which was 0.1m thick.



Plate 4: Trench 3, looking south with 1 x 1m scale

3.6 Finds and Environmental Summary

3.6.1 No environmental samples were taken during the fieldwork as there were no suitable deposits. There were also no archaeological finds encountered during the fieldwork

4 DISCUSSION

4.1 Reliability of field investigation

4.1.1 In general, the reliability of the archaeological evaluation was good with natural geology being clear enough for archaeological features to be visible. The weather was also favourable, with the trenches remaining relatively dry throughout, however, rising ground water in the northern trenches was not ideal.

4.2 Evaluation objectives and results

4.2.1 The evaluation adhered to and fulfilled the agreed programme of works associated with the archaeological potential of the site. The remains of four red brick walls were found and these likely relate to terraced house fronting Back Union Road (Fig 4). No artefactual dating or other evidence was retrieved to confirm the approximate date or date range of any remains.

4.3 Interpretation

4.3.1 It was evident that the ground level immediately to the south-west of Dearnley Old Hall had been raised to its current height using the demolition material from the structures this evaluation was targeting. Two of the trenches (Trenches 2 and 3) revealed no surviving remains of the outbuildings identified on the 1851 historic mapping (Fig 3). The remains of a undated stone-lined drain, **1009**, were identified within Trench 1, which was cut by several wall footings, likely the remains of terraced houses fronting Back Union Road (Fig 4).

4.4 Significance

4.4.1 The results of the archaeological evaluation identified that the outbuildings associated with Dearnley Old Hall had been thoroughly demolished, although concrete slab **2003** may well have related to one of the buildings. The wall footings identified in Trench 1, likely relating to buildings fronting Back Union Road, survived only to a single course, however, these did correspond well with the historic mapping. As such, the results of the evaluation suggest that little of archaeological significance has survived.




Figure 1: Site location




Figure 2: Location of evaluation trenches and detail of walls in Trench 1




Figure 3: Evaluation trenches superimposed on the Ordnance Survey 6":1 mile map of 1851




Figure 4: Evaluation trenches superimposed on the Ordnance Survey 25":1 mile map of 1893

APPENDIX A WRITTEN SCHEME OF INVESTIGATION



Dearnley Old Hall, Dearnley, Rochdale, Greater Manchester

Written Scheme of Investigation Archaeological Evaluation

December 2019

Client: Keystone Estates

Issue No: V. 1
NGR: SD 92195 15792



Client Name: Keystone Estates
Document Title: Dearnley Old Hall, Dearnley, Rochdale, Greater Manchester
Document Type: Written Scheme of Investigation
Grid Reference: SD 92195 15792
Planning Reference: 15-00916-OUT
Site Code: DOH19
Invoice Code: L11280

OA Document File Location: X:\Paul\Tenders\24082_Dearnley_Old_Hall\WSI
OA Graphics File Location: X:\Paul\Tenders\24082_Dearnley_Old_Hall\WSI_Figs

Issue No: V. 1
Date: 11/12/2019
Prepared by: Paul Dunn (Senior Project Manager)
Checked by: Paul Dunn (Senior Project Manager)

Disclaimer:

This document has been prepared for the titled project or named part thereof and should not be relied upon or used for any other project without an independent check being carried out as to its suitability and prior written authority of Oxford Archaeology being obtained. Oxford Archaeology accepts no responsibility or liability for the consequences of this document being used for a purpose other than the purposes for which it was commissioned. Any person/party using or relying on the document for such other purposes agrees and will by such use or reliance be taken to confirm their agreement to indemnify Oxford Archaeology for all loss or damage resulting therefrom. Oxford Archaeology accepts no responsibility or liability for this document to any party other than the person/party by whom it was commissioned.

OA South

Janus House
Osney Mead
Oxford
OX2 0ES

t. +44 (0)1865 263 800

OA East

15 Trafalgar Way
Bar Hill
Cambridge
CB23 8SQ

t. +44 (0)1223 850 500

OA North

Mill 3
Moor Lane Mills
Moor Lane
Lancaster
LA1 1QP

t. +44 (0)1524 880 250

e. info@oxfordarch.co.uk

w. oxfordarchaeology.com

Oxford Archaeology is a registered Charity: No. 285627



Director and Chief Executive
Gill Hey, BA PhD FSA MCIFA
Private Limited Company, No: 1618597
Registered Charity, No: 285627
Registered Office: Oxford Archaeology Ltd
Janus House, Osney Mead, Oxford OX2 0ES

Dearnley Old Hall, Dearnley, Rochdale, Greater Manchester

Written Scheme of Investigation for an Evaluation

Centred on SD 92195 15792

Contents

| | |
|---|-----------|
| List of Figures | vii |
| 1 INTRODUCTION | 1 |
| 1.1 Project details | 1 |
| 1.2 Location, topography and geology..... | 2 |
| 2 ARCHAEOLOGICAL AND HISTORICAL BACKGROUND AND POTENTIAL | 3 |
| 2.1 Archaeological and historical background | 3 |
| 3 PROJECT AIMS..... | 4 |
| 3.1 General | 4 |
| 3.2 Specific aims and objectives..... | 4 |
| 4 PROJECT SPECIFIC EXCAVATION AND RECORDING METHODOLOGY | 5 |
| 4.1 Scope of works..... | 5 |
| 4.2 Programme | 5 |
| 4.3 Site specific methodology | 5 |
| 5 PROJECT SPECIFIC REPORTING AND ARCHIVE METHODOLOGY | 7 |
| 5.1 Programme | 7 |
| 5.2 Content..... | 7 |
| 5.3 Specialist input..... | 7 |
| 5.4 Archive | 7 |
| 6 HEALTH AND SAFETY..... | 8 |
| 6.1 Roles and responsibilities..... | 8 |
| 6.2 Method statement and risk assessment | 8 |
| 6.3 Monitoring of works | 8 |
| 7 BIBLIOGRAPHY | 9 |
| OA STANDARD FIELDWORK METHODOLOGY APPENDICES..... | 10 |
| APPENDIX A GENERAL EXCAVATION AND RECORDING METHODOLOGY | 10 |
| A.1 Standard methodology – summary..... | 10 |
| A.2 Relevant industry standards and guidelines..... | 11 |
| A.3 Relevant OA manual and other supporting documentation | 11 |
| APPENDIX B GEOMATICS AND SURVEY..... | 12 |

| | | |
|--|---|-----------|
| B.1 | Standard methodology - summary | 12 |
| B.2 | Relevant industry standards and guidelines..... | 14 |
| B.3 | Relevant OA manual and other supporting documentation | 14 |
| APPENDIX C ENVIRONMENTAL EVIDENCE | | 15 |
| C.1 | Standard methodology – summary..... | 15 |
| C.2 | Relevant industry standards and guidelines..... | 15 |
| C.3 | Relevant OA manual and other supporting documentation | 16 |
| APPENDIX D ARTEFACTUAL EVIDENCE | | 17 |
| D.1 | Standard methodology - summary | 17 |
| D.2 | Relevant industry standards and guidelines..... | 18 |
| D.3 | Relevant OA manual and other supporting documentation | 18 |
| APPENDIX E HUMAN REMAINS..... | | 19 |
| E.1 | Standard methodology - summary | 19 |
| E.2 | Relevant industry standards and guidelines..... | 21 |
| E.3 | Relevant OA manual and other supporting documentation | 22 |
| APPENDIX F REPORTING | | 23 |
| F.1 | Standard methodology - summary | 23 |
| F.2 | Relevant industry standards and guidelines..... | 24 |
| APPENDIX G LIST OF SPECIALISTS REGULARLY USED BY OA | | 26 |
| APPENDIX H DOCUMENTARY ARCHIVING | | 28 |
| Standard methodology – summary..... | | 28 |
| H.2 | Relevant industry standards and guidelines..... | 29 |
| H.3 | Relevant OA manual and other supporting documentation | 30 |
| APPENDIX I HEALTH AND SAFETY | | 31 |
| I.1 | Standard Methodology - summary | 31 |
| I.2 | Relevant industry standards and guidelines..... | 31 |

List of Figures

- | | |
|-------|---|
| Fig 1 | Site location map |
| Fig 2 | Proposed trench locations |
| Fig 3 | Proposed trench locations overlain on OS 6": 1 mile map of 1851 |

1 INTRODUCTION

1.1 Project details

1.1.1 Oxford Archaeology (OA) North has been commissioned by Keystone Estates to undertake an archaeological evaluation of the site of a proposed residential development at Dearnley Old Hall, Dearnley, Rochdale, Greater Manchester (Fig 1; NGR: SD 92195 15792).

1.1.2 The work is being undertaken as a condition of Planning Permission (planning ref: 15-00916-OUT). Condition 15 states:

No ground works shall take place until the applicant or their agents or their successors in title have secured the implementation of a programme of archaeological works. That programme should be undertaken in accordance with a Written Scheme of Investigation (WSI) submitted to and approved in writing by the local planning authority. The WSI shall cover the following:

1. A phase programme and methodology of site investigation and recording to include:

- Archaeological evaluation trenching***
- (depending upon the evaluation results) targeted open area excavation***

2. A programme for post investigation assessment to include:

- Analysis of the site investigation records and finds***
- Production of a final report on the significance of the archaeological, architectural and historical interest represented***

3. Provision for publication and dissemination of the analysis and report on the site investigation

4. Provision for archive deposition of the report, finds and records of the site investigation

5. Nomination of a competent person or persons/organisation to undertake the works set out within the approved WSI

Reason: To record and advance understanding of the significance of any heritage assets to be lost (wholly or in part) in a manner proportionate to their importance and the impact, and to make this evidence (and any archive generated) publicly accessible and in accordance with National Planning Policy Framework paragraph 141

Reason for pre-commencement condition: Matters of archaeological interest would only be in evidence prior to development and may be destroyed in the process of development. To ensure the proper and full recording of such evidence, in the interests of providing a full public record, it is important all recording is undertaken prior to development commencing on site.

1.1.3 Although the Local Planning Authority has not set a brief for the work, discussions with Andrew Myers and Norman Redhead of Greater Manchester Archaeological Advisory Service (GMAAS) has established the scope of work required. OA North were subsequently commissioned by Keystone Estates to undertake the archaeological

works required to discharge the above condition; this document outlines how OA will implement those requirements.

- 1.1.4 All work will be undertaken in accordance with local and national planning policies referenced within this document.

1.2 Location, topography and geology

- 1.2.1 The site lies within the centre of Dearnly, Littleborough, Rochdale, Greater Manchester (Fig 1; NGR: SD 92195 15792). The site is bounded by houses fronting Union Road to the west, shops and houses fronting Halifax Road to the south, playing fields associated with St Andrews Church of England Primary School to the east and house to the north. The land to be developed is currently covered in hardstanding, with only Dearnley Old Hall upstanding.
- 1.2.2 The solid geology of the area is mapped as sandstone of the Milnrow Sandstone formation, formed in the Carboniferous Period (BGS 2019). The superficial deposits of the site are mapped as Devensian Till, formed in the Quaternary Period (*ibid*). The soils of the site are identified as slowly permeable seasonally wet acid loamy and clayey soils (Cranfield 2019).

2 ARCHAEOLOGICAL AND HISTORICAL BACKGROUND AND POTENTIAL

2.1 Archaeological and historical background

- 2.1.1 There has been no archaeological desk-based assessment produced for this project, however, there has been a Historic Building Recording report, produced by Garry Miller (2009), and subsequent addendum report, produced by Nichol Thomas (2014), which detail the historical background of the site in relation to Dearnley Old Hall. The hall, a Grade II* listed building, was first depicted on historic mapping in 1851 along with several outbuildings. The hall is being retained as part of the proposed development; however, the associated outbuildings have already been demolished.
- 2.1.2 The principal potential for archaeological remains are related to the outbuildings associated with Dearnley Old Hall. As well as a row of terraced houses fronting Back Union Road.

3 PROJECT AIMS

3.1 General

3.1.1 The general aims of the project can be summarised as follows;

- to adhere to and fulfil the agreed programme of works associated with the archaeological potential of the site;
- to determine or confirm the general nature of any remains present;
- to determine or confirm the approximate date or date range of any remains, by means of artefactual or other evidence;
- to inform a decision as to whether further archaeological investigation will be required prior to or during the construction phase of works, i.e. excavation or watching brief;
- to establish the significance of any archaeological remains present;
- to compile a professional archival record of any archaeological remains within the site.

3.2 Specific aims and objectives

3.2.1 The specific aims and objectives of the archaeological evaluation are:

- i. to determine or confirm whether the structure depicted on historic mapping survive, and if they do, to what extent;
- ii. to recover enough evidence to identify the approximate date or date range of the structures, by examining their fabric and construction techniques.

4 PROJECT SPECIFIC EXCAVATION AND RECORDING METHODOLOGY

4.1 Scope of works

- 4.1.1 The work will involve the excavation of three archaeological evaluation trenches in the locations of buildings identified on nineteenth century historic mapping (Figs 2 and 3). The trenches will all measure 15m long by 2m wide, being excavated by a mechanical excavator, fitted with a toothless ditching bucket and breaker, supervised by a suitably qualified archaeologist. The trenches will be excavated to significant archaeological remains, natural geology or a safe working depth, approximately 1.2m below ground level. The spoil will be checked for finds and if significant material is detected this will be retained. If archaeological structures are identified they will be hand cleaned and recorded. If potentially significant archaeological remains are identified, the archaeologist will inform the client and will then consult with GMAAS.
- 4.1.2 Once the trenches have been fully recorded and signed off by the Heritage Management Director (Archaeology) at GMAAS. There may be a requirement for the trenches to be extended into excavation if archaeological remains are encountered. If there are no further requirements the trenches will be backfilled by the mechanical excavator with the material arising from the trenches. There will be no further compaction other than that provided by the mechanical excavator on site.

4.2 Programme

- 4.2.1 It is anticipated that the fieldwork will take 1 day to complete, by a team consisting of a Project Supervisor, Andrew McGuire, directing a Project Archaeologists, under the management of Paul Dunn, Senior Project Manager.
- 4.2.2 All fieldwork undertaken by OA North is overseen by the Operations Manager, Alan Lupton MCIfA.

4.3 Site specific methodology

- 4.3.1 A summary of OA's general approach to excavation and recording can be found in *Appendix A*. Standard methodologies for Geomatics and Survey, Environmental evidence, Artefactual evidence and Burials can also be found below (*Appendices B, C, D and E* respectively).
- 4.3.2 Site specific methodologies will be as follows:
- i. the evaluation trenches will be set-out using a dGPS, accurate to 0.02m. The trench will then be scanned using a Cable Avoidance Tool (CAT) and Signal Generator (Genny), operated by a suitably qualified and experienced person, the position of any potential services marked. Once the location is identified as clear the mechanical excavation of the trenches can commence;
 - ii. the trenches will be excavated by mechanical excavator, fitted with a toothless ditching bucket, under the direct supervision of the Project Supervisor, in even spits to significant archaeological remains, natural geology or a safe working depth, approximately 1.2m below ground level, whichever comes first;
 - iii. the overburden will be banded to the side of the trenches, a safe working distance from the edge, approximately 1m. The trenches will not exceed a safe

- working depth of 1.2m, however, if significant archaeological remains or natural geology are not identified within the 1.2m, localised sondages will be excavated to test the depth of natural, where appropriate. No staff will be allowed to enter any excavations deeper than 1.2m;
- iv. once the mechanical excavation of the trench is complete, it will be cleaned by hand, where necessary, and any archaeological features will be hand excavated. The hand excavation and recording methodology can be found in *Appendix A*;
 - v. if any features of significance are identified during the evaluation, the client will be informed, in the first instance, and then GMAAS will be consulted. A decision whether to continue the trench or stop at that level and record will be made. This will also lead to a decision as to whether the trenches will be expanded into excavation areas;
 - vi. with the trench fully recorded, it will be backfilled by the mechanical excavator. The overburden will be compacted by the mechanical excavator only and not by any other type of plant (*Appendix A*);
 - vii. the ultimate release of the planning conditions will be dependent upon the successful completion of these archaeological aims, but also the production of a complete archaeological report detailing the results of the evaluation and an interpretation of their significance. If significant archaeological features are identified during the evaluation, there may be a requirement that further archaeological works, in the form of excavation or watching brief, to be undertaken prior to or during construction works;
 - viii. at all times, the archaeologist will work under the Health and Safety directions of the principal contractor on-site.

5 PROJECT SPECIFIC REPORTING AND ARCHIVE METHODOLOGY

5.1 Programme

- 5.1.1 The final grey literature report will be produced within 6 weeks of completion of the fieldwork, assuming minimal results are identified. However, if significant remains are identified, an assessment report will be produced within 3 months of completion of the fieldwork, which will be followed by analysis.
- 5.1.2 A copy of the report in Adobe Acrobat (.pdf) format will be provided to the client. The report will also be provided to GMAAS for comment prior to final issue. Paper copies can also be provided on request.

5.2 Content

- 5.2.1 The content of this report will be as defined in *Appendix F*.

5.3 Specialist input

- 5.3.1 OA has a large pool of internal specialists, as well as a network of external specialists with whom OA have well established working relationships. A general list of these specialists is presented in *Appendix G*; in the event that additional input should be required, an updated list of specialists can be supplied.

5.4 Archive

- 5.4.1 The site archive will be deposited with Touchstone Rochdale following completion of the project. An OASIS summary will be produced once the archive is ready for deposition, with a digital copy of the final report being uploaded.
- 5.4.2 A summary of OA's general approach to documentary archiving can be found in *Appendix H*.

6 HEALTH AND SAFETY

6.1 Roles and responsibilities

- 6.1.1 The Senior Project Manager, Paul Dunn, has responsibility for ensuring that safe systems of work are adhered to on site. Elements of this responsibility will be delegated to the Project Supervisor, Andrew McGuire, who implements these on a day to day basis. Paul Dunn and Andrew McGuire are supported by OA North's Health and Safety Advisor, Fraser Brown.
- 6.1.2 The Director with responsibility for Health and Safety at OA is Dan Poore Tech IOSH (Chief Business Officer).

6.2 Method statement and risk assessment

- 6.2.1 A summary of OA's general approach to health and safety can be found in *Appendix I*. A risk assessment has also been undertaken and approved and will be kept on site, along with OA's standard Health and Safety file, which will contain all relevant health and safety documentation.
- 6.2.2 The Health and Safety file will be available to view at any time.

6.3 Monitoring of works

- 6.3.1 The archaeological evaluation will be monitored where appropriate by GMAAS, All such site visited will be carried out under the auspices of the main contractors Health and Safety Plan and visitors will have a current CSCS card, wear appropriate PPE and be accompanied at all times.

7 BIBLIOGRAPHY

British Geological Survey (BGS) 2019 *Geology of Britain viewer* [Online] available at: <http://mapsapps.bgs.ac.uk/geologyofbritain/home.html> (accessed December 2019)

Cranfield Soil and Agrifood Institute, 2019 *National Soil Resources Institute: Soils of Britain map* [Online] available at: [http://www.landis.org.uk/soils/soils.html](http://www.landis.org.uk/soils/soils/soils.html) Cranfield University (accessed December 2019)

Miller, G 2009 *Dearnley Old Hall and outbuildings: Historic Building Report* unpubl rep

Nicol Thomas 2014 *Dearnley Old Hall and outbuildings addendum: Historic Building Addendum Report* unpubl rep

OA STANDARD FIELDWORK METHODOLOGY APPENDICES

The following methods and terms will apply, where appropriate, to all OA fieldwork unless varied by the accompanying detailed Written Scheme of Investigation.

Copies of all OA internal standards and guidelines referred to below are available on request.

APPENDIX A GENERAL EXCAVATION AND RECORDING METHODOLOGY

A.1 Standard methodology – summary

Mechanical excavation

- A.1.1 An appropriate mechanical excavator will be used for machine excavation. This will normally be a JCB or 360° tracked excavator with a 1.5 m to 2 m wide toothless ditching bucket. For work with restricted access or working room a mini excavator may be used.
- A.1.2 All mechanical excavation will be undertaken under direct archaeological supervision.
- A.1.3 All undifferentiated topsoil or overburden of recent origin will be removed down to the first significant archaeological horizon, in successive, level spits.
- A.1.4 Following mechanical excavation, all areas that require examination or recording will be cleaned using appropriate hand tools.
- A.1.5 Spoil heaps will be monitored in order to recover artefacts to assist in the analysis of the spatial distribution of artefacts. Modern artefacts will be noted but not retained.
- A.1.6 After recording, evaluation trenches and test pits will usually be backfilled with excavated material in reverse order of excavation, and compacted as far as is practicable with the mechanical excavator. Area excavations will not normally be backfilled.

Hand excavation

- A.1.7 All investigation of archaeological levels will usually be by hand, with cleaning, examination and recording both in plan and section.
- A.1.8 Within significant archaeological levels the minimum number and proportion of features required to meet the aims of the excavation will be hand excavated. Pits and postholes will usually be subject to a 50% sample by volume. Linear features will be sectioned as appropriate. More complex features such as those associated with funerary activity will usually be subject to 100% hand excavation.
- A.1.9 In the case of evaluations, it is not necessarily the intention that all trial trenches will be fully excavated to natural stratigraphy, but the depth of archaeological deposits across the site will be assessed. The stratigraphy of a representative sample of the evaluation trenches will be recorded even where no archaeological deposits have been identified. Any excavation, both by machine and by hand, will be undertaken with a view to avoiding damage to any archaeological features or deposits, which appear to be worthy of preservation in situ.

Recording

- A.1.10 Written descriptions will be recorded on proforma sheets comprising factual data and interpretative elements.
- A.1.11 Where stratified deposits are encountered a Harris matrix will be compiled during the course of the excavation.
- A.1.12 Plans will normally be drawn at 1:100, but on urban or deeply stratified sites a scale of 1:50 or 1:20 will be used. Detailed plans will be at an appropriate scale. Burials will be drawn at scale 1:10 or recorded using geo-referenced digital photography.
- A.1.13 The site grid will be accurately tied into the National Grid and located on the 1:2500 or 1:1250 map of the area.
- A.1.14 A register of plans will be kept.
- A.1.15 Long sections of showing layers will be drawn at 1:50. Sections of features or short lengths of trenches will be drawn at 1:20.
- A.1.16 A register of sections will be kept.
- A.1.17 Generally, all sections will be tied in to Ordnance Datum.
- A.1.18 A full photographic record, illustrating in both detail and general context the principal features and finds discovered will be maintained. The photographic record will also include working shots to illustrate more generally the nature of the archaeological work.
- A.1.19 Photographs will be recorded on OA Photographic Record Sheets.

A.2 Relevant industry standards and guidelines

- A.2.1 The Chartered Institute for Archaeologists Standard and Guidance notes relevant to fieldwork are:
- Standard and Guidance for Archaeological Field Evaluation
 - Standard and Guidance for Archaeological Excavation
 - Standard and Guidance for an Archaeological Watching Brief.
- A.2.2 These will be adhered to at all times.

A.3 Relevant OA manual and other supporting documentation

- A.3.1 All fieldwork will be undertaken in accordance with the requirements of the OA Field Manual (ed. D Wilkinson 1992), and the revised OA fieldwork manual (publication forthcoming).
- A.3.2 Further guidance is provided to all excavators in the form of the OA 'Fieldwork Crib Sheets - a companion guide to the Fieldwork Manual'. These have been issued ahead of formal publication of the revised Fieldwork Manual.

APPENDIX B GEOMATICS AND SURVEY

B.1 Standard methodology - summary

- B.1.1 The aim of OA methodology is to provide comprehensive survey cover of all investigation areas. Additionally, it is designed to provide coverage for any areas, beyond the original scope of the project, which arise as a result of further work. It provides digital plans of all required elements of the project and locates them within an overall grid.
- B.1.2 It also maintains all necessary survey data and ensures that the relevant information is copied into the primary record, in order to ensure the integrity of the project archive. Furthermore, it ensures that all core data is securely stored and backed up. It establishes accurate project reference systems utilising a series of control stations and permanent base lines.
- B.1.3 The survey will be conducted using a combination of Total Station Theodolite (TST) survey utilising Reflectorless Electronic Distance Measurement (REDM) where appropriate, hand-measured elements and GPS (Global Positioning System), or photogrammetry.
- B.1.4 Before the main work commences, a network of control stations will be laid out encompassing the area. Control stations will be tied in to known points or existing features using rigorous metric observation. The control network will be set in using a TST to complete a traverse or using techniques as appropriate to ensure sufficient accuracy. A GPS, or other appropriate method, will be used to orientate the control network to National Grid or other recognised coordinate system.
- B.1.5 All control stations will be checked by closed traverse and/or GPS, as appropriate. The accuracy of these control stations will be accessed on a regular basis and re-established accordingly. All stations will be recorded on Survey Control Station sheets.
- B.1.6 Each control station will be marked with a PGM (Permanent Ground Marker). Witness diagrams will include the full 3-D co-ordinates generated, a sketch diagram and measurements to at least three fixed details, written description of the mark and a photograph of the control point in its environs.
- B.1.7 Prior to entry into the field all equipment will be checked, and all pre-survey information will be logged onto the field computer and uploaded onto survey equipment as appropriate. The software in the field computer will be verified and all cabling between the GPS and/or TST and computer will be checked. Prior to conducting the survey, the site will be reconnoitred for locations for a viable control network and check the line of sight and any possible hindrance to survey. Daily record sheets will be kept to record daily tasks and conditions.
- B.1.8 All spatial data will be periodically downloaded onto a field computer, and backed up onto CD, or DVD. It will be cleaned, validated and inspected.
- B.1.9 All survey data will be documented on daily survey record sheets. Information entered on these sheets includes key set up information (Instrument height etc.) as well as daily variables and errors/comments. All survey data will be digitally recorded in a raw

format and translated during the download process this shall allow for any errors to be cross referenced with the daily survey record and corrected accordingly.

- B.1.10 A weekly summary of survey work will be produced to access development and highlight problems. This information also will be recorded on the weekly survey journal. Technical support for the survey equipment and download software shall be available at all times. In those instances, where sites are remotely operated, all digital data will be backed up regularly and a copy returned to Oxford on a weekly basis.
- B.1.11 A site plan will initially be created by a rapid survey of relevant archaeological features by mapping their extent using a combination of TST and GPS. This will form the basis for deciding excavation strategy and will be updated as the excavation clarifies the extent of, and relationships between, archaeological features.
- B.1.12 Excavated archaeological interventions and areas of complex stratigraphy will be hand drawn. At least two Drawing Points (DPs) will be set in as a baseline and measurements taken off this by tape and offset. The hand drawn plans will be referenced to the digitally captured pre-site plan by measuring in the DPs with a TST or GPS. These hand drawn elements will then be scanned in, geo-referenced using the DPs as reference points and digitised following OA's digitising protocols. For further details on hand planning procedure please refer to the fieldwork guidelines.
- B.1.13 Where appropriate photogrammetry or rectified photography may be used to record standing structures or burials. This will be carried out in line with Standard OA procedures for photogrammetry or rectified photography.
- B.1.14 Survey data recorded in the field will be downloaded using appropriate downloading software, and saved as an AutoCAD Map DWG file, or an ESRI Shapefile. These files will be regularly updated and backed up with originals being stored on an OA server in Oxford.
- B.1.15 All drawings will be composed of closed polygons, polylines or points in accordance with the requirements of GIS construction and OA Geomatics protocols. Once created, additional GIS/CAD work will normally be carried out at the local OA central office or at on-site remote locations when appropriate. Support for all GIS/CAD work will be available from OA's Oxford Office during normal office hours. The aim of the GIS/CAD work is to produce workable draft plans, which can be produced as stand-alone products, or can be readily converted to GIS format. Any hand-drawn plans will be scanned and digitised on site in the first instance. Subsequent plans will be added to the main drawing as it develops.
- B.1.16 All plan scans will be numbered according to their plan site number. Digital plans will be given a standard new plan number taken out from the site plan index.
- B.1.17 All digital data will be backed up incrementally on CD or DVD. On each Friday the entire data directory will be backed up and returned to Oxford where it will be copied onto the OA projects server. Each CAD drawing will contain an information layout which will include all the relevant details appertaining to that drawing. Information (metadata) on all other digital files will be created and stored as appropriate. At the end of the survey all raw measurements will be made available as hard copy for archiving purposes.

B.2 Relevant industry standards and guidelines

- B.2.1 Historic England (2007) Understanding the Archaeology of Landscapes A Guide to Good Recording Practice.
- B.2.2 Historic England (2015), Metric Survey Specifications for Cultural Heritage.
- B.2.3 Historic England (2016), Understanding Historic Buildings A Guide to Good Recording Practice.
- B.2.4 Historic England (2017), Photogrammetric Applications for Cultural Heritage. Guidance for Good Practice.

B.3 Relevant OA manual and other supporting documentation

- B.3.1 OA South Metric Survey, Data Capture and Download Procedures
- B.3.2 OA South Digitising Protocols
- B.3.3 OA South GIS Protocols
- B.3.4 These will be superseded by the OA South Geomatics Manual (in progress).

APPENDIX C ENVIRONMENTAL EVIDENCE

C.1 Standard methodology – summary

- C.1.1 Different environmental and geoarchaeological sampling strategies may be employed according to established research targets and the perceived importance of the strata under investigation. Where possible an environmental specialist(s) will visit the site to advise on sampling strategies. Sampling methods will follow guidelines produced by Historic England and Oxford Archaeology. A register of samples will be kept. Specialists will be consulted where non-standard sampling is required (e.g. TL, OSL or archaeomagnetic dating) and if appropriate will be invited to visit the site and take the samples.
- C.1.2 Geoarchaeological sampling methods are site specific, and methodologies will be designed in consultation with the geoarchaeological manager on a site by site basis.
- C.1.3 Bulk soil samples, where possible of 40 litres or 100% of a deposit if less is available, will be taken from potentially datable features and layers for flotation for charred plant remains and for the recovery of small bones and artefacts. Larger soil samples (up to 100L) may be taken for the complete recovery of animal bones, marine shell and small artefacts from appropriate contexts. Smaller bulk samples (general biological samples) of 10-20 litres will be taken from any waterlogged deposits present for the recovery of macroscopic plant remains and insects. Series of incremental 2L samples may be taken through buried soils and deep feature fills for the recovery of snails and/or waterlogged plant remains, depending on the nature of the stratigraphy and of the soils and sediments. Columns will be taken from buried soils, peats and waterlogged feature fills for pollen and/or phytoliths, diatoms, ostracods and foraminifera if appropriate. Soil samples will be taken for soil investigations (particle size, organic matter, bulk chemistry, soil micromorphology etc.) and possibly for metallurgical analysis in consultation with the appropriate specialists.
- C.1.4 Bulk samples from dry deposits will be processed by standard water flotation using a modified Siraf-style machine and meshes of 0.25mm (flot) and 0.5 or 1mm depending on sediment type and like modes of preservation (residue). Heavy residues will be wet sieved, air dried and sorted. Samples taken exclusively for the recovery of bones, marine shell or artefacts will be wet sieved to 2mm. Waterlogged samples (1L sub-sample) and snail samples (2L) will be processed by hand flotation with flots and residues collected to 0.25mm (waterlogged plants) and 0.5mm (snails) respectively; these flots and residues will be sorted by the specialist. Samples specifically taken for insects, pollen, other microflora and microfauna, metallurgy and soil analysis will be submitted as whole earth to the appropriate specialists or processed following their instructions.

C.2 Relevant industry standards and guidelines

- C.2.1 Historic England 2010. Waterlogged Wood: Guidelines on the recording, sampling, conservation and curation of waterlogged wood.
- C.2.2 Historic England 2011. Environmental Archaeology. A guide to the theory and practice of methods, from sampling and recovery to post excavation, (2nd ed)

- C.2.3 Historic England 2004. Dendrochronology: Guidelines on Producing and Interpreting Dendrochronological Dates (revision due 2020).
- C.2.4 University of Bradford 2019 Archaeomagnetism: Magnetic Moments in the Past <https://www.brad.ac.uk/archaeomagnetism/>
- C.2.5 Historic England 2008. Luminescence Dating. Guidelines on Using Luminescence Dating in Archaeology (revision due 2020).
- C.2.6 Historic England 2008. Guidelines for the Curation of Waterlogged Macroscopic Plant and Invertebrate Remains (currently being revised).
- C.2.7 Historic England 2015. Archaeometallurgy. Guidelines for Best Practice.
- C.2.8 Historic England 2015 Geoarchaeology. Using Earth Sciences to Understand the Archaeological Record.
- C.2.9 Historic England 2017. Organic Residue Analysis and Archaeology.
- C.2.10 Baker, P and Worley, F 2019. Animal Bones and Archaeology: Recovery to Archive. Historic England

C.3 Relevant OA manual and other supporting documentation

- C.3.1 Oxford Archaeology 2017. Environmental Sampling Guidelines, 4th ed.

APPENDIX D ARTEFACTUAL EVIDENCE

D.1 Standard methodology - summary

- D.1.1 Before a site begins arrangements concerning the finds will be discussed with the Finds Team Leader. Information will be provided by the project manager about the nature of the site, the expected size and make-up of the finds assemblage and any site specific finds retrieval strategies. On-site requirements will be discussed and a conservator appointed who can be called on to make site visits if required. Special requirements regarding particular categories of material will be raised at this early stage for instance the likelihood of recovering assemblages of waterlogged material, large timbers, quantities of structural stone or ceramic building material. Specialists may be required to visit sites to discuss retrieval strategies.
- D.1.2 The project manager will supply the Finds Team Leader with contact details of the landowner of the site so that consent to deposit any finds resulting from the investigation can be sought.
- D.1.3 The on-site retrieval, lifting and short term packaging of bulk and small finds will follow the detailed guidelines set out in the OA Finds Manual (sections 2 and 3), First Aid for Finds and the UKIC conservation guidelines No.2.
- D.1.4 All finds recovered from site will be transported to an OA regional office for processing; local sites will return finds at the end of each day, away based sites at the end of each week. Special arrangements can be discussed for certain sites with the Team Leader before the start of a project. Larger long running sites may in some instances set up on-site processing units to deal with the material from a particular site.
- D.1.5 All finds qualifying as Treasure will be removed to a safe place and reported to the local Coroner according to the procedures relating to the Treasure Act (1996), and the Treasure (Designation) Order 2002. Where removal cannot be effected on the same working day as the discovery, suitable security measures will be taken to protect the finds from theft.
- D.1.6 Each box of finds will be accompanied by a finds context checklist itemising the finds within each box. The number of bags of finds from each context and individual small find from each context will be recorded. A member of the processing team will check the list when it arrives in the department. There are separate forms for finds recovered from fieldwalking.
- D.1.7 The processing programme is reviewed on a weekly basis and priorities are worked out after discussions with the Fieldwork Team Leader and the Post-excavation Team Leader. Project managers will keep the Finds Team Leader informed of any pressing deadlines that they are aware of. All finds from evaluations are dealt with as a matter of priority.
- D.1.8 All bulk finds are washed (where appropriate), marked, bagged and boxed by the processing team according to the guidelines set out in section 4 and 5 of the OA Finds Manual, First-aid for finds and the UKIC guidelines No.2. They must also take into account the requirements of the receiving museum. Primary data recording count and weight of fragments by material from each context is recorded on the site database.

- D.1.9 Unstable and sensitive objects are recorded onto the database and then packaged and stored in controlled environments according to their individual requirements. The advice of a conservator will be sought for sensitive objects in need of urgent conservation. All metalwork will be x-rayed prior to assessment (and to meet the requirements of most receiving museums).
- D.1.10 Finds recovered from the environmental sample processing will be incorporated into the main assemblage and added to the database.
- D.1.11 On completion of the processing and data entry a finds file for each archaeological investigation will be produced, a summary of which is available for the project manager. The assemblage is allocated an OA number for storage purposes. Bulk finds are stored on a roller racking system, metals in a secure controlled storage and organic finds are refrigerated where possible.
- D.1.12 The movement of finds in and out of the storage areas is strictly monitored and recorded. Carbon copy transit forms exist to record this information. Finds will not be removed from storage without the prior knowledge of the Finds Team Leader.
- D.1.13 Finds information summarised in the finds compendium is used to assess the finds requirements for the post excavation stages of the project. The Team Leader holds a list of all specialists used by OA (see below) both internal and external.
- D.1.14 On completion of the post excavation stage of the project the team prepares the finds assemblage for deposition with the receiving museum. Discussions will be held with the museum, the excavator and the Finds Team Leader to finalise any selection, retention or discard policy. Most museums issue strict guidelines for the preparation of archives for deposition with their individual labelling, packaging and recording requirements.

D.2 Relevant industry standards and guidelines

- D.2.1 UKIC, 1983, Packaging and Storage of Freshly-Excavated Artefacts from Archaeological Sites. Conservation Guidelines No.2. Archaeology Section, United Kingdom Institute for Conservation.
- D.2.2 UKIC, 1988, Excavated Artefacts and Conservation: UK sites Revised Edition. Conservation Guidelines No.1. Archaeology Section, United Kingdom Institute for Conservation.
- D.2.3 Society of Museum Archaeologists, 1993, Selection, retention and dispersal of Archaeological Collections. Download available via <http://www.socmusarch.org.uk/publica.htm>)
- D.2.4 Watkinson, D E & Neal, V, 1998, First Aid for Finds (3rd edition). RESCUE & UKIC

D.3 Relevant OA manual and other supporting documentation

- D.3.1 Allen, L, and Cropper, C (internal publication only) Oxford Archaeology Finds Manual.

APPENDIX E HUMAN REMAINS

E.1 Standard methodology - summary

- E.1.1 Human remains will not be excavated without a relevant licence/faculty and, where applicable (for example, a post medieval cemetery), a risk assessment from the local environmental officer.
- E.1.2 All human remains will be treated with due care and regard to the sensitivities involved, and will be screened from the public throughout the course of the works.
- E.1.3 Excavation will be undertaken in accordance with ClfA (Roberts and McKinley 1993), Historic England (2018), the Advisory Panel on the Archaeology of Burials in England (APABE, 2015, 2017) and British Association of Biological Anthropology and Osteoarchaeology Code of Practice (2019) and Code of Ethics (2019). For crypts and post-medieval burials, the recommendations set out by the ClfA (Cox 2001) and by the Association of Diocesan and Cathedral Archaeologists and APABE (2010) are also relevant.
- E.1.4 In accordance with recommendations set out in the Historic England and Church of England (2005) and updated by the Advisory Panel on the Archaeology of Burials in England (2017), skeletons will not be excavated beyond the limits of the trench, unless they are deemed osteologically or archaeologically important.
- E.1.5 Where any soft tissue survives and/or materials (for example, inner coffins, mattresses and other paddings) soaked in body liquor, no excavation or handling of the remains will take place until an appropriate risk assessment has been undertaken. Relevant protocols (i.e. Cox 2001) for their excavation, recording and removal will be adhered to.
- E.1.6 OA does not excavate or remove modern burials (those less than 100 years old) and does not remove or open sealed lead coffins. Appropriate PPE (e.g. chemical suit, latex gloves) will be worn by all staff when working with lead coffins.
- E.1.7 Graves and their contents will be hand excavated in plan. Each component (for example, skeleton, grave cut, coffin (or remains of), grave fill) will be assigned a unique context number from a running sequence. A group number will also be assigned to all of these, and small finds numbers to features such as coffin nails, hobnails and other grave goods (as appropriate).
- E.1.8 Soil samples will be normally taken during the excavation of inhumations, usually from the region of the skull, chest, right hand, left hand, abdomen and pelvis, right foot and left foot. Infants (circa. less than 5 years) will normally be recovered as bulk samples. Soil samples will also be taken from graves that appear to contain no human bone.
- E.1.9 Burials (including the skeleton, cremation, coffin fittings, coffin, urn, grave goods / other) will be recorded by photographic and written record using specialised pro forma context sheets, although these records may only include schematic representations of the location and position of the skeletons, depending on the nature and circumstances of the burial.

- E.1.10 Where digital imaging is used it will be done in accordance with the British Association of Biological Anthropology and Osteoarchaeology Recommendations on the Ethical Issues Surrounding 2D and 3D Digital Images of Human Remains (2019).
- E.1.11 Where necessary, hand drawn plans (usually at 1:10, sometimes 1:5) will be made, especially of contexts where required details cannot be adequately seen using photography (for example, urned cremations; undisturbed hob nails).
- E.1.12 Levels will be taken. For inhumations this will be on the skull, pelvis and feet as a minimum.
- E.1.13 Human remains that are exhumed will be bagged and labelled according to skeletal region and carefully packed into suitable containers (for example, acid free cardboard boxes) and transported to a suitable storage location. Any associated coffins and coffin fittings will be contained with the human remains wherever possible.
- E.1.14 Urned cremations will not usually be half sectioned, but excavated in spits and/or quadrants (i.e. large deposits or spreads), or recovered as a bulk sample.
- E.1.15 Wherever possible, urned cremations will be carefully bandaged, recovered whole and will be excavated in spits in the laboratory, as per the recommendations of McKinley (2004, 2017).
- E.1.16 Unless deemed osteologically or archaeologically important disarticulated bone / chanel will be collected and reserved for re-burial if immediate re-internment as close to its original position is not practicable. In some instances, a rapid scan of this material may be undertaken by a qualified osteologist, if deemed relevant.
- E.1.17 If undisturbed, pyre sites will normally be excavated in quadrants, at the very least in 0.5 m blocks of 0.5 m spits.
- E.1.18 Pyre debris dumps will be half sectioned or quadrant and will be subject to 100% sampling.
- E.1.19 Wooden and lead coffins and any associated fittings, including fixing nails will be recorded on a pro forma coffin recording sheet. All surviving coffin fittings will be recorded by reference to Reeve and Adams (1993) and the unpublished master catalogue that is being compiled by OA. Where individual types cannot be paralleled, they will be drawn and/ or photographed and assigned a style number. Biographical details obtained from legible departum plate inscriptions will be recorded and further documentary research will be made.
- E.1.20 Funerary structures, such as brick shaft graves and/or vaults will be recorded by photogrammetry or hand-drawn at a scale of 1:10 or 1:20, as appropriate. Location, dimensions and method of construction will be noted, and the structure added to the overall trench plan.
- E.1.21 Memorials, including headstones, revealed within the areas of development will be recorded irrespective of whether they are believed to be in situ.
- E.1.22 Where required, memorials will be accorded an individual context number and will also be included as part of the grave group, if the association with a burial is clear.

E.1.23 Memorials will be recorded on pro-forma context sheets, based on and following the guidelines set out by Mytum (2002), and will include details of:

- Shape
- Dimensions
- Type of stone used
- Condition, completeness and fragmentation of stones, no longer in original positions
- Iconography (an illustration may best describe these features)
- Inscription (verbatim record of inscription; font of the lettering)
- Stylistic type

E.2 Relevant industry standards and guidelines

- E.2.1 Advisory Panel on the Archaeology of Burials in England, 2013, Science and the Dead. A guideline for the destructive sampling of archaeological human remains for scientific analysis. English Heritage Publishing.
- E.2.2 Advisory Panel on the Archaeology of Burials in England, 2017 Guidance for Best Practice for the Treatment of Human Remains Excavated from Christian Burial Grounds in England
- E.2.3 Advisory Panel on the Archaeology of Burials in England, 2015 Large Burial Grounds. Guidance on sampling in archaeological fieldwork projects
- E.2.4 Association of Diocesan and Cathedral Archaeologists and APABE, 2010 Archaeology and Burial Vaults. A guidance note for churches. Guidance Note 2
- E.2.5 British Association of Biological Anthropology and Osteoarchaeology. 2019a Code of Practice (<http://www.babao.org.uk/index/ethics-and-standards>)
- E.2.6 British Association of Biological Anthropology and Osteoarchaeology. 2019b Code of Ethics (<http://www.babao.org.uk/index/ethics-and-standards>)
- E.2.7 British Association of Biological Anthropology and Osteoarchaeology, 2019c Recommendations on the Ethical Issues Surrounding 2D and 3D Digital Images of Human Remains (<http://www.babao.org.uk/index/ethics-and-standards>)
- E.2.8 Cox, M, 2001 Crypt archaeology. An approach. ClfA Paper No. 3
- E.2.9 English Heritage, 2002 Human Bones from Archaeological Sites. Guidelines for producing assessment documents and analytical reports
- E.2.10 Historic England, 2018 The Role of the Human Osteologist in an Archaeological Fieldwork Project. Swindon, Historic England
- E.2.11 McKinley, J, and Roberts, C, 1993 Excavation and post-excavation treatment of cremated and inhumed human remains, ClfA Technical Paper No. 13

- E.2.12 McKinley, J, 2004 Compiling a skeletal inventory: cremated human bone. In Brickley, M, and McKinley, J (eds) Guidelines to the Standards for Recording Human Remains, ClfA Technical Paper No. 7. 9-13
- E.2.13 McKinley, J, 2017 Compiling a skeletal inventory: cremated human bone. In Mitchell P, and Brickley, M (eds) Updated Guidelines to the Standards for Recording Human Remains, ClfA 14-19
- E.2.14 Mitchell P, and Brickley, M (eds) Updated Guidelines to the Standards for Recording Human Remains, ClfA 2017
- E.2.15 Mytum, H, 2000 Recording and Analysing Graveyards. CBA Handbook No. 15
- E.2.16 Reeve, J, and Adams, M, 1993 The Spitalfields Project. Volume I – The Archaeology Across the Styx. CBA Research Report No. 85
- E.2.17 The Human Tissue Act 2004

E.3 Relevant OA manual and other supporting documentation

- E.3.1 Loe, L, 2008 The Treatment of Human Remains in the Care of Oxford Archaeology. Oxford Archaeology internal policy document
- E.3.2 Oxford Archaeology 2018 *Fieldwork Manual Human Remains* unpublished

APPENDIX F REPORTING

F.1 Standard methodology - summary

F.1.1 For Watching Briefs and Evaluations, the style and format of the report will be determined by OA, but will include as a minimum the following:

- A location plan of trenches and/or other fieldwork in relation to the proposed development.
- Plans and sections of features located at an appropriate scale.
- A section drawing showing depth of deposits including present ground level with Ordnance Datum, vertical and horizontal scale.
- A summary statement of the results.
- A table summarising the features, classes and numbers of artefacts contained within, spot dating of significant finds and an interpretation.
- A reconsideration of the methodology used, and a confidence rating for the results.
- An interpretation of the archaeological findings both within the site and within their wider landscape/townscape setting.

F.1.2 For Excavations, a Post-Excavation Assessment and Project Design will generally be prepared, as prescribed by Historic England Management of Research Projects in the Historic Environment (MoRPHE) 2006, Section 2.3. This will include a Project Description containing:

- A summary description and background of the project.
- A summary of the quantities and assessment of potential for analysis of the information recovered for each category of site, finds, dating and environmental data. Detailed assessment reports will be contained within appendices.
- An explicit statement of the scope of the project design and how the project relates to any other projects or work preceding, concurrent with or following on from it.
- A statement of the research aims of the fieldwork and an illustrated summary of results to date indicating to what extent the aims were fulfilled.
- A list of the project aims as revised in the light of the results of fieldwork and the current post-excavation assessment process.

F.1.3 A section on Resources and Programming will also be produced, containing:

- A list of the personnel involved indicating their qualifications for the tasks undertaken, along with an explanation of how the project team will communicate, both internally and externally.
- A list of the methods which will be used to achieve the revised research aims.

- A list of all the tasks involved in using the stated methods to achieve the aims and produce a report and research archive in the stated format, indicating the personnel and time in days involved in each task. Allowance should be made for general project-related tasks such as monitoring, management and project meetings, editorial and revision time.
- A cascade or Gantt chart indicating tasks in the sequence and relationships required to complete the project. Due allowance will be made for leave and public holidays. Time will also be allowed for the report to be read by a named academic referee as agreed with the County Archaeological Officer, and by the County Archaeological Officer.
- A report synopsis indicating publisher and report format, broken down into chapters, section headings and subheadings, with approximate word lengths and numbers and titles of illustrations per chapter. The structure of the report synopsis should explicitly reflect the research aims of the project.

F.1.4 The Project Design will be submitted to the County Archaeological Officer or equivalent for agreement.

F.1.5 Under certain circumstances (e.g. with very small mitigations), and as agreed with the County Archaeological Officer or equivalent, a formal Assessment and Project Design may not be required and either the project will continue straight to full analysis, or a simple Project Proposal (MoRPHE 2006 Section 2.1) will be produced prior to full analysis. This proposal may include:

- A summary of the background to the project
- Research aims and objectives
- Methods statement outlining how the aims and objectives will be achieved
- An outline of the stages, products and tasks
- Proposed project team
- Estimated overall timetable and budget if appropriate.

F.1.6 Once the post-excavation Project Design or Project Proposal has been accepted, the County Archaeological Officer or his appointed deputy will monitor the progress of the post-excavation project at agreed points. Any significant variation in the project design will be agreed with the County Archaeological Officer.

F.1.7 The results of the project will be published in an appropriate archaeological journal or monograph. The appropriate level of publication will be dependent on the significance of the fieldwork results and will be agreed with the County Archaeological Officer. An OASIS (Online Access to the Index of Archaeological Investigations) form will be completed for each project as per Historic England guidelines.

F.2 Relevant industry standards and guidelines

F.2.1 Oxford Archaeology (OA) adheres to the national standards in post-excavation procedure as outlined in Historic England's Management of Research Projects in the Historic Environment (MoRPHE; EH 2006). Furthermore, all post-excavation projects

take into account the appropriate regional research frameworks as well as national research agendas such as the Framework for Historic Environment Activities & Programmes in Historic England (SHAPE; EH 2008).

APPENDIX G LIST OF SPECIALISTS REGULARLY USED BY OA

G.1.1 Below are two tables, one containing 'in-house' OA specialists, and the other containing a list of external specialists who are regularly used by OA.

Internal archaeological specialists used by OA

| Specialist | Specialism | Qualifications |
|-----------------------|---|---|
| John Cotter | Medieval and Post Medieval pottery, Clay Pipe and CBM | BA (Hons), MCIfA |
| Dr Alex Davies | Prehistoric Pottery | BA (Hons), MA, PhD, ACIfA |
| Edward Biddulph | Roman Pottery | BA (Hons), MA, MCIfA |
| Kate Brady | Roman Pottery | BA, ACIfA |
| Cynthia Poole | CBM and Fired Clay | BA (Hons), MSc |
| Ian Scott | Metalwork and Glass | BA (Hons) |
| Leigh Allen | Metalwork and worked bone | BA (Hons), PGDip |
| Dr Ruth Shaffrey | Worked stone artefacts | BA, PhD, MCIfA |
| Julian Munby | Architectural Stone | BA, FSA |
| Dr Rebecca Nicholson | Fish and Bird Bone | BA (Hons), MA, D.Phil, MCIfA, FSA Scot |
| Dr Lee Broderick | Animal bone | BA (Hons), MA, MSc, FZG, SAC Dip (ecology), PhD |
| Dr Mairead Rutherford | Pollen | BSc, MSc |
| Ian Smith | Animal Bone | BA (Hons), MSc, PCIfA |
| Dr Martyn Allen | Animal Bone | BA (Hons), MA, PhD |
| Dr Denise Druce | Charred plant remains, charcoal and pollen | BA (Hons), PhD, MCIfA |
| Sharon Cook | Charred plant remains | BSc, MSc, ACIfA |
| Elizabeth Stafford | Geoarchaeology and land snails | BA (Hons), MSc |
| Carl Champness | Geoarchaeology | BA (Hons), MSc, ACIfA |
| Nicola Scott | Archaeological archive deposition | BA (Hons Dunelm) |
| Mike Donnelly | Flint | BSc, MCIfA |
| Dr Louise Loe | Human Bone | D.Phil, BA, MCIfA |
| Helen Webb | Human Bone | MSc, BSc |
| Mark Gibson | Human Bone | MSc, BA |
| Dr Lauren McIntyre | Human Bone | D.Phil, MSc, BSc |

External archaeological specialists regularly used by OA

| Specialist | Specialism | Qualifications |
|--|---|---------------------------|
| Lynne Keys | Slag | BA (Hons) |
| Quita Mould | Leather | BA, MA |
| Penelope Walton Rogers, The Anglo Saxon Laboratory | Identification of Medieval Textiles | FSA, Dip.Acc |
| Dana Goodburn-Brown | Conservation | BSc (Hons), BA, MSc |
| Steve Allen, York Archaeological Trust | Conservation | BA, MA, MAAIS |
| Dr Richard Macphail | Soils, especially Micromorphology | BA (Hons), MSc, PhD |
| Dana Challinor | Charcoal | MA, MSc |
| Dr Nigel Cameron | Diatoms | BSc, MSc, PhD |
| Dr David Smith | Insects | BA (Hons), MA, PhD |
| Professor Adrian Parker | Phytoliths and pollen | BSc (Hons), D.Phil |
| Dr David Starley | Metalworking Slag | BSc (Hons), PhD |
| Wendy Carruthers | Charred and waterlogged plant remains | BA (Hons) |
| Dr John Whittaker | Ostracods and Foraminifera | BA (Hons), PhD |
| Dr John Crowther | Soil Chemistry | MA, PhD |
| Dr Martin Bates | Geoarchaeology | BSc, PhD |
| Dr Dan Miles | Dendrochronology | D.Phil, FSA |
| Dr Jean-Luc Schwenninger | Optically Stimulated Luminescence Dating | PhD |
| Dr David Higgins | Clay Pipe | BA, PhD, MCIfA |
| Dr Hugo Anderson- Wymark | Flint | BSc, PhD, FSA Scot, MCIfA |
| Dr Damian Goodburn- Brown | Ancient Woodwork | BA, PhD |

APPENDIX H DOCUMENTARY ARCHIVING

Standard methodology – summary

- H.1.1 The documentary archive constitutes all the written, drawn, photographic and digital records relating to the set up, fieldwork and post-excavation phases of the project. This documentary archive, together with the artefactual and environmental ecofact archive collectively forms the record of the site. The report is part of the documentary archive, and the archive must provide the evidence that supports the conclusions of the report, but the archive may also include data which exceeds the limitations of research parameters set down for the report and which could be of significant value to future researchers.
- H.1.2 At the outset of the project OA Archive manager will contact the relevant local receiving museum or archive repository to notify them of the imminent start of a new fieldwork project in their collecting area. Relevant local archiving guidelines will be observed and site codes, which integrate with the receiving repository, will be agreed for labelling of archives and finds.
- H.1.3 Where there is currently no receiving museum for the project archive, although responsibility for the archive ultimately lies with the client, OA will hold the archive on their behalf for a period of up to 3 years after completion of the report, after which time (in the event that a suitable depository has not been secured) provision for further storage of the archive will be made in agreement with Oxford Archaeology, the client and the relevant planning archaeologist.
- H.1.4 During the course of the project the Archive team will assist the Project Manager in the management of the archive including the cataloguing and development technique suitable for photographic archive requirements.
- H.1.5 The hard copy site archive will be security copied by scanning to PdFA and a copy of this will be housed on the OA Archive Server. A full digital copy of the archive, including scanned hard copy and born digital data, will be deposited with and made publicly available on-line through the ADS. A further copy will be maintained on the OA server and if requested a copy on disk will also be sent to the receiving museum with the hard copy. This will act as a safeguard against the accidental loss and the long-term degeneration of paper records and photographs.
- H.1.6 Born digital data will only be printed to hard copy for the receiving museum where practical. Archive elements that need maintaining in digital form will be sent to ADS in accordance with Arches Standard and ADS guidelines. A copy will be sent to the receiving museum by CD and back-up copies will be stored on the OA digital network. In most cases a digital copy of the report will be included in the OASIS project library hosted by ADS.
- H.1.7 Prior to deposition the Archive team will contact the museum regarding the size and content of the archive and discuss any retention and dispersal policies which may be applicable in line with local and SMA Guidelines ' Selection, Retention & Dispersal of Archaeological Collections' 1993.

- H.1.8 The site archive will then be deposited with the relevant receiving museum or repository at the earliest opportunity unless further archaeological work on the site is expected. The documentary archive will include correspondence detailing landowner consent to deposit the artefacts and any copyright licences in accordance with the receiving museum guidelines. Deposition charges will be required from the client as part of the project costs but the level of the fee is set by the receiving body, and may be subject to change during the lifespan of the project. Changes to archiving charges beyond OA's control will be passed across to the client.
- H.1.9 Oxford Archaeology will retain full copyright of any commissioned reports, tender documents or other project documents, under the Copyright, Designs and Patents Act 1988 with all rights reserved; excepting that it will provide the receiving repository or museum for the archive with a full licence for use to the client in all matters directly relating to the project as described in the Written Scheme of Investigation, and in line with the relevant receiving body guidelines.
- H.1.10 OA will advise the receiving repository or museum for the archive of 3rd party materials supplied in the course of projects which are not OA's copyright.
- H.1.11 OA undertakes to respect all requirements for confidentiality about the client's proposals provided that these are clearly stated. It is expected that such conditions shall not unreasonably impede the satisfactory performance of the services required. Archaeological findings and conclusions can be kept confidential for a limited period but will be made publicly available in line with the above procedure either after a specified time period agreed with the client at the outset of the project, or where no such period is agreed, after a reasonable period of time. It is expected that clients respect OA's general ethical obligations not to suppress significant archaeological data for an unreasonable period.

H.2 Relevant industry standards and guidelines

- H.2.1 At the end of the project the site archive will be ordered, catalogued, labelled and conserved and stored according to the following national guidelines:
- H.2.2 The 2014 EAC Guidelines A Standard and Guide to the Best Practice for Archaeological Archiving in Europe (GB) Perrin K, Brown E et al.
- H.2.3 The 2014 CIFA Standard and Guidance for the Creation, Compilation, Transfer and Deposition of Archaeological Archives.
- H.2.4 The 2011 AAF guide Archaeological Archives A Guide to Best Practice in Creation, Compilation, Transfer and Curation. Brown D.
- H.2.5 The UKIC's Guidelines for the preparation of excavation archives for long-term storage.
- H.2.6 The MGC's Standards in the museum care of archaeological collections.
- H.2.7 Local museum guidelines such as Museum of London Guidelines: (<http://www.museumoflondonarchaeology.org.uk/English/ArchiveResearch/DeposRe> source) will be adopted where appropriate to the archive collecting area.
- H.2.8 The site archive will be prepared to at least the minimum acceptable standard defined in Management of Archaeological Projects 2, Historic England 1991.

H.3 Relevant OA manual and other supporting documentation

H.3.1 The OA Archives Policy.

APPENDIX I HEALTH AND SAFETY

I.1 Standard Methodology - summary

- I.1.1 All work will be undertaken in accordance with the current OA Health and Safety Policy, the OA Site Safety Procedures Manual, a site-specific Risk Assessment and, if required, Safety Plan or Method Statement. Copies of the site-specific documents will be submitted to the client or their representative for approvals prior to mobilisation, and all relevant H and S documentation will be available on site at all times. The Health and Safety documentation will be read in conjunction with the project WSI.
- I.1.2 Where a project falls under the Construction (Design and Management) Regulations (2015), all work will be carried out in accordance with the Principal Contractor's Construction Phase Plan (CPP).

I.2 Relevant industry standards and guidelines

- I.2.1 All work will be carried out according to the requirements of all relevant legislation and guidance, including, but not exclusively:
 - I.2.2 The Health and Safety at Work Act (1974).
 - I.2.3 Management of Health and Safety at Work Regulations (1999).
 - I.2.4 Manual Handling Operations Regulations 1992 (as amended).
 - I.2.5 The Reporting of Injuries, Diseases and Dangerous Occurrences Regulations (2013).
 - I.2.6 The Construction (Design and Management) Regulations (2015).
 - I.2.7 Relevant OA manual and other supporting documentation
 - I.2.8 The OA Health and Safety Policy.
 - I.2.9 The OA Site Safety Procedures Manual.
 - I.2.10 The OA Risk Assessment templates.
 - I.2.11 The OA Method Statement template.
 - I.2.12 The OA Construction Phase Plan template.




Figure 1: Site location




Figure 2: Location of proposed trenches



Figure 3: Location of proposed trenches superimposed on the Ordnance Survey 6":1 mile map of 1851



**Head Office/Registered Office/
OA South**

Janus House
Osney Mead
Oxford OX20ES

t: +44 (0) 1865 263 800
f: +44 (0) 1865 793 496
e: info@oxfordarchaeology.com
w: <http://oxfordarchaeology.com>

OA North

Mill 3
Moor Lane
Lancaster LA1 1QD

t: +44 (0) 1524 541 000
f: +44 (0) 1524 848 606
e: [oanorth@oxfordarchaeology.com](mailto: oanorth@oxfordarchaeology.com)
w: <http://oxfordarchaeology.com>

OA East

15 Trafalgar Way
Bar Hill
Cambridgeshire
CB23 8SQ

t: +44 (0) 1223 850500
e: [oaeast@oxfordarchaeology.com](mailto: oaeast@oxfordarchaeology.com)
w: <http://oxfordarchaeology.com>



Director: Gill Hey, BA PhD FSA MCIfA
*Oxford Archaeology Ltd is a
Private Limited Company, N^o: 1618597
and a Registered Charity, N^o: 285627*

APPENDIX B TRENCH DESCRIPTIONS AND CONTEXT INVENTORY

| Trench 1 | | | | | | |
|---|-----------|-----------|--------------|--|----------------|---------------------|
| General description | | | | | Orientation | NE-SW |
| Trench contained remains of 4 x wall footings, orientated NW/SE | | | | | Length (m) | 15 |
| | | | | | Width (m) | 2 |
| | | | | | Avg. depth (m) | 1m |
| Context No. | Type | Width (m) | Depth (m) | Description | Finds | Date |
| 1000 | Layer | - | 0.10 | Concrete Slab, ground level | - | Modern |
| 1001 | Layer | - | 0.90 | Made ground, brick rubble and mid brownish grey clay silt | - | Modern |
| 1002 | Natural | - | - | Light pinkish orange clay | - | |
| 1003 | Layer | - | 0.25 | Dark grey clayey silt, contaminated ground. | - | Modern |
| 1004 | Structure | 2+ | 0.08 | Wall footing, single skin, single course. Brick Size: 0.23m x 0.12m x 0.08m | - | 19 th c. |
| 1005 | Structure | 2+ | 0.08 | Wall footing, single skin, single course. Brick Size: 0.23m x 0.12m x 0.08m | - | 19 th c. |
| 1006 | Structure | 0.20 | | Remains of wall footing, single course, double skin. Brick Size: 0.23m x 0.12m x 0.08m | - | 19 th c. |
| 1007 | Structure | 2+ | | Wall footing, double skin, single course. Brick Size: 0.23m x 0.12m x 0.08m | - | 19 th c. |
| 1008 | Structure | 0.5 | 0.08 | Remains of partial concrete slab | - | 19 th c. |
| 1009 | Structure | 0.80 | 0.20 approx. | Possible stone capped drain, heavily disturbed | - | 19 th c. |

| Trench 2 | | | | | | |
|---|---------|-----------|-----------|---|----------------|--------|
| General description | | | | | Orientation | N-S |
| Trench devoid of archaeology. Heavily disturbed made ground | | | | | Length (m) | 15 |
| | | | | | Width (m) | 2 |
| | | | | | Avg. depth (m) | 1 |
| Context No. | Type | Width (m) | Depth (m) | Description | Finds | Date |
| 2000 | Layer | 2+ | 0.10 | Concrete slab, ground level | - | Modern |
| 2001 | Layer | 2+ | 1 | Made ground, rubble And mid to light greyish brown sandy slit. | - | Modern |
| 2002 | Natural | - | - | Light pinkish orange clay | - | |

| | | | | | | |
|-------------|-------|----|------|--|---|--------|
| 2003 | Layer | 2+ | 0.10 | Secondary concrete slab, reduced floor level | - | Modern |
|-------------|-------|----|------|--|---|--------|

| Trench 3 | | | | | | |
|---|-------------|------------------|------------------|---|-----------------------|--------------|
| General description | | | | | Orientation | NE-SW |
| Trench devoid of archaeology. Heavily disturbed made ground, with rising water to southern most extent. | | | | | Length (m) | 15 |
| | | | | | Width (m) | 2 |
| | | | | | Avg. depth (m) | 1m |
| Context No. | Type | Width (m) | Depth (m) | Description | Finds | Date |
| 3000 | Layer | 2+ | 0.10 | Concrete Slab, ground level | - | Modern |
| 3001 | Layer | 2+ | 0.70 | Made ground, brick rubble and mid brownish grey clay silt | - | Modern |
| 3002 | Natural | - | - | Light pinkish orange clay | - | |

APPENDIX C BIBLIOGRAPHY

British Geological Survey (BGS), 2020, Geology of Britain Viewer, [Online], available at: <http://mapapps.bgs.ac.uk/geologyofbritain/home.html> (accessed January 2020)

Chartered Institute for Archaeologists (CIfA), 2014a 'Code of conduct', Reading

Chartered Institute for Archaeologists (CIfA), 2014b 'Standard and guidance for archaeological evaluation', Reading

Chartered Institute for Archaeologists (CIfA), 2014c 'Standard and guidance for the creation, preparation, transfer and deposition of archaeological archives', Reading

Cranfield Soil and Agrifood Institute, 2019, National Soil Resources Institute, Soilscales of Britain Map, [Online], available at: <http://www.landis.org.uk/soilscales/>, Cranfield University (accessed May 2019)

Historic England, 2015, *Management of Research Projects in the Historic Environment: The MoRPHE Project Managers Guide*, Swindon

Miller, G 2009 *Dearnley Old Hall and outbuildings: Historic Building Report* unpubl rep

Nicol Thomas 2014 *Dearnley Old Hall and outbuildings addendum: Historic Building Addendum Report* unpubl rep

APPENDIX D

SITE SUMMARY DETAILS / OASIS REPORT FORM

| | |
|-----------------------------|--|
| Site name: | Dearnley Old Hall, Dearnley, Rochdale, Greater Manchester |
| Site code: | DOH19 |
| Grid Reference | SD 92195 15792 |
| Type: | Evaluation |
| Date and duration: | 17/12/19, 1 day |
| Location of archive: | The archive is currently held at OA North, Mill 3, Moor Lane Mills, Moor Lane, Lancaster, LA1 1QD, and will be deposited with Touchstone Rochdale in due course. |
| Summary of Results: | <p>Three trial trenches were excavated, which revealed that the site had been heavily disturbed by previous construction and demolition of known outbuildings shown on historic mapping. It was apparent that the demolition material from this had been used as a levelling and capped by a concrete slab.</p> <p>There was artefactual evidence relating to the 20th century stone monument business on the site in the form of granite cores from stone masonry funerary urns.</p> <p>One trench (Trench 1) revealed the poorly preserved remains of four individual wall footings and a possibly earlier stone capped drain. No archaeological remains were visible in the remaining two trenches.</p> |



**Head Office/Registered Office/
OA South**

Janus House
Osney Mead
Oxford OX20ES

t: +44 (0) 1865 263 800
f: +44 (0) 1865 793 496
e: info@oxfordarchaeology.com
w: <http://oxfordarchaeology.com>

OA North

Mill 3
Moor Lane
Lancaster LA1 1QD

t: +44 (0) 1524 541 000
f: +44 (0) 1524 848 606
e: [oanorth@oxfordarchaeology.com](mailto: oanorth@oxfordarchaeology.com)
w: <http://oxfordarchaeology.com>

OA East

15 Trafalgar Way
Bar Hill
Cambridgeshire
CB23 8SQ

t: +44 (0) 1223 850500
e: [oaeast@oxfordarchaeology.com](mailto: oaeast@oxfordarchaeology.com)
w: <http://oxfordarchaeology.com>



Director: Gill Hey, BA PhD FSA MCIfA
*Oxford Archaeology Ltd is a
Private Limited Company, N^o: 1618597
and a Registered Charity, N^o: 285627*