



Golden Gates, Warrington, Cheshire

Archaeological Watching Brief Report

November 2018

Client: Hall Conservation Ltd

Issue No: 2018-9/1960

OA Reference No: L11177

NGR: SJ 60232 88147



Client Name: Hall Conservation Ltd
Document Title: Golden Gates, Warrington, Cheshire
Document Type: Archaeological Watching Brief Report
Report No.: 1960/2018-9
Grid Reference: SJ 60232 88147
Planning Reference: N/A
Site Code: GGW18
Invoice Code: L11177
Receiving Body: Warrington Museum and Art Gallery

OA Document File Location: X:\Paul\Projects\L11177_Golden_Gates_Warrington
OA Graphics File Location: X:\Paul\Projects\L11177_Golden_Gates_Warrington\CAD

Issue No: V.1
Date: 16/11/18
Prepared by: Becky Wegiel (Project Officer)
Checked by: Paul Dunn (Project Manager)
Edited by: Paul Dunn (Project Manager)
Approved for Issue by: Alan Lupton (Operations Manager)
Signature:

Disclaimer:

This document has been prepared for the titled project or named part thereof and should not be relied upon or used for any other project without an independent check being carried out as to its suitability and prior written authority of Oxford Archaeology being obtained. Oxford Archaeology accepts no responsibility or liability for the consequences of this document being used for a purpose other than the purposes for which it was commissioned. Any person/party using or relying on the document for such other purposes agrees and will by such use or reliance be taken to confirm their agreement to indemnify Oxford Archaeology for all loss or damage resulting therefrom. Oxford Archaeology accepts no responsibility or liability for this document to any party other than the person/party by whom it was commissioned.

OA South

Janus House
Osney Mead
Oxford
OX2 0ES

t. +44 (0)1865 263 800

OA East

15 Trafalgar Way
Bar Hill
Cambridge
CB23 8SG

t. +44 (0)1223 850 500

OA North

Mill 3
Moor Lane Mills
Moor Lane
Lancaster
LA1 1QD

t. +44 (0)1524 880 250

e. info@oxfordarch.co.uk

w. oxfordarchaeology.com

Oxford Archaeology is a registered Charity: No. 285627



Golden Gates, Warrington, Cheshire

Archaeological Watching Brief Report

Written by Becky Wegiel

With illustrations by Mark Tidmarsh

Contents

Summary	vii
Acknowledgements	viii
1 INTRODUCTION.....	1
1.1 Scope of work.....	1
1.2 Location, topography and geology.....	1
1.3 Archaeological and historical background.....	1
2 EVALUATION AIMS AND METHODOLOGY	2
2.1 Aims	2
2.2 Methodology.....	2
3 RESULTS	3
3.1 Introduction and presentation of results	3
3.2 Test Pit 1	3
3.3 Test Pit 2	3
4 DISCUSSION	5
4.1 Interpretation.....	5
APPENDIX A TRENCH DESCRIPTIONS AND CONTEXT INVENTORY	6
APPENDIX B BIBLIOGRAPHY	7
APPENDIX C SITE SUMMARY DETAILS	8
APPENDIX D WRITTEN SCHEME OF INVESTIGATION	9

List of Figures

Fig.1	Site location map
Fig. 2	Test Pit locations

List of Plates

Plate 1	North-facing view of Test Pit 1
Plate 2	North-facing view of Test Pit 2

Summary

Oxford Archaeology North (OA North) were commissioned by Hall Conservation Ltd to undertake an archaeological watching brief on groundworks in preparation for repairs to the Golden Gates, Warrington (SJ 60232 88147). The proposed work comprises the repair and conservation of the historic Golden Gates, and these groundworks are to be undertaken to assess the foundations of the structure.

The Golden Gates form the entrance to the current town hall. The gates were built as a contribution to the London Exhibition of 1862. Bank Hall, as it was formerly known, was built in 1750. Owned by the Patten family, the hall was purchased in 1872 by the borough of Warrington to use as the town hall. The Golden Gates were a late addition to the hall, erected on the site in 1894.

The works undertaken comprised two test pits excavated up against the pillars of the gates in order to assess the foundations before repair work commences. The test pits were approximately 1m² (although Test Pit 2 was extended 0.8m to the east), and the pits were excavated to a maximum depth of 0.9m. The work was undertaken on the 2nd November 2018.

The test pits revealed that the foundations for the gates were not substantial. To the west, Test Pit 1 showed that the pillar was resting on a shallow brick foundation, whereas Test Pit 2 showed no structural foundation, instead the pillar was sat on made ground.

Acknowledgements

Oxford Archaeology would like to thank Hall Conservation Ltd for commissioning this project. Thanks are also extended to Vicky Nash who monitored the work on behalf of Cheshire Archaeological Planning Advisory Service (APAS), for her advice and guidance. Thanks are also extended to Gareth Taylor from Ramboll UK Ltd.

The project was managed for Oxford Archaeology by Paul Dunn. The fieldwork was undertaken by Sergio Cabello. Thanks are also extended to the teams of OA staff that prepared the archive under the management of Dot Broughton.

1 INTRODUCTION

1.1 Scope of work

- 1.1.1 Oxford Archaeology North (OA North) were commissioned by Hall Conservation Ltd to undertake an archaeological watching brief on groundworks in preparation for repairs to the Golden Gates, Warrington (SJ 60232 88147). The proposed work comprises the repair and conservation of the historic Golden Gates, and these groundworks are to be undertaken to assess the foundations of the structure.
- 1.1.2 The work was undertaken as a condition of Listed Building Consent, which stated that an archaeological contractor was to be present at all excavations on the site. A specification was set by Cheshire Archaeological Advisory Service (APAS) and a written scheme of investigation (WSI) was produced by OA North (*Appendix D*) detailing the Local Authority's requirements for work necessary. This document outlines how OA implemented the specified requirements.

1.2 Location, topography and geology

- 1.2.1 The Golden Gates are situated immediately south of Warrington Town Hall, on Sankey Street, within Bank Park in the centre of Warrington (NGR SJ 60232 88147). The site is paved to the south of the Golden Gates, with a tarmac path and lawns to the north.
- 1.2.2 The solid bedrock geology of the area is mapped as being sandstone of the Wilmslow Sandstone Formation formed in the Triassic Period (BGS 2018). The superficial deposits are sand of the Shirdley Hill Sand Formation deposited in the Quaternary Period (*ibid*). The soils of the area are identified as slowly permeable seasonally wet slightly acid but base-rich loamy and clayey soils (Cranfield 2018).

1.3 Archaeological and historical background

- 1.3.1 The archaeological and historical background of the site has been described in detail in a heritage statement carried out by Keystone Heritage (Keystone Heritage 2017) and will not be reproduced here.

2 EVALUATION AIMS AND METHODOLOGY

2.1 Aims

2.1.1 The general project aims can be summarised as follows:

- i. to adhere to and fulfil the agreed programme of works associated with the archaeological potential of the site, and, consequently, to successfully discharge any conditions, in whole, or in part, dependent on results;
- ii. to inform a decision as to whether further archaeological investigation will be required in advance of further works on the Golden Gates;
- iii. to compile a professional archival record of any archaeological remains within the test pit.

2.1.2 The specific aims and objectives of the watching brief are:

- i. to determine or confirm the general nature of any remains present;
- ii. to determine or confirm the approximate date or date range of any remains, by means of artefactual or other evidence.

2.2 Methodology

2.2.1 A WSI (*Appendix D*) was produced by OA North in response to a brief set by Cheshire APAS. The WSI was adhered to in full, and the work was consistent with the relevant Chartered Institute for Archaeologists and Historic England guidelines (CIfA 2014 a-c; Historic England 2015).

2.2.2 The test pits were excavated by hand by the groundworks contractor and were monitored by an archaeologist. Subsequent cleaning and investigation of all archaeological deposits was undertaken manually, using shovels and trowels depending on the subsoil conditions, and the area inspected for archaeological features. All features of archaeological interest were investigated and recorded.

2.2.3 All information identified during the site works was recorded stratigraphically, using a system adapted from that used by the former Centre of Archaeology of English Heritage, with an accompanying pictorial record (plans, sections, and digital photographs). Primary records were available for inspection at all times.

2.2.4 Results of all field investigations were recorded on *pro forma* context sheets. The site archive includes both a photographic record and accurate large-scale plans and sections at an appropriate scale (1:50, 1:20 and 1:10).

2.2.5 A full professional archive has been compiled in accordance with the WSI (*Appendix D*), and in accordance with current CIfA (2014c) and Historic England guidelines (Historic England 2015). The archive will be deposited with Warrington Museum and Art Gallery.

3 RESULTS

3.1 Introduction and presentation of results

- 3.1.1 The results of the watching brief are presented below and include a stratigraphic description of the test pits. The full details of all the test pits with dimensions and depths of all deposits can be found in *Appendix A*.

3.2 Test Pit 1

- 3.2.1 Test Pit 1 was situated against the western pillar of the gates and measured 0.91m x 0.93m. It was excavated to a depth of 0.7m below ground level (Plate 1). Beneath the modern tarmac was an earlier concrete surface, which had been cut through by a later drain. The gatepost was supported on three courses of brick. Natural geology was not observed.



Plate 1: North-facing view of Test Pit 1

3.3 Test Pit 2

- 3.3.1 Test Pit 2, against the eastern gatepost, initially measured 0.96m x 0.96m. It was extended a further 0.8m to the east (Plate 2), and a sondage at the eastern end was excavated to a depth of 0.9m bgl. Beneath the modern tarmac a layer of sandstone was observed. It was not clear in the close confines of the test pit whether this was a surface or a structure. The sandstone was resting on a layer of made ground, which comprised silty-sand. Natural geology was not encountered at the base of the pit.



Plate 2: North-facing view of Test Pit 2

4 DISCUSSION

4.1 Interpretation

- 4.1.1 Bank Hall was built in 1750. Formerly owned by the Patten family, the hall was purchased in 1872 by the borough of Warrington to use as the town hall. The Golden Gates were a late addition to the hall, erected in 1894. The gates were built as a contribution to the London Exhibition of 1862. Made of cast iron by Coalbrookdale Company of Ironbridge in Shropshire, the gates were testament to the skill and prowess of British foundries. In the late 1970s the gates were removed for repair and replaced on site in 1979.
- 4.1.2 The test pits were excavated in front of each of the main pillars of the gateway. The foundations of the gates differed on either side. The western gatepost had been placed on a brick foundation, whereas the eastern was not supported as sturdily, being placed on made ground. It was likely that these were the later foundations from when the gates were replaced after repairs in the 1970s. No sign of the original foundations were observed.



Figure 1: Site location




Figure 2: Site plan

APPENDIX A TRENCH DESCRIPTIONS AND CONTEXT INVENTORY

Test Pit 1						
General description					Orientation	N/A
Test pit consists of tarmac layers and modern drainage.					Length (m)	0.91
					Width (m)	0.93
					Depth (m)	0.70
Context No.	Type	Width (m)	Depth (m)	Description	Finds	Date
001	Layer	-	0.11	Tarmac	-	-
002	Fill	-	0.37	Fill of drain	-	-
003	Cut	-	0.37	Cut of drain	-	-

Test Pit 2						
General description					Orientation	E/W
Test pit consists of tarmac, sandstone and made ground					Length (m)	1.85
					Width (m)	0.96
					Depth (m)	0.90
Context No.	Type	Width (m)	Depth (m)	Description	Finds	Date
101	Layer	-	0.11	Tarmac	-	-
102	Layer	-	0.15	Sandstone	-	-
103	Layer	-	0.10	Tarmac	-	-
104	Layer	-	>0.90	Made ground	-	-

APPENDIX B BIBLIOGRAPHY

British Geological Survey (BGS), 2018, Geology of Britain Viewer, [Online], available at: <http://mapapps.bgs.ac.uk/geologyofbritain/home.html> (accessed August 2018)

Chartered Institute for Archaeologists (CIfA), 2014a 'Code of conduct', Reading

Chartered Institute for Archaeologists (CIfA), 2014b 'Standard and guidance for archaeological evaluation', Reading

Chartered Institute for Archaeologists (CIfA), 2014c 'Standard and guidance for the creation, preparation, transfer and deposition of archaeological archives', Reading

Cranfield Soil and Agrifood Institute, 2018, National Soil Resources Institute', Soils of Britain Map, [Online], available at: <http://www.landis.org.uk/soils/>, Cranfield University

Historic England, 2015, *Management of Research Projects in the Historic Environment: The MoRPHE Project Managers Guide*, Swindon

Keystone Heritage, 2017, Heritage Statement In support of Application for Listed Building Consent for the repair and refurbishment of Grade II* listed Warrington Town Hall gates. Keystone Heritage, Sheffield, unpubl client report

APPENDIX C

SITE SUMMARY DETAILS

Site name:	Golden Gates, Warrington, Cheshire
Site code:	GGW18
Grid Reference	SJ 60232 88147
Type:	Watching Brief
Date and duration:	02/11/2018 one day
Area of Site	3m ²
Location of archive:	The archive is currently held at OA, Mill 3, Moor Lane Mills, Moor Lane, Lancaster, LA1 1QD, and will be deposited with Warrington Museum and Art Gallery in due course.
Summary of Results:	Test pits excavated up against the gate posts. The western post was on a brick foundation, the eastern exhibited no sign of a solid foundation. Test Pit 2 revealed a layer of sandstone, but no interpretation could be offered at this point, due to the small area of the excavation.

APPENDIX D

WRITTEN SCHEME OF INVESTIGATION



Golden Gates, Warrington, Cheshire

Written Scheme of Investigation Archaeological Watching Brief

August 2018

Client: Hall Conservation Ltd

Issue No: 1

NGR: SJ 60232 88147



Client Name: Hall Conservation Ltd
Client Ref No.: N/A
Document Title: Golden Gates, Warrington, Cheshire
Document Type: Written Scheme of Investigation
Grid Reference: SJ 60232 88147
Planning Reference: N/A
Site Code: GGW18
Invoice Code: L11177
HER No.: N/A

OA Document File Location: X:\Paul\Projects\L11177_Golden_Gates_Warrington\WSI
OA Graphics File Location: X:\Paul\Projects\L11177_Golden_Gates_Warrington\CAD\Figs

Issue No: V. 1
Date: 07/09/2018
Prepared by: Paul Dunn (Project Manager)
Checked by: Paul Dunn (Project Manager)
Edited by: Paul Dunn (Project Manager)
Approved for Issue by: Alan Lupton (Operations Manager)
Signature: 

Disclaimer:

This document has been prepared for the titled project or named part thereof and should not be relied upon or used for any other project without an independent check being carried out as to its suitability and prior written authority of Oxford Archaeology being obtained. Oxford Archaeology accepts no responsibility or liability for the consequences of this document being used for a purpose other than the purposes for which it was commissioned. Any person/party using or relying on the document for such other purposes agrees and will by such use or reliance be taken to confirm their agreement to indemnify Oxford Archaeology for all loss or damage resulting therefrom. Oxford Archaeology accepts no responsibility or liability for this document to any party other than the person/party by whom it was commissioned.

OA South

Janus House
Osney Mead
Oxford
OX2 0ES

t. +44 (0)1865 263 800

OA East

15 Trafalgar Way
Bar Hill
Cambridge
CB23 8SG

t. +44 (0)1223 850 500

OA North

Mill 3
Moor Lane Mills
Moor Lane
Lancaster
LA1 1QD

t. +44 (0)1524 880 250

e. info@oxfordarch.co.uk

w. oxfordarchaeology.com

Oxford Archaeology is a registered Charity: No. 285627



Golden Gates, Warrington, Cheshire

Written Scheme of Investigation for an Archaeological Watching Brief

Centred on SJ 60232 88147

Contents

List of Figures	vii
1 INTRODUCTION.....	1
1.1 Project details.....	1
1.2 Location, topography and geology.....	1
2 ARCHAEOLOGICAL AND HISTORICAL BACKGROUND AND POTENTIAL.....	2
2.1 Archaeological and historical background.....	2
2.2 Potential.....	2
3 PROJECT AIMS.....	3
3.1 General.....	3
3.2 Specific aims and objectives	3
4 PROJECT SPECIFIC EXCAVATION AND RECORDING METHODOLOGY.....	4
4.1 Scope of works	4
4.2 Programme	4
4.3 Site specific methodology.....	4
5 PROJECT SPECIFIC REPORTING AND ARCHIVE METHODOLOGY.....	5
5.1 Programme	5
5.2 Content	5
5.3 Specialist input	5
5.4 Archive	5
6 HEALTH AND SAFETY.....	6
6.1 Roles and responsibilities	6
6.2 Method statement and risk assessment	6
6.3 Monitoring of works.....	6
7 BIBLIOGRAPHY	7
OA STANDARD FIELDWORK METHODOLOGY APPENDICES.....	8
APPENDIX A GENERAL EXCAVATION AND RECORDING METHODOLOGY	8
A.1 Standard methodology – summary.....	8
A.2 Relevant industry standards and guidelines.....	9

A.3	Relevant OA manual and other supporting documentation	9
APPENDIX B	GEOMATICS AND SURVEY	10
B.1	Standard methodology - summary.....	10
B.2	Relevant industry standards and guidelines.....	12
B.3	Relevant OA manual and other supporting documentation	12
APPENDIX C	ENVIRONMENTAL EVIDENCE	13
C.1	Standard methodology – summary.....	13
C.2	Relevant industry standards and guidelines.....	13
C.3	Relevant OA manual and other supporting documentation	14
APPENDIX D	ARTEFACTUAL EVIDENCE	15
D.1	Standard methodology - summary.....	15
D.2	Relevant industry standards and guidelines.....	16
D.3	Relevant OA manual and other supporting documentation	16
APPENDIX E	HUMAN REMAINS.....	17
E.1	Standard methodology - summary.....	17
E.2	Relevant industry standards and guidelines.....	19
E.3	Relevant OA manual and other supporting documentation	19
APPENDIX F	REPORTING	20
F.1	Standard methodology - summary.....	20
F.2	Relevant industry standards and guidelines.....	21
APPENDIX G	LIST OF SPECIALISTS REGULARLY USED BY OA	23
APPENDIX H	DOCUMENTARY ARCHIVING	25
H.1	Standard methodology – summary.....	25
H.2	Relevant industry standards and guidelines.....	26
H.3	Relevant OA manual and other supporting documentation	26
APPENDIX I	HEALTH AND SAFETY	27
I.1	Standard Methodology - summary	27
I.2	Relevant industry standards and guidelines.....	27

List of Figures

- Fig.1 Site location map
Fig.2 Location of Test Pits (provided by Hall Conservation Ltd)

1 INTRODUCTION

1.1 Project details

- 1.1.1 Oxford Archaeology (OA) has been commissioned by Hall Conservation Ltd to undertake an archaeological watching brief of the site of Golden Gates, Warrington (NGR: SJ 60232 88147). The watching brief will monitor the excavation of trial pits excavated to investigate the foundations of the gates.
- 1.1.2 The site is located within the Warrington Area of Archaeological Potential as defined in the Cheshire Historic Towns Survey of 2003 and within Zone 5 of the Warrington Area of Archaeological Potential which is characterised by post-medieval development associated with the industrial growth of the town. Listed Building Consent will be subject to a condition that an archaeological contractor be appointed to oversee excavation on the site. Cheshire Archaeology Planning Advisory Service (APAS) recommend that a limited programme of archaeological mitigation is undertaken, in the form of an archaeological watching brief.
- 1.1.3 All work will be undertaken in accordance with local and national planning policies referenced within this document.

1.2 Location, topography and geology

- 1.2.1 The site is located on Sankey Street and is immediately south of Warrington Town Hall situated in Bank Park, in the centre of Warrington. The existing topography of the site is paved to the south of the Golden Gates, with a tarmac path and lawns to the north of the gates.
- 1.2.2 The solid bedrock geology of the area is mapped as being sandstone of the Wilmslow Sandstone Formation formed in the Triassic Period (BGS 2018). The superficial deposits are sand of the Shirdley Hill Sand Formation deposited in the Quaternary Period (*ibid*). The soils of the area are identified as slowly permeable seasonally wet slightly acid but base-rich loamy and clayey soils (Cranfield 2018).

2 ARCHAEOLOGICAL AND HISTORICAL BACKGROUND AND POTENTIAL

2.1 Archaeological and historical background

- 2.1.1 The archaeological and historical background of the site has been described in detail in a heritage statement carried out by Keystone Heritage (Keystone Heritage 2017), and will not be reproduced here.

2.2 Potential

- 2.2.1 The heritage statement suggests there is limited potential for pre-19th century features to be survive within the vicinity of the Golden Gates, although the possibility of archaeological features surviving cannot be discounted (Keystone 2017). There is likely to have been a large amount of below-ground disturbance from the installation of the gates and surrounding architectural features. The gates in themselves do provide potential for above-ground archaeological value, in terms of evidence for construction techniques and materials contained within their physical form (*ibid*).

3 PROJECT AIMS

3.1 General

3.1.1 The general project aims can be summarised as follows;

- to adhere to and fulfil the agreed programme of works associated with the archaeological potential of the site, and consequently to successfully discharge any conditions, in whole, or in part, dependent on results;
- to inform a decision as to whether further archaeological investigation will be required in advance of further works on the Golden Gates;
- to compile a professional archival record of any archaeological remains within the test pit.

3.2 Specific aims and objectives

3.2.1 The specific aims and objectives of the watching brief are:

- i. To determine or confirm the general nature of any remains present.
- ii. To determine or confirm the approximate date or date range of any remains, by means of artefactual or other evidence.

4 PROJECT SPECIFIC EXCAVATION AND RECORDING METHODOLOGY

4.1 Scope of works

- 4.1.1 The works will involve monitoring and recording a test pit excavated around the foundation of the Golden Gates. There will initially be a single test pit hand-excavated against the northern side of the foundations of the western-most pillar of the Golden Gates structure, a second test pit may be excavated if required against the second pillar from the east. The spoil will be checked for finds and if significant material is detected this will be retained. If potentially significant archaeological remains are detected, the archaeologist will stop the works to enable consultation with Cheshire APAS regarding the preferred course of action

4.2 Programme

- 4.2.1 It is anticipated that the fieldwork will take 1 day to complete, by a team consisting of a project archaeologist, under the management of Paul Dunn, Project Manager. As we do not know when the watching brief will actually take place, we cannot say, at present, which staff member will be undertaking the work. However, the fieldwork will be undertaken by an OA North supervisor or assistant supervisor experienced in this type of project, who will be responsible for liaison with the site contractors and the client, and other relevant interested parties with regards to on-site work and procedures.
- 4.2.2 All fieldwork undertaken by Oxford Archaeology (North) is overseen by the Operations Manager Alan Lupton MCIfA.

4.3 Site specific methodology

- 4.3.1 A summary of OA's general approach to excavation and recording can be found in Appendix A. Standard methodologies for Geomatics and Survey, Environmental evidence, Artefactual evidence and Burials can also be found below (Appendices B, C, D and E respectively).
- 4.3.2 Site specific methodologies will be as follows:
- i. The archaeologist will maintain a watching brief on the hand excavation of one test pit excavated against the foundations of the Golden Gates. If required, they will also monitor a second test pit;
 - ii. The excavation of the test pit will be stopped if potentially significant archaeological remains are encountered. It will only continue with Cheshire APAS' approval;
 - iii. A photographic and textual record will be made of the stratigraphy within the test pit, with measurements *etc*;
 - iv. Spoil arising from the excavation will be scanned for finds and palaeoenvironmental evidence, which will be collected if deemed significant;
 - v. At all times, the archaeologist will work under the Health and Safety directions of the site contractor.

5 PROJECT SPECIFIC REPORTING AND ARCHIVE METHODOLOGY

5.1 Programme

- 5.1.1 The report will be completed within four weeks of the completion of the fieldwork.
- 5.1.2 A copy of the report in Adobe Acrobat (.pdf) format will also be provided to Hall Conservation Ltd and, via them, to Cheshire APAS. Paper copies can also be provided on request.

5.2 Content

- 5.2.1 The content of this report will be as defined in Appendix F.

5.3 Specialist input

- 5.3.1 OA has a large pool of internal specialists, as well as a network of external specialists with whom OA have well established working relationships. A general list of these specialists is presented in Appendix G; in the event that additional input should be required, an updated list of specialists can be supplied.

5.4 Archive

- 5.4.1 The site archive will be deposited with Warrington Museum and Art Gallery following completion of the project.
- 5.4.2 A summary of OA's general approach to documentary archiving can be found in Appendix H.

6 HEALTH AND SAFETY

6.1 Roles and responsibilities

- 6.1.1 The Project Manager, Paul Dunn, has responsibility for ensuring that safe systems of work are adhered to on site. He delegates elements of this responsibility to the Project archaeologist, who implements these on a day to day basis.
- 6.1.2 The Director with responsibility for Health and Safety at OA is Dan Poore Tech IOSH (Chief Business Officer).

6.2 Method statement and risk assessment

- 6.2.1 A summary of OA's general approach to health and safety can be found in Appendix I. A risk assessment has also been undertaken and approved and will be kept on site, along with OA's standard Health and Safety file, which will contain all relevant health and safety documentation.
- 6.2.2 The Health and Safety file will be available to view at any time.

6.3 Monitoring of works

- 6.3.1 At least 5 days' notice of the commencement of the watching brief will be given to Mark Leah, Planning Archaeologist for Cheshire Archaeology Planning Advisory Service (APAS).
- 6.3.2 Cheshire APAS will have free access to the site (subject to Health and Safety considerations) and all records to ensure the works are being carried out in accordance with this WSI and all other relevant standards.

7 BIBLIOGRAPHY

British Geological Survey (BGS), 2018, Geology of Britain Viewer, [Online], available at: <http://mapapps.bgs.ac.uk/geologyofbritain/home.html> (accessed August 2018)

Cranfield Soil and Agrifood Institute, 2018, National Soil Resources Institute', Soilscales of Britain Map, [Online], available at: <http://www.landis.org.uk/soilscales/> , Cranfield University

Keystone Heritage, 2017, *Heritage Statement In support of Application for Listed Building Consent for the repair and refurbishment of Grade II* listed Warrington Town Hall gates*. Keystone Heritage, Sheffield, unpubl client report

OA STANDARD FIELDWORK METHODOLOGY APPENDICES

The following methods and terms will apply, where appropriate, to all OA fieldwork unless varied by the accompanying detailed Written Scheme of Investigation.

Copies of all OA internal standards and guidelines referred to below are available on request.

APPENDIX A GENERAL EXCAVATION AND RECORDING METHODOLOGY

A.1 Standard methodology – summary

Mechanical excavation

- A.1.1 An appropriate mechanical excavator will be used for machine excavation. This will normally be a JCB or 360° tracked excavator with a 1.5 m to 2 m wide toothless ditching bucket. For work with restricted access or working room a mini excavator may be used.
- A.1.2 All mechanical excavation will be undertaken under direct archaeological supervision.
- A.1.3 All undifferentiated topsoil or overburden of recent origin will be removed down to the first significant archaeological horizon, in successive, level spits.
- A.1.4 Following mechanical excavation, all areas that require examination or recording will be cleaned using appropriate hand tools.
- A.1.5 Spoil heaps will be monitored in order to recover artefacts to assist in the analysis of the spatial distribution of artefacts. Modern artefacts will be noted but not retained.
- A.1.6 After recording, evaluation trenches and test pits will usually be backfilled with excavated material in reverse order of excavation, and compacted as far as is practicable with the mechanical excavator. Area excavations will not normally be backfilled.

Hand excavation

- A.1.7 All investigation of archaeological levels will usually be by hand, with cleaning, examination and recording both in plan and section.
- A.1.8 Within significant archaeological levels the minimum number and proportion of features required to meet the aims of the excavation will be hand excavated. Pits and postholes will usually be subject to a 50% sample by volume. Linear features will be sectioned as appropriate. More complex features such as those associated with funerary activity will usually be subject to 100% hand excavation.
- A.1.9 In the case of evaluations, it is not necessarily the intention that all trial trenches will be fully excavated to natural stratigraphy, but the depth of archaeological deposits across the site will be assessed. The stratigraphy of a representative sample of the evaluation trenches will be recorded even where no archaeological deposits have been identified. Any excavation, both by machine and by hand, will be undertaken with a view to avoiding damage to any archaeological features or deposits, which appear to be worthy of preservation in situ.

Recording

- A.1.10 Written descriptions will be recorded on proforma sheets comprising factual data and interpretative elements.
- A.1.11 Where stratified deposits are encountered a Harris matrix will be compiled during the course of the excavation.
- A.1.12 Plans will normally be drawn at 1:100, but on urban or deeply stratified sites a scale of 1:50 or 1:20 will be used. Detailed plans will be at an appropriate scale. Burials will be drawn at scale 1:10 or recorded using geo-referenced digital photography.
- A.1.13 The site grid will be accurately tied into the National Grid and located on the 1:2500 or 1:1250 map of the area.
- A.1.14 A register of plans will be kept.
- A.1.15 Long sections of showing layers will be drawn at 1:50. Sections of features or short lengths of trenches will be drawn at 1:20.
- A.1.16 A register of sections will be kept.
- A.1.17 Generally, all sections will be tied in to Ordnance Datum.
- A.1.18 A full photographic record, illustrating in both detail and general context the principal features and finds discovered will be maintained. The photographic record will also include working shots to illustrate more generally the nature of the archaeological work.
- A.1.19 Photographs will be recorded on OA Photographic Record Sheets.

A.2 Relevant industry standards and guidelines

- A.2.1 The Chartered Institute for Archaeologists Standard and Guidance notes relevant to fieldwork are:
- Standard and Guidance for Archaeological Field Evaluation
 - Standard and Guidance for Archaeological Excavation
 - Standard and Guidance for an Archaeological Watching Brief.
- A.2.2 These will be adhered to at all times.

A.3 Relevant OA manual and other supporting documentation

- A.3.1 All fieldwork will be undertaken in accordance with the requirements of the OA Field Manual (ed. D Wilkinson 1992), and the revised OA fieldwork manual (publication forthcoming).
- A.3.2 Further guidance is provided to all excavators in the form of the OA 'Fieldwork Crib Sheets - a companion guide to the Fieldwork Manual'. These have been issued ahead of formal publication of the revised Fieldwork Manual.

APPENDIX B GEOMATICS AND SURVEY

B.1 Standard methodology - summary

- B.1.1 The aim of OA methodology is to provide comprehensive survey cover of all investigation areas. Additionally, it is designed to provide coverage for any areas, beyond the original scope of the project, which arise as a result of further work. It provides digital plans of all required elements of the project and locates them within an overall grid.
- B.1.2 It also maintains all necessary survey data and ensures that the relevant information is copied into the primary record, in order to ensure the integrity of the project archive. Furthermore, it ensures that all core data is securely stored and backed up. It establishes accurate project reference systems utilising a series of control stations and permanent base lines.
- B.1.3 The survey will be conducted using a combination of Total Station Theodolite (TST) survey utilising Reflectorless Electronic Distance Measurement (REDM) where appropriate, hand-measured elements and GPS (Global Positioning System), or photogrammetry.
- B.1.4 Before the main work commences, a network of control stations will be laid out encompassing the area. Control stations will be tied in to known points or existing features using rigorous metric observation. The control network will be set in using a TST to complete a traverse or using techniques as appropriate to ensure sufficient accuracy. A GPS, or other appropriate method, will be used to orientate the control network to National Grid or other recognised coordinate system.
- B.1.5 All control stations will be checked by closed traverse and/or GPS, as appropriate. The accuracy of these control stations will be accessed on a regular basis and re-established accordingly. All stations will be recorded on Survey Control Station sheets.
- B.1.6 Each control station will be marked with a PGM (Permanent Ground Marker). Witness diagrams will include the full 3-D co-ordinates generated, a sketch diagram and measurements to at least three fixed details, written description of the mark and a photograph of the control point in its environs.
- B.1.7 Prior to entry into the field all equipment will be checked, and all pre-survey information will be logged onto the field computer and uploaded onto survey equipment as appropriate. The software in the field computer will be verified and all cabling between the GPS and/or TST and computer will be checked. Prior to conducting the survey, the site will be reconnoitred for locations for a viable control network and check the line of sight and any possible hindrance to survey. Daily record sheets will be kept to record daily tasks and conditions.
- B.1.8 All spatial data will be periodically downloaded onto a field computer, and backed up onto CD, or DVD. It will be cleaned, validated and inspected.
- B.1.9 All survey data will be documented on daily survey record sheets. Information entered on these sheets includes key set up information (Instrument height etc.) as well as daily variables and errors/comments. All survey data will be digitally recorded in a raw

format and translated during the download process this shall allow for any errors to be cross referenced with the daily survey record and corrected accordingly.

- B.1.10** A weekly summary of survey work will be produced to access development and highlight problems. This information also will be recorded on the weekly survey journal. Technical support for the survey equipment and download software shall be available at all times. In those instances, where sites are remotely operated, all digital data will be backed up regularly and a copy returned to Oxford on a weekly basis.
- B.1.11** A site plan will initially be created by a rapid survey of relevant archaeological features by mapping their extent using a combination of TST and GPS. This will form the basis for deciding excavation strategy and will be updated as the excavation clarifies the extent of, and relationships between, archaeological features.
- B.1.12** Excavated archaeological interventions and areas of complex stratigraphy will be hand drawn. At least two Drawing Points (DPs) will be set in as a baseline and measurements taken off this by tape and offset. The hand drawn plans will be referenced to the digitally captured pre-site plan by measuring in the DPs with a TST or GPS. These hand drawn elements will then be scanned in, geo-referenced using the DPs as reference points and digitised following OA's digitising protocols. For further details on hand planning procedure please refer to the fieldwork guidelines.
- B.1.13** Where appropriate photogrammetry or rectified photography may be used to record standing structures or burials. This will be carried out in line with Standard OA procedures for photogrammetry or rectified photography.
- B.1.14** Survey data recorded in the field will be downloaded using appropriate downloading software, and saved as an AutoCAD Map DWG file, or an ESRI Shapefile. These files will be regularly updated and backed up with originals being stored on an OA server in Oxford.
- B.1.15** All drawings will be composed of closed polygons, polylines or points in accordance with the requirements of GIS construction and OA Geomatics protocols. Once created, additional GIS/CAD work will normally be carried out at the local OA central office or at on-site remote locations when appropriate. Support for all GIS/CAD work will be available from OA's Oxford Office during normal office hours. The aim of the GIS/CAD work is to produce workable draft plans, which can be produced as stand-alone products, or can be readily converted to GIS format. Any hand-drawn plans will be scanned and digitised on site in the first instance. Subsequent plans will be added to the main drawing as it develops.
- B.1.16** All plan scans will be numbered according to their plan site number. Digital plans will be given a standard new plan number taken out from the site plan index.
- B.1.17** All digital data will be backed up incrementally on CD or DVD. On each Friday the entire data directory will be backed up and returned to Oxford where it will be copied onto the OA projects server. Each CAD drawing will contain an information layout which will include all the relevant details appertaining to that drawing. Information (metadata) on all other digital files will be created and stored as appropriate. At the end of the survey all raw measurements will be made available as hard copy for archiving purposes.

B.2 Relevant industry standards and guidelines

- B.2.1 Historic England (2007) Understanding the Archaeology of Landscapes A Guide to Good Recording Practice.
- B.2.2 Historic England (2015), Metric Survey Specifications for Cultural Heritage.
- B.2.3 Historic England (2016), Understanding Historic Buildings A Guide to Good Recording Practice.
- B.2.4 Historic England (2017), Photogrammetric Applications for Cultural Heritage. Guidance for Good Practice.

B.3 Relevant OA manual and other supporting documentation

- B.3.1 OA South Metric Survey, Data Capture and Download Procedures
- B.3.2 OA South Digitising Protocols
- B.3.3 OA South GIS Protocols
- B.3.4 These will be superseded by the OA South Geomatics Manual (in progress).

APPENDIX C ENVIRONMENTAL EVIDENCE

C.1 Standard methodology – summary

- C.1.1 Different environmental and geoarchaeological sampling strategies may be employed according to established research targets and the perceived importance of the strata under investigation. Where possible an environmental specialist(s) will visit the site to advise on sampling strategies. Sampling methods will follow guidelines produced by Historic England and Oxford Archaeology. A register of samples will be kept. Specialists will be consulted where non-standard sampling is required (e.g. TL, OSL or archaeomagnetic dating) and if appropriate will be invited to visit the site and take the samples.
- C.1.2 Geoarchaeological sampling methods are site specific, and methodologies will be designed in consultation with the geoarchaeological manager on a site by site basis.
- C.1.3 Bulk soil samples, where possible of 40 litres or 100% of a deposit if less is available, will be taken from potentially datable features and layers for flotation for charred plant remains and for the recovery of small bones and artefacts. Larger soil samples (up to 100L) may be taken for the complete recovery of animal bones, marine shell and small artefacts from appropriate contexts. Smaller bulk samples (general biological samples) of 10-20 litres will be taken from any waterlogged deposits present for the recovery of macroscopic plant remains and insects. Series of incremental 2L samples may be taken through buried soils and deep feature fills for the recovery of snails and/or waterlogged plant remains, depending on the nature of the stratigraphy and of the soils and sediments. Columns will be taken from buried soils, peats and waterlogged feature fills for pollen and/or phytoliths, diatoms, ostracods and foraminifera if appropriate. Soil samples will be taken for soil investigations (particle size, organic matter, bulk chemistry, soil micromorphology etc.) and possibly for metallurgical analysis in consultation with the appropriate specialists.
- C.1.4 Bulk samples from dry deposits will be processed by standard water flotation using a modified Siraf-style machine and meshes of 0.25mm (flot) and 0.5 or 1mm depending on sediment type and like modes of preservation (residue). Heavy residues will be wet sieved, air dried and sorted. Samples taken exclusively for the recovery of bones, marine shell or artefacts will be wet sieved to 2mm. Waterlogged samples (1L sub-sample) and snail samples (2L) will be processed by hand flotation with flots and residues collected to 0.25mm (waterlogged plants) and 0.5mm (snails) respectively; these flots and residues will be sorted by the specialist. Samples specifically taken for insects, pollen, other microflora and microfauna, metallurgy and soil analysis will be submitted as whole earth to the appropriate specialists or processed following their instructions.

C.2 Relevant industry standards and guidelines

- C.2.1 Historic England 2010. Waterlogged Wood: Guidelines on the recording, sampling, conservation and curation of waterlogged wood.
- C.2.2 Historic England 2011. Environmental Archaeology. A guide to the theory and practice of methods, from sampling and recovery to post excavation, (2nd ed)

- C.2.3 Historic England 2004. Dendrochronology: Guidelines on Producing and Interpreting Dendrochronological Dates.
- C.2.4 Historic England 2006. Archaeomagnetic Dating. Guidelines for Producing and Interpreting Archaeomagnetic Dates.
- C.2.5 Historic England 2008. Luminescence Dating. Guidelines on Using Luminescence Dating in Archaeology.
- C.2.6 Historic England 2008. Guidelines for the Curation of Waterlogged Macroscopic Plant and Invertebrate Remains.
- C.2.7 Historic England 2014. Animal Bones and Archaeology. Guidelines for Best Practice.
- C.2.8 Historic England, 2015. Archaeometallurgy. Guidelines for Best Practice.
- C.2.9 Historic England 2015 Geoarchaeology. Using Earth Sciences to Understand the Archaeological Record.
- C.3 Relevant OA manual and other supporting documentation**
 - C.3.1 Oxford Archaeology 2005. Environmental Sampling Guidelines, 2nd ed.

APPENDIX D ARTEFACTUAL EVIDENCE

D.1 Standard methodology - summary

- D.1.1 Before a site begins arrangements concerning the finds will be discussed with the Head of Finds. Information will be provided by the project manager about the nature of the site, the expected size and make-up of the finds assemblage and any site specific finds retrieval strategies. On-site requirements will be discussed and a conservator appointed who can be called on to make site visits if required. Special requirements regarding particular categories of material will be raised at this early stage for instance the likelihood of recovering assemblages of waterlogged material, large timbers, quantities of structural stone or ceramic building material. Specialists may be required to visit sites to discuss retrieval strategies.
- D.1.2 The project manager will supply the Head of Finds with contact details of the landowner of the site so that consent to deposit any finds resulting from the investigation can be sought.
- D.1.3 The on-site retrieval, lifting and short term packaging of bulk and small finds will follow the detailed guidelines set out in the OA Finds Manual (sections 2 and 3), First Aid for Finds and the UKIC conservation guidelines No.2.
- D.1.4 All finds recovered from site will be transported to an OA regional office for processing; local sites will return finds at the end of each day, away based sites at the end of each week. Special arrangements can be discussed for certain sites with the department manager before the start of a project. Larger long running sites may in some instances set up on-site processing units to deal with the material from a particular site.
- D.1.5 All finds qualifying as Treasure will be removed to a safe place and reported to the local Coroner according to the procedures relating to the Treasure Act (1996), and the Treasure (Designation) Order 2002. Where removal cannot be effected on the same working day as the discovery, suitable security measures will be taken to protect the finds from theft.
- D.1.6 Each box of finds will be accompanied by a finds context checklist itemising the finds within each box. The number of bags of finds from each context and individual small find from each context will be recorded. A member of the processing team will check the list when it arrives in the department. There are separate forms for finds recovered from fieldwalking.
- D.1.7 The processing programme is reviewed on a weekly basis and priorities are worked out after discussions with the Head of Fieldwork and the Head of Post-excavation. Project managers will keep the Head of Finds informed of any pressing deadlines that they are aware of. All finds from evaluations are dealt with as a matter of priority.
- D.1.8 All bulk finds are washed (where appropriate), marked, bagged and boxed by the processing team according to the guidelines set out in section 4 and 5 of the OA Finds Manual, First-aid for finds and the UKIC guidelines No.2. They must also take into account the requirements of the receiving museum. Primary data recording count and weight of fragments by material from each context is recorded on the site database.

- D.1.9 Unstable and sensitive objects are recorded onto the database and then packaged and stored in controlled environments according to their individual requirements. The advice of a conservator will be sought for sensitive objects in need of urgent conservation. All metalwork will be x-rayed prior to assessment (and to meet the requirements of most receiving museums).
- D.1.10 Finds recovered from the environmental sample processing will be incorporated into the main assemblage and added to the database.
- D.1.11 On completion of the processing and data entry a finds file for each archaeological investigation will be produced, a summary of which is available for the project manager. The assemblage is allocated an OA number for storage purposes. Bulk finds are stored on a roller racking system, metals in a secure controlled storage and organic finds are refrigerated where possible.
- D.1.12 The movement of finds in and out of the department storage areas is strictly monitored and recorded. Carbon copy transit forms exist to record this information. Finds will not be removed from storage without the prior knowledge of the Head of Finds.
- D.1.13 Finds information summarised in the finds compendium is used to assess the finds requirements for the post excavation stages of the project. The Finds department holds a list of all specialists used by OA (see below) both internal and external.
- D.1.14 On completion of the post excavation stage of the project the department prepares the finds assemblage for deposition with the receiving museum. Discussions will be held with the museum, the excavator and the head of finds to finalise any selection, retention or discard policy. Most museums issue strict guidelines for the preparation of archives for deposition with their individual labelling, packaging and recording requirements.

D.2 Relevant industry standards and guidelines

- D.2.1 UKIC, 1983, Packaging and Storage of Freshly-Excavated Artefacts from Archaeological Sites. Conservation Guidelines No.2. Archaeology Section, United Kingdom Institute for Conservation.
- D.2.2 UKIC, 1988, Excavated Artefacts and Conservation: UK sites Revised Edition. Conservation Guidelines No.1. Archaeology Section, United Kingdom Institute for Conservation.
- D.2.3 Society of Museum Archaeologists, 1993, Selection, retention and dispersal of Archaeological Collections. Download available via <http://www.socmusarch.org.uk/publica.htm>
- D.2.4 Watkinson, D E & Neal, V, 1998, First Aid for Finds (3rd edition). RESCUE & UKIC

D.3 Relevant OA manual and other supporting documentation

- D.3.1 Allen, L, and Cropper, C (internal publication only) Oxford Archaeology Finds Manual.

APPENDIX E HUMAN REMAINS

E.1 Standard methodology - summary

- E.1.1 Human remains will not be excavated without a relevant licence/faculty and, where applicable (for example, a post medieval cemetery), a risk assessment from the local environmental officer.
- E.1.2 All human remains will be treated with due care and regard to the sensitivities involved, and will be screened from the public throughout the course of the works.
- E.1.3 Excavation will be undertaken in accordance with ClfA (Roberts and McKinley 1993) and the Advisory Panel on the Archaeology of Burials in England (APABE, 2015, 2017). For crypts and post-medieval burials, the recommendations set out by the ClfA (Cox 2001) and by the Association of Diocesan and Cathedral Archaeologists and APABE (2010) are also relevant.
- E.1.4 In accordance with recommendations set out in the Historic England and Church of England (2005) and updated by the Advisory Panel on the Archaeology of Burials in England (2017), skeletons will not be excavated beyond the limits of the trench, unless they are deemed osteologically or archaeologically important.
- E.1.5 Where any soft tissue survives and/or materials (for example, inner coffins, mattresses and other paddings) soaked in body liquor, no excavation or handling of the remains will take place until an appropriate risk assessment has been undertaken. Relevant protocols (i.e. Cox 2001) for their excavation, recording and removal will be adhered to.
- E.1.6 OA does not excavate or remove modern burials (those less than 100 years old) and does not remove or open sealed lead coffins. Appropriate PPE (e.g. chemical suit, latex gloves) will be worn by all staff when working with lead coffins.
- E.1.7 Graves and their contents will be hand excavated in plan. Each component (for example, skeleton, grave cut, coffin (or remains of), grave fill) will be assigned a unique context number from a running sequence. A group number will also be assigned to all of these, and small finds numbers to features such as coffin nails, hobnails and other grave goods (as appropriate).
- E.1.8 Soil samples will be normally taken during the excavation of inhumations, usually from the region of the skull, chest, right hand, left hand, abdomen and pelvis, right foot and left foot. Infants (circa. less than 5 years) will normally be recovered as bulk samples. Soil samples will also be taken from graves that appear to contain no human bone.
- E.1.9 Burials (including the skeleton, cremation, coffin fittings, coffin, urn, grave goods / other) will be recorded by photographic and written record using specialised pro forma context sheets, although these records may only include schematic representations of the location and position of the skeletons, depending on the nature and circumstances of the burial.
- E.1.10 Where necessary, hand drawn plans (usually at 1:10, sometimes 1:5) will be made, especially of contexts where required details cannot be adequately seen using photography (for example, urned cremations; undisturbed hob nails).

- E.1.11 Levels will be taken. For inhumations this will be on the skull, pelvis and feet as a minimum.
- E.1.12 Human remains that are exhumed will be bagged and labelled according to skeletal region and carefully packed into suitable containers (for example, acid free cardboard boxes) and transported to a suitable storage location. Any associated coffins and coffin fittings will be contained with the human remains wherever possible.
- E.1.13 Unurned cremations will not usually be half sectioned, but excavated in spits and/or quadrants (i.e. large deposits or spreads), or recovered as a bulk sample.
- E.1.14 Wherever possible, urned cremations will be carefully bandaged, recovered whole and will be excavated in spits in the laboratory, as per the recommendations of McKinley (2004, 2017).
- E.1.15 Unless deemed osteologically or archaeologically important disarticulated bone / chanel will be collected and reserved for re-burial if immediate re-internment as close to its original position is not practicable. In some instances, a rapid scan of this material may be undertaken by a qualified osteologist, if deemed relevant.
- E.1.16 If undisturbed, pyre sites will normally be excavated in quadrants, at the very least in 0.5 m blocks of 0.5 m spits.
- E.1.17 Pyre debris dumps will be half sectioned or quadrant and will be subject to 100% sampling.
- E.1.18 Wooden and lead coffins and any associated fittings, including fixing nails will be recorded on a pro forma coffin recording sheet. All surviving coffin fittings will be recorded by reference to Reeve and Adams (1993) and the unpublished master catalogue that is being compiled by OA. Where individual types cannot be paralleled, they will be drawn and/ or photographed and assigned a style number. Biographical details obtained from legible departum plate inscriptions will be recorded and further documentary research will be made.
- E.1.19 Funerary structures, such as brick shaft graves and/or vaults will be recorded by photogrammetry or hand-drawn at a scale of 1:10 or 1:20, as appropriate. Location, dimensions and method of construction will be noted, and the structure added to the overall trench plan.
- E.1.20 Memorials, including headstones, revealed within the areas of development will be recorded irrespective of whether they are believed to be in situ.
- E.1.21 Where required, memorials will be accorded an individual context number and will also be included as part of the grave group, if the association with a burial is clear.
- E.1.22 Memorials will be recorded on pro-forma context sheets, based on and following the guidelines set out by Mytum (2002), and will include details of:
- Shape
 - Dimensions
 - Type of stone used

- Condition, completeness and fragmentation of stones, no longer in original positions
- Iconography (an illustration may best describe these features)
- Inscription (verbatim record of inscription; font of the lettering)
- Stylistic type

E.2 Relevant industry standards and guidelines

- E.2.1 Advisory Panel on the Archaeology of Burials in England, 2017 Guidance for Best Practice for the Treatment of Human Remains Excavated from Christian Burial Grounds in England.
- E.2.2 Advisory Panel on the Archaeology of Burials in England, 2015 Large Burial Grounds. Guidance on sampling in archaeological fieldwork projects.
- E.2.3 Association of Diocesan and Cathedral Archaeologists and APABE. 2010 Archaeology and Burial Vaults. A guidance note for churches. Guidance Note 2.
- E.2.4 British Association of Biological Anthropology and Osteoarchaeology. 2011 Code of Practice.
- E.2.5 British Association of Biological Anthropology and Osteoarchaeology. 2011 Code of Ethics.
- E.2.6 Cox, M, 2001 Crypt archaeology. An approach. ClfA Paper No. 3
- E.2.7 McKinley, J, and Roberts, C, 1993 Excavation and post-excavation treatment of cremated and inhumed human remains, ClfA Technical Paper No. 13
- E.2.8 McKinley, J, 2004 Compiling a skeletal inventory: cremated human bone. In Brickley, M, and McKinley, J (eds) Guidelines to the Standards for Recording Human Remains, ClfA Technical Paper No. 7. 9-13.
- E.2.9 McKinley, J, 2017 Compiling a skeletal inventory: cremated human bone. In Mitchell P, and Brickley, M (eds) Updated Guidelines to the Standards for Recording Human Remains, ClfA 14-19
- E.2.10 Mitchell P, and Brickley, M (eds) Updated Guidelines to the Standards for Recording Human Remains, CIFA 2017
- E.2.11 Mytum, H, 2000 Recording and Analysing Graveyards. CBA Handbook No. 15.
- E.2.12 Reeve, J, and Adams, M, 1993 The Spitalfields Project. Volume I – The Archaeology Across the Styx. CBA Research Report No. 85
- E.2.13 The Human Tissue Act 2004

E.3 Relevant OA manual and other supporting documentation

- E.3.1 Loe, L, 2008 The Treatment of Human Remains in the Care of Oxford Archaeology. Oxford Archaeology internal policy document.
- E.3.2 Excavating and recording of buried human remains. Oxford Archaeology internal guidelines document.

APPENDIX F REPORTING

F.1 Standard methodology - summary

F.1.1 For Watching Briefs and Evaluations, the style and format of the report will be determined by OA, but will include as a minimum the following:

- A location plan of trenches and/or other fieldwork in relation to the proposed development.
- Plans and sections of features located at an appropriate scale.
- A section drawing showing depth of deposits including present ground level with Ordnance Datum, vertical and horizontal scale.
- A summary statement of the results.
- A table summarising the features, classes and numbers of artefacts contained within, spot dating of significant finds and an interpretation.
- A reconsideration of the methodology used, and a confidence rating for the results.
- An interpretation of the archaeological findings both within the site and within their wider landscape/townscape setting.

F.1.2 For Excavations, a Post-Excavation Assessment and Project Design will generally be prepared, as prescribed by Historic England Management of Research Projects in the Historic Environment (MoRPHE) 2006, Section 2.3. This will include a Project Description containing:

- A summary description and background of the project.
- A summary of the quantities and assessment of potential for analysis of the information recovered for each category of site, finds, dating and environmental data. Detailed assessment reports will be contained within appendices.
- An explicit statement of the scope of the project design and how the project relates to any other projects or work preceding, concurrent with or following on from it.
- A statement of the research aims of the fieldwork and an illustrated summary of results to date indicating to what extent the aims were fulfilled.
- A list of the project aims as revised in the light of the results of fieldwork and the current post-excavation assessment process.

F.1.3 A section on Resources and Programming will also be produced, containing:

- A list of the personnel involved indicating their qualifications for the tasks undertaken, along with an explanation of how the project team will communicate, both internally and externally.
- A list of the methods which will be used to achieve the revised research aims.

- A list of all the tasks involved in using the stated methods to achieve the aims and produce a report and research archive in the stated format, indicating the personnel and time in days involved in each task. Allowance should be made for general project-related tasks such as monitoring, management and project meetings, editorial and revision time.
- A cascade or Gantt chart indicating tasks in the sequence and relationships required to complete the project. Due allowance will be made for leave and public holidays. Time will also be allowed for the report to be read by a named academic referee as agreed with the County Archaeological Officer, and by the County Archaeological Officer.
- A report synopsis indicating publisher and report format, broken down into chapters, section headings and subheadings, with approximate word lengths and numbers and titles of illustrations per chapter. The structure of the report synopsis should explicitly reflect the research aims of the project.

F.1.4 The Project Design will be submitted to the County Archaeological Officer or equivalent for agreement.

F.1.5 Under certain circumstances (e.g. with very small mitigations), and as agreed with the County Archaeological Officer or equivalent, a formal Assessment and Project Design may not be required and either the project will continue straight to full analysis, or a simple Project Proposal (MoRPHE 2006 Section 2.1) will be produced prior to full analysis. This proposal may include:

- A summary of the background to the project
- Research aims and objectives
- Methods statement outlining how the aims and objectives will be achieved
- An outline of the stages, products and tasks
- Proposed project team
- Estimated overall timetable and budget if appropriate.

F.1.6 Once the post-excavation Project Design or Project Proposal has been accepted, the County Archaeological Officer or his appointed deputy will monitor the progress of the post-excavation project at agreed points. Any significant variation in the project design will be agreed with the County Archaeological Officer.

F.1.7 The results of the project will be published in an appropriate archaeological journal or monograph. The appropriate level of publication will be dependent on the significance of the fieldwork results and will be agreed with the County Archaeological Officer. An OASIS (Online Access to the Index of Archaeological Investigations) form will be completed for each project as per Historic England guidelines.

F.2 Relevant industry standards and guidelines

F.2.1 Oxford Archaeology (OA) adheres to the national standards in post-excavation procedure as outlined in Historic England's Management of Research Projects in the Historic Environment (MoRPHE; EH 2006). Furthermore, all post-excavation projects

take into account the appropriate regional research frameworks as well as national research agendas such as the Framework for Historic Environment Activities & Programmes in Historic England (SHAPE; EH 2008).

APPENDIX G LIST OF SPECIALISTS REGULARLY USED BY OA

G.1.1 Below are two tables, one containing 'in-house' OA specialists, and the other containing a list of external specialists who are regularly used by OA.

Internal archaeological specialists used by OA

Specialist	Specialism	Qualifications
Lisa Brown	Early Prehistoric pottery	BA, PGDip, MLitt, MCIfA
Paul Booth	Iron Age and Roman pottery	BA, FSA, MCIfA
John Cotter	Medieval and Post Medieval pottery, Clay Pipe and CBM	BA (Hons), MCIfA
Cynthia Poole	CBM and Fired Clay	BA (Hons), MSc
Edward Biddulph	Roman Pottery	BA (Hons), MA, MCIfA
Ian Scott	Metalwork and Glass	BA (Hons)
Leigh Allen	Metalwork and worked bone	BA (Hons), PGDip
Dr Ruth Shaffrey	Worked stone artefacts	BA, PhD, MCIfA
Julian Munby	Architectural Stone	BA, FSA
Dr Rebecca Nicholson	Fish and Bird Bone	BA (Hons), MA, D.Phil, MCIfA, FSA Scot
Dr Mairead Rutherford	Pollen	BSc, MSc
Lee Broderick	Animal bone	BA (hons), MA, MSc, FZG, SAC Dip (ecology)
Julia Meen	Charred and waterlogged plant remains and charcoal	BSc (Hons), MA
Dr Denise Druce	Charred plant remains, charcoal and pollen	BA (Hons), PhD, MCIfA
Elizabeth Stafford	Geoarchaeology and land snails	BA (Hons), MSc
Carl Champness	Geoarchaeology	BA (Hons), MSc, ACIfA
Dr Ian Smith	Animal Bone	BSc, PhD
Nicola Scott	Archaeological archive deposition	BA (Hons Dunelm)
Mike Donnelly	Flint	BSc, MCIfA
Dr Louise Loe	Human Bone	D.Phil, BA, MCIfA
Helen Webb	Human Bone	MSc, BSc
Mark Gibson	Human Bone	MSc, BA
Dr Lauren McIntyre	Human Bone	D.Phil, MSc, BSc

External archaeological specialists regularly used by OA

Specialist	Specialism	Qualifications
Lynne Keys	Slag	BA (Hons)
Quita Mould	Leather	BA, MA

Specialist	Specialism	Qualifications
Penelope Walton Rogers, The Anglo Saxon Laboratory	Identification of Medieval Textiles	FSA, Dip.Acc
Dana Goodburn-Brown	Conservation	BSc (Hons), BA, MSc
Steve Allen, York Archaeological Trust	Conservation	BA, MA, MAAIS
Dr Richard Macphail	Soils, especially Micromorphology	BA (Hons), MSc, PhD
Dana Challinor	Charcoal	MA, MSc
Dr Nigel Cameron	Diatoms	BSc, MSc, PhD
Dr David Smith	Insects	BA (Hons), MA, PhD
Professor Adrian Parker	Phytoliths and pollen	BSc (Hons), D.Phil
Dr David Starley	Metalworking Slag	BSc (Hons), PhD
Wendy Carruthers	Charred and waterlogged plant remains	BA (Hons)
Dr Sylvia Peglar	Pollen	PhD
Dr John Whittaker	Ostracods and Foraminifera	BA (Hons), PhD
Dr John Crowther	Soil Chemistry	MA, PhD
Dr Martin Bates	Geoarchaeology	BSc, PhD
Dr Dan Miles	Dendrochronology	D.Phil, FSA
Dr Jean-Luc Schwenninger	Optically Stimulated Luminescence Dating	PhD
Dr David Higgins	Clay Pipe	BA, PhD, MCIfA
Dr Hugo Anderson- Wymark	Flint	BSc, PhD, FSA Scot, MCIfA
Dr Damian Goodburn- Brown	Ancient Woodwork	BA, PhD

APPENDIX H DOCUMENTARY ARCHIVING

H.1 Standard methodology – summary

- H.1.1** The documentary archive constitutes all the written, drawn, photographic and digital records relating to the set-up, fieldwork and post-excavation phases of the project. This documentary archive, together with the artefactual and environmental ecofact archive collectively forms the record of the site. The report is part of the documentary archive, and the archive must provide the evidence that supports the conclusions of the report, but the archive may also include data which exceeds the limitations of research parameters set down for the report and which could be of significant value to future researchers.
- H.1.2** At the outset of the project OA Archive department will contact the relevant local receiving museum or archive repository to notify them of the imminent start of a new fieldwork project in their collecting area. Relevant local archiving guidelines will be observed and site codes, which integrate with the receiving repository, will be agreed for labelling of archives and finds.
- H.1.3** Where there is currently no receiving museum for the project archive, although responsibility for the archive ultimately lies with the client, OA will hold the archive on their behalf for a period of up to 3 years after completion of the report, after which time (in the event that a suitable depository has not been secured) provision for further storage of the archive will be made in agreement with Oxford Archaeology, the client and the relevant planning archaeologist.
- H.1.4** During the course of the project the Archive department will assist the Project Manager in the management of the archive including the cataloguing and development technique suitable for photographic archive requirements.
- H.1.5** The hard copy site archive will be security copied by scanning to PdFA and a copy of this will be housed on the OA Archive Server. A further copy will be maintained on the OA server and if requested a copy on disk will also be sent to the receiving museum with the hard copy. This will act as a safeguard against the accidental loss and the long-term degeneration of paper records and photographs.
- H.1.6** Born digital data will only be printed to hard copy for the receiving museum where practical. Archive elements that need maintaining in digital form will be sent to ADS in accordance with Arches Standard and ADS guidelines. A copy will be sent to the receiving museum by CD and back-up copies will be stored on the OA digital network. In most cases a digital copy of the report will be included in the OASIS project library hosted by ADS.
- H.1.7** Prior to deposition the Archive department will contact the museum regarding the size and content of the archive and discuss any retention and dispersal policies which may be applicable in line with local and SMA Guidelines ' Selection, Retention & Dispersal of Archaeological Collections' 1993.
- H.1.8** The site archive will then be deposited with the relevant receiving museum or repository at the earliest opportunity unless further archaeological work on the site is expected. The documentary archive will include correspondence detailing landowner

consent to deposit the artefacts and any copyright licences in accordance with the receiving museum guidelines. Deposition charges will be required from the client as part of the project costs but the level of the fee is set by the receiving body, and may be subject to change during the lifespan of the project. Changes to archiving charges beyond OA's control will be passed across to the client.

- H.1.9 Oxford Archaeology will retain full copyright of any commissioned reports, tender documents or other project documents, under the Copyright, Designs and Patents Act 1988 with all rights reserved; excepting that it will provide the receiving repository or museum for the archive with a full licence for use to the client in all matters directly relating to the project as described in the Written Scheme of Investigation, and in line with the relevant receiving body guidelines.
- H.1.10 OA will advise the receiving repository or museum for the archive of 3rd party materials supplied in the course of projects which are not OA's copyright.
- H.1.11 OA undertakes to respect all requirements for confidentiality about the client's proposals provided that these are clearly stated. It is expected that such conditions shall not unreasonably impede the satisfactory performance of the services required. Archaeological findings and conclusions can be kept confidential for a limited period but will be made publicly available in line with the above procedure either after a specified time period agreed with the client at the outset of the project, or where no such period is agreed, after a reasonable period of time. It is expected that clients respect OA's general ethical obligations not to suppress significant archaeological data for an unreasonable period.

H.2 Relevant industry standards and guidelines

- H.2.1 At the end of the project the site archive will be ordered, catalogued, labelled and conserved and stored according to the following national guidelines:
- H.2.2 The 2014 EAC Guidelines A Standard and Guide to the Best Practice for Archaeological Archiving in Europe (GB) Perrin K, Brown E et al.
- H.2.3 The 2014 CIFA Standard and Guidance for the Creation, Compilation, Transfer and Deposition of Archaeological Archives.
- H.2.4 The 2011 AAF guide Archaeological Archives A Guide to Best Practice in Creation, Compilation, Transfer and Curation. Brown D.
- H.2.5 The UKIC's Guidelines for the preparation of excavation archives for long-term storage.
- H.2.6 The MGC's Standards in the museum care of archaeological collections.
- H.2.7 Local museum guidelines such as Museum of London Guidelines: (<http://www.museumoflondonarchaeology.org.uk/English/ArchiveResearch/DeposRe> source) will be adopted where appropriate to the archive collecting area.
- H.2.8 The site archive will be prepared to at least the minimum acceptable standard defined in Management of Archaeological Projects 2, Historic England 1991.

H.3 Relevant OA manual and other supporting documentation

- H.3.1 The OA Archives Policy.

APPENDIX I HEALTH AND SAFETY

I.1 Standard Methodology - summary

- I.1.1 All work will be undertaken in accordance with the current OA Health and Safety Policy, the OA Site Safety Procedures Manual, a site-specific Risk Assessment and, if required, Safety Plan or Method Statement. Copies of the site-specific documents will be submitted to the client or their representative for approvals prior to mobilisation, and all relevant H and S documentation will be available on site at all times. The Health and Safety documentation will be read in conjunction with the project WSI.
- I.1.2 Where a project falls under the Construction (Design and Management) Regulations (2015), all work will be carried out in accordance with the Principal Contractor's Construction Phase Plan (CPP).

I.2 Relevant industry standards and guidelines

- I.2.1 All work will be carried out according to the requirements of all relevant legislation and guidance, including, but not exclusively:
 - I.2.2 The Health and Safety at Work Act (1974).
 - I.2.3 Management of Health and Safety at Work Regulations (1999).
 - I.2.4 Manual Handling Operations Regulations 1992 (as amended).
 - I.2.5 The Reporting of Injuries, Diseases and Dangerous Occurrences Regulations (2013).
 - I.2.6 The Construction (Design and Management) Regulations (2015).
 - I.2.7 Relevant OA manual and other supporting documentation
 - I.2.8 The OA Health and Safety Policy.
 - I.2.9 The OA Site Safety Procedures Manual.
 - I.2.10 The OA Risk Assessment templates.
 - I.2.11 The OA Method Statement template.
 - I.2.12 The OA Construction Phase Plan template.



Figure 1: Site location




Figure 2: Site plan



**Head Office/Registered Office/
OA South**

Janus House
Osney Mead
Oxford OX2 0ES

t: +44 (0) 1865 263 800
f: +44 (0) 1865 793 496
e: info@oxfordarchaeology.com
w: <http://oxfordarchaeology.com>

OA North

Mill 3
Moor Lane
Lancaster LA1 1QD

t: +44 (0) 1524 541 000
f: +44 (0) 1524 848 606
e: [oanorth@oxfordarchaeology.com](mailto: oanorth@oxfordarchaeology.com)
w: <http://oxfordarchaeology.com>

OA East

15 Trafalgar Way
Bar Hill
Cambridgeshire
CB23 8SQ

t: +44 (0) 1223 850 500
e: [oaeast@oxfordarchaeology.com](mailto: oaeast@oxfordarchaeology.com)
w: <http://oxfordarchaeology.com>



Director: Gill Hey, BA PhD FSA MCifA
*Oxford Archaeology Ltd is a
Private Limited Company, N^o: 1618597
and a Registered Charity, N^o: 285627*