Site/Project Name:

Oxford Castle Mound phase 1 & 2°

Site Code:

OXFCAM 08

Site/Project Type:

Watching Brief

Year(s):

2008

Accession Number:

OXCMS:2008.19

Please note that phase 2 is the geophysical report

Record Group	Contents	Comments	Box/File Number
	INTRODUCTION		Box 1 file 1
	Brief for archaeological watching brief Written scheme of investigation Health and safety audit checklist Scheduled monument consent & amendment	4 double sided sheets 5 double sided sheets 3 double sided sheets 8 sheets	
A	REPORT		Box 1 file 2
	Archaeological excavation report	\\Samba-\users\nicky.scott\OAU\WS\PDF REPORTS\OXFCAM08.pdf	
	OASIS record print-out	3 sheets	
В	PRIMARY CONTEXT DATA		Box 1 file 3
÷.	Level register Context checklist Context record sheets	6 sheets 4 sheets 115 sheets	
В	SYNTHESISED CONTEXT RECORDS		Box 1 file 4
	Matrices	4 A4 sheets & 1 A1 sheet	roll 1 of 2
В	SURVEY REPORTS		Box 1 file 5
<u>.</u>	Geophysical survey report	1 bound copy	
B ,	CATALOGUE OF DRAWINGS-	·	Box 1 file 6
. ~	Plan record sheet Section record sheet	1 sheet 1 sheet	
В	PRIMARY DRAWINGS		Box 1 file 7
e Gara	Plans	4 A4 & 3 various sizes sheets 3 A4 & 5 A1 sheets	& roll 2 of 2
. ,	Sections		
C (%)	PRIMARY FINDS DATA		Box 1 file 8
	Finds context checklist Small finds record sheet	6 sheets 1 sheet	

С	SYNTHESISED FINDS DATA		Box 1 file 9
	Glass recording table print -out Metal recording table print-out	2 A3 sheets 1 A3 sheet	
С	SPECIALIST REPORTS		Box 1 file
	Pottery report	6 sheets	
	Clay tobacco pipes	2 sheets	
	Worked stones report	1 sheet	
	Glass & metal report	1 sheet	
С	FINDS BOX AND BAG LISTS		Box 1 file
	Finds compendium	1 sheet	
	Finds contents sheets	10 sheets	
D	CATALOGUE OF PHOTOGRAPHS		Box 1 file
	Black and white photographic record sheets	7 sheets	
	Colour photographic record sheets	7 sheets	
Е	ENVIRONMENTAL PRIMARY RECORDS		Box 1 file
	Environmental sample register	2 sheets	
	Environmental transfer record	1 sheet	
Е	ENVIRONMENTAL SYNTHESISED RECORDS		Box 1 file
	Animal bone database print-outs	8 A3 pages	
Е	ENVIRONMENTAL SPECIALIST REPORT		Box 1 file
	Animal bone report	4 sheets	
	Sediment assessment report	5 sheets	
,			
		<u> </u>	

Ì

j

OXFORD ARCHAEOLOGY, JANUS HOUSE, OSNEY MEAD, OXFORD, OX2 DES

PART 1 FILMING INSTRUCTIONS Submitter: OA No. of Diazo Copies: 3		
PART 2 TITLE/HEADINGS		
Site Information:		
Line 1: [OA] County: [OXFORDSHIRE] Site: [OXFORD Castle Mound	Parish:[0xf0]	i
Site identifier/accession code may be included a	275 MARG /]
Line 2: Fieldworker/Excavator's Name [D. DOOD	-CICHMO8/OZCA	15:2008.1
Line 3:		,
Classification of Material:		
		Tick if Present
		2.1000176
Index to Archive		
Introduction		
A: Final Report		
A: Publication Report	<u>-</u>	
B: Site Data - Text: Diary/Daybook/Fieldnotes		
B: Site Data – Text: General Summaries		
B: Site Data - Text: Primary Context Records		
B: Site Data - Text: Synthesised Context Records		
B: Site Data - Text: Survey Reports		
B: Site Data - Text: Catalogue of Drawings		
B: Site Data – Text: Primary Drawings		
B: Site Data - Text: Synthesised Drawings		
C: Finds Data – Text: Primary Finds Data		
C: Finds Data - Text: Synthesised Finds Data		
C: Finds Data - Text: Specialist Reports		
C: Finds Data - Text: Box/Bag List	· · · · · · · · · · · ·	
D: Catalogue of Photos/Slides/Videos/X-rays		
E: Environmental/Ecofact Data: Primary Records		
E: Environmental/Ecofact Data: Synthesised Records		
E: Environmental/Ecofact Data: Specialist Reports		
F: Documentary		1 1 1 1
F: Press and Publicity		
G: Correspondence		 ·
H. Miggellere		

OXFORD CASTLE MOUND PHASE1
OXFGAM 08

Box 1 FILE 1

INTRODUCTION

OXFORD ARCHAEOLOGY, JANUS HOUSE, OSNEY MEAD, OXFORD, OX2 DES

					,
PART 1	FILMING INSTRUCTION	15			
Submitter: OA					
No. of Diazo Copies:	3	•			
DADES				٠.	
PART 2	TITLE/HEADINGS				
Site Information:					
Line 1: [OA] Site: OXFO	County: OXFORDSHIRE RD Cas+LE Mound		Parish:[02		. i
Site identific	er/accession code may be inc	·luded 👝 -	-C-AA440	/	J
Line 2: Fieldworker	Excavator's Name [D.D.		-rcamps/	OZCM	5:2008.)
Line 3:]
Classification of Mate	erial:	-			
				e la granda de la compansión de la compa	on a c
					Tick if
					Present
Index to Archive					<u> </u>
Introduction					
A: Final Report			<u> </u>		
A: Publication Report					
	Diary/Daybook/Fieldnotes		<u>. </u>	<u>:</u>	* %+
B: Site Data - Text: C	General Summaries				
B: Site Data - Text: P	rimary Context Records	<u> </u>	· · · · · ·	- : -	
B: Site Data - Text: S	ynthesised Context Records		· · · · · · · · · · · · · · · · · · ·		
B: Site Data - Text: S	urvey Reports				· · ·
B: Site Data - Text: C	Stalogue of Drawings				
B: Site Data - Text. P	rimary Drawings				, e
B: Site Data - Text: S	vithesised Drawings				
C: Finds Data - Text:	Primary Finds Data		•		
C: Finds Data - Text:	Synthesised Finds Data		<u></u>	-	
C: Finds Data - Text:	Specialist Reports				
C: Finds Data - Text:	Box/Bag List				
D: Catalogue of Photo	os/Slides/Videos/X-rays				
E: Environmental/Eco	fact Data: Primary Records	 			
E: Environmental/Eco	fact Data: Synthesised Reco	rds			
E: Environmental/Eco	fact Data: Specialist Reports				
F: Documentary					1 4 2
F: Press and Publicity					
G: Correspondence		- 4.7			
LL. Minaella			<u> </u>		

Oxford Castle Mound - Scheduled Ancient Monument 21701

Design Brief for Archaeological Watching Brief

1. **SUMMARY OF BRIEF:**

- 1.1 This brief provides the outline framework on which a detailed specification of work should be based. It is advisable that archaeological organisations forward the specification to the County Archaeological Officer and the English Heritage Inspector of Ancient Monuments for validation before submitting costed proposals to the agency commissioning the Watching Brief.
- 1.2 A formal programme of archaeological observation, investigation and recording shall be conducted during any operations on site that may reveal, disturb or destroy archaeological deposits.

2. BACKGROUND:

2.1 Site Location and Description

2.1.1 The motte of Oxford Castle is situated on the south side of New Road, Oxford (NGR SP 5096 0619). It is part of Scheduled Ancient Monument 21701 – Oxford Castle. The mound lies at the northwest corner of the Castle complex built in 1071 by Robert d'Oilli. The mound is turf-covered with some scrub and mature trees. The mound is accessed by two paths the 'zig-zag' path on the eastern side and the older 'spiral' path going around the whole mound. The mound is steeper on the west and north sides, showing greater signs of 'spreading' on the northeast side. It is this portion of the mound that has suffered from slippage – the second occurrence since the 1970s. The fault lines appeared to have formed from an erosion fissure on the western side of the slip, and also from the line of the older spiral path near the summit of the mound.

2.2 Planning Background

- 2.2.1 Since the slippage occurred on the night of 27th February 2007, discussions have taken place with English Heritage and the County Archaeological Officer to pursue an appropriate solution that will deal with the immediate problem, and also ensure the longer term stabilisation of the mound material in this area.
- 2.2.2 In accordance with this policy, Oxford Archaeology was commissioned to carry out a digital earthwork survey of the mound, enhancing their earlier survey carried out in 2002. This successfully recorded the profile anomalies created by the slippage that then informed proposals for remedial work.
- 2.2.3 This was followed by the production of a 'Pre Failure Slope Stability Assessment' by geotechnical engineers of Mouchel Parkman, and an accompanying 'Specification for Repair of Soil Slip'.
- 2.2.4 These documents were supplied to Oxfordshire County Council and English Heritage for validation and comments.
- 2.2.5 The documentation is to be submitted in support of an application for Scheduled Monument Consent

2.3 Archaeological Background

- 2.3.1 A number of archaeological investigations have been carried out on the castle motte. The uneven ground and marked circular feature at the top must represent the walls of the 10-sided stone tower shown on Agas' map in 1578, drawn by John Aubrey in the 17th century and partially excavated by Daniel Harris in the 1780s. Boreholes put through the mound in 1965 as part of the archaeological work by Tom Hassal indicated an interruption in the material of the mound at a level which may represent a break in building or an earlier phase consisting of a lower mound. Examination at the base of the mound when the revetment wall along New Road was rebuilt after a previous slippage in the 1970s showed that there was a considerable amount of post-medieval material at the bottom of the slope.
- 2.3.2 The most recent evidence has been produced by the extensive programme of archaeological investigations carried out by Oxford Archaeology as part of the Oxford Castle Development works. This revealed portion of the motte ditch, the base of which was reached at c8.0 metres below modern ground level. At the base of the ditch was a sequence of silt deposits dating from the late 11th century to the late 15th century. A large quantity of leather shoes was recovered along with a limited number of wooden items. To the northeast of the motte ditch, on the upper outer edge, a large limestone footing for the castle curtain wall was seen. A possible buttress or tower base was seen to butt its internal edge, and a crude limestone footing was also revealed that may have been a support for a small bridge over the ditch. Between the 13th and 16th centuries the motte ditch appears to have gone out of defensive use, being used as a dumping area for waste from the castle. A number of inhumations dating from the 16th-18th centuries were revealed within the upper fills, and these appear to be burials of felons.

3. **REQUIREMENT FOR WORK:**

- 3.1 This Archaeological Watching Brief has been required in accordance with the Ancient Monuments and Archaeological Areas Act 1979 because of the Scheduled Monument status of the site.
- 3.2 The requirements are for a programme of recording, observation and investigation conducted during all operations on site that may disturb or destroy archaeological deposits. The programme will result in the preparation and dissemination of a report and ordered archive. Archive deposition, publication and dissemination should follow the guidelines outlined in Annexes 2, 4, 5 and 6 of the Evaluation Brief.
- 3.3 The Archaeological Watching Brief should, within the resources available, allow the preservation by record of archaeological deposits, the presence and nature of which could not be established (or established with sufficient accuracy) in advance of development or other potentially disruptive works.
- 3.4 It should provide an opportunity, if needed, for the engaged archaeological organisations to signal, before the destruction of the material in question, that an

- archaeological find has been made for which the resources allocated are not sufficient to support a treatment to a satisfactory and proper standard.
- 3.5 Should the Watching Brief encounter archaeological remains of sufficient significance, it will not replace any requirement for contingent excavation or the physical preservation of those remains.

4. SPECIFIC REQUIREMENTS:

- 4.1 All works will be subject to a continuous watching brief carried out to a written scheme of investigation that has been submitted to and approved by the County Council and English Heritage.
- 4.2 This will include as a minimum:
 - Photographic recording of slippage material prior to removal
 - Photographic recording of exposed mound material over the whole of the operational area
 - Recording (photographic and drawn) of all sections showing the interface between turf/overburden and mound body material
 - Recording (photographic and drawn) of all areas of mound material affected by any invasive impact necessary to complete the repair work and stabilise the slope.
 - General photographic recording of all stages of repair work for future reference purposes
 - The retrieval of any artefacts disturbed during the course of works

Paul Smith

County Archaeological Services 27th September 2007

ANNEX 2

MONITORING ARRANGEMENTS:

Oxfordshire County Council Archaeological Services (Directorate Environment & Economy) and English Heritage will monitor progress and standards throughout the project. To facilitate this, the project design should include a projected timetable on site (indicating staff grades, members and machine hire time if appropriate etc). The County Archaeological Officer and the Inspector of Ancient Monuments for English Heritage shall be notified of the start date at least two weeks prior to commencing of work

ANNEX 4

ARCHIVE DEPOSITION:

- 1. The archive should be prepared to the minimum acceptable standard defined in MAP2 (5.4 and Appendix 3). The integrity of the archive should be maintained.
- 2. The contracted archaeological organisation will endeavour to ensure that the full integrated site archive including all finds (other than gold and silver declared by a Coroner's Inquest to be Treasure under the current Treasure Act) shall, with the agreement of the owners, be deposited after completion of post-excavation work with the County Museums Service (Oxfordshire Museums) unless another repository is indicated.
- 3. Oxfordshire Museums requires that deposited archives from developer-led archaeological work shall be accompanied by funding equivalent to the current HBMC Box Storage Grant. Archaeological organisations shall therefore include an estimate of the costs of deposition for this project in their tender. The estimated cost will be clearly shown and shall be calculated in accordance with the procedures set out in "Charge for Archaeological Archives Deposited with Oxfordshire Museums" Oxfordshire Museums 1995.
- In the event of the legal owner(s) resolving to retain all or part of the site archive, they shall be responsible for the future preservation and maintenance of any material element of that archive. That part of the site archive in question, shall be transferred to the legal owner only after; all necessary processing, research, analysis and investigative/stabilising conservation and correct packing necessary to prepare the archive for preservation and storage in a usable, accessible form, and to produce a full report for publication, has been completed. that all necessary provision is made for the long-term The owner shall ensure preservation of the archive in a satisfactory environment, and that it is accessible for future research. The contracted archaeological organisation will ensure that a proper record of material kept by the landowner shall be included in the written archive, and the location and ownership of the material shall be stated in the written archive and public record. The explicit (written) permission of the owner shall be obtained for the latter in order that the Data Protection Act 1984 is not contravened.
- 5. A summary report and details of archive deposition shall be submitted to the County SMR and NMR, and a limited selection of representative photographic slides from the site archive shall be duplicated and deposited with the SMR.

6. The County Museums Service shall be notified in advance, of the expected time limits for deposition of the archive.

ANNEX 5

PUBLICATION AND DISSEMINATION:

- 1. Two copies of the summary report shall be supplied to the office of the County Archaeological Officer; one for verification and assessment by the CAO or his representative; the second to be lodged with the County Sites and Monuments Record on the understanding that it will become a public document after an appropriate period of time (generally not exceeding six months). An additional copy shall be sent to Mr C. Welch of English Heritage and Mr Brian Durham the Oxford City Archaeologist.
- 2. All archaeological organisations should ensure that an abstract containing the essential elements of the results precedes the main body of the report.
- 3. Publication of the results (even if limited to one line reports on work done with negative results) should be pursued, and should take place within a reasonable length of time (normally not more than five years after completion of the work). Style and format to be determined by the archaeological organisation, with regard to agreed standards of archaeological publication, and the house style of the appropriate local, regional or national publication.
- 4. The report should state the location of the archive and acknowledge the curatorial role played in the project by Oxfordshire County Council Archaeological Services. It should also acknowledge any provision of information from the County Sites and Monuments Record which is copyright of Oxfordshire County Council. Any secondary reports or articles generated by this project shall similarly acknowledge County Archaeological Services and the SMR.
- 5. With regard to publication; the level of the report should take into account the scale of the evaluation, the overall importance of the site based on English Heritage characterisation criteria, and its status within local and regional research strategies. We would suggest that, unless evidence of national or special local significance is revealed, a summary report conforming to the minimum requirements defined in MAP2 Appendix 7.1, should be produced for publication.

ANNEX 6

OXFORDSHIRE COUNTY COUNCIL Environment & Economy

COUNTY MUSEUM AND ARCHIVE STORE

Witney Road, Standlake, Oxon OX8 7QG

Head of Conservation: Conservation Laboratory: Christiane Jeuckens

01865 300937

01865 300937

COUNTY ARCHAEOLOGICAL SERVICES CONTACTS: Address on our letters DEVELOPMENT CONTROL

County Archaeological Officer: Paul Smith

Deputy County Archaeological Officer: Hugh Coddington

Tel: 01865 810185 Email: hugh.coddington@oxfordshire.gov.uk

Responsible for archaeological planning matters relating to: West Oxfordshire District Council and the Vale District Council; Minerals applications; Thames Water plc countywide.

Planning Archaeologist: Richard Oram

Tel: 01865 810185 Email: richard.oram@oxfordshire.gov.uk Responsible for archaeological planning matters relating to: Cherwell District Counicl

(All other dealings with national and regional bodies/utility Companies are shared between **Paul Smith, Hugh Coddington, Richard Oram** on a District basis).

SITES AND MONUMENTS RECORD

County Sites and Monuments Record Officer: Susan Lisk Tel: 01865 810825 Email: susan.lisk@oxfordshire.gov.uk

Responsible for management, development and appointment-based access to the SMR.

Oxford Castle Mound, Oxford City Scheduled Ancient Monument 21701

NGR: SP 5096 0619
Written Scheme of Investigation for an Archaeological Watching Brief

1 Introduction

- 1.1 Since slippage occurred on the Castle Mound, during the night of 27th February 2007, discussions have taken place with English Heritage and the County Archaeological Officer to pursue an appropriate solution that will deal with the immediate problem, and also ensure the longer term stabilisation of the mound material in this area.
- 1.2 In accordance with this policy, Oxford Archaeology was commissioned to carry out a digital earthwork survey of the mound, enhancing our earlier survey carried out in 2002. This successfully recorded the profile anomalies created by the slippage that then informed remedial work.
- 1.3 This was followed by the production of a 'Pre Failure Slope Stability Assessment' by geotechnical engineers Mouchel Parkman, and an accompanying 'Specification for Repair of Soil Slip'.
- 1.4 Paul Smith, the County Archaeological Officer prepared a *Design Brief for an Archaeological Watching Brief* (from here referred to as the *Brief*). The *brief* sets out the requirements and standards for the archaeological work to be undertaken during the remedial groundworks. This in line with PPG16 and the Archaeological Areas Act 1979.
- 1.5 This Written Scheme of Investigation (WSI) details how Oxford Archaeology (OA) would implement the requirements of the *brief*. The first part is site specific while the Appendices detail general OA standards and procedures.
- 1.6 All of the documents mentioned in this section will be submitted in support of an application for Scheduled Monument Consent.

2 Site Location and Description

2.1 The motte of Oxford Castle is situated on the south side of New Road, Oxford (NGR SP 5096 0619). It is part of Scheduled Monument 21701 - Oxford Castle. The mound lies at the north west corner of the Castle complex built in 1071 by Robert d'Oilli. The mound is turf covered with some scrub and mature trees. The mound is accessed by two paths the 'zig-zag' path on the eastern side and the older 'spiral' path going around the whole mound. The mound is

steeper on the west and north sides showing greater signs of 'spreading' on the north east side. It is this portion of the mound that has suffered from slippage - the second occurrence since the 1970s. The fault lines appeared to have formed from an erosion fissure on the western side of the slip, and also from the line of the older spiral path near the summit of the mound.

3 Archaeological Background

- 3.1 A number of archaeological investigations have been carried out on the castle motte. The uneven ground and marked circular feature at the top must represent the walls of the 10-sided stone tower shown on Agas' map in 1578, drawn by John Aubrey in the 17th century and partially excavated by Daniel Harris in the 1780s. Boreholes put through the mound in 1965 as part of the archaeological work by Tom Hassal indicated an interruption in the material of the mound at a level which may represent a break in building or an earlier phase consisting a lower mound. Examination at the base of the mound when the revetment wall along New Road was rebuilt after a previous slippage in the 1970s showed that there was a considerable amount of post-medieval material at the bottom of the slope.
- 3.2 The most recent evidence has been produced by the extensive programme of archaeological investigations carried out by Oxford Archaeology as part of the Oxford Castle Development works. This revealed a portion of the motte ditch, the base of which was reached c. 8 m below the modern ground level. At the base of the ditch was a sequence of silt deposits dating from the 11th century to the late 15th century. A large quantity of leather shoes was recovered along with a limited number of wooden items. To the north east of the motte ditch, on the upper outer edge, a large limestone footing for the castle curtain wall was seen. A possible buttress or tower base was seen to butt its internal edge, and a crude limestone footing was also revealed that may have been a support for a small bridge over the ditch. Between the 13th and 16th centuries the motte ditch appears to have gone out of defensive use, being used as a dumping area for waste from the castle. A number of inhumations dating from the 16th to 18th centuries were revealed within the upper fills, and these appear to be burials of felons.

4 Aims

- 4.1 To identify and record the presence/absence, extent, condition, quality and date of all archaeological remains in the areas affected by the soil remediation works.
- 4.2 To allow, if feasible and practicable, *in-situ* preservation of remains of special importance or sensitivity.
- 4.3 To signal, before the destruction of the material in question, the discovery of a significant archaeological find, for which the resources allocated are not sufficient to support a treatment to a satisfactory and proper standard.

4.4 To make available the results of the investigation.

5 Specific Project Requirements

- 5.1 A formal archaeological monitoring and recording action will be undertaken on all of the works. This will include as a minimum:
- Photographic recording of slippage material prior to removal
- Photographic recording of exposed mound material over the whole of the operational area
- Recording (photographic and drawn) of all sections showing the interface between turf/overburden and the mound material
- Recording (photographic and drawn) of all areas of mound material affected by any invasive impact necessary to complete the repair works and stabilise the slope
- General photographic recording of all stages of the repair work for future reference purposes
- The retrieval of any artefacts disturbed during the course of the works

6 Strategy

- 6.1 Excavation of archaeological features will be undertaken to fulfil the basic objective of retrieval of archaeological data affected by the works. In the event that Human remains are discovered, and their retrieval cannot be avoided, OA will obtain the necessary burial licence from the Home Office and remove the remains to established OA practises and with due care and respect. Wherever possible human remains will be located and planned and left *in-situ*.
- 6.2 In the event of significant archaeological remains being discovered, for which the resources allocated are not sufficient to support a treatment to a satisfactory and proper standard, all groundworks with the potential to effect this archaeology will be halted until a suitable mitigation strategy has been agreed with the Planning Archaeologist and implemented by the attending Archaeologist(s).
- 6.3 The main contractor on site will allow sufficient time and working space for the attending Archaeologist(s) to carry out any agreed mitigation procedures requested by the County Archaeological Officer. Depending on the nature and significance of these remains, recording to full excavation standards may be necessary, but will be undertaken in such a way as to minimise any delays the main contractor's work program.
- 6.4 All features and deposits will be issued with unique context numbers, and context recording will be in accordance with the established OA *Field Manual* (OAU 1992). All contexts, and any small finds and samples from them will be allocated unique numbers. Bulk finds will be collected by context. Colour transparency and black-and-white negative photographs will be taken of all trenches and archaeological features.
- 6.5 Provision will be made for taking environmental/organic samples in accordance

with OA Environmental procedures (OA 2000).

- 6.6 Site plans will be drawn at an appropriate scale (normally 1:50 or 1:100) with larger scale plans of features as necessary. Section drawings of features and sample sections of trenches will be drawn at a scale of 1:20. Full trench sections will be drawn only if complex stratigraphy is present.
- 6.7 The project will be carried out by a suitably qualified OA supervisor, under the direction of Dan Dodds, Project Manger and overall direction of Nick Shepherd, OA Head of Fieldwork.
- 6.8 The watching brief will be monitored by English Heritage and Oxfordshire County Council Archaeological Services.

7 Report and Archive

- 7.1 A client report (appendix 8) on the results of the investigation will be completed within three weeks of the end of the fieldwork. The project supervisor and OA finds specialists will undertake the report stage under the direction of the project manager. Copies will be forwarded to the client. Two copies of the report will be submitted to the County Archaeological Service and the SMR as well as the City Archaeological Service.
- 7.2 If environmental remains are recovered, then the staff from the OA Environmental Department will scan these to assess the potential of the remains. Detailed analysis, if required, would normally be undertaken by the University Museum, Oxford.
- 7.3 A list of specialists used by OA is presented below:

Specialist	Subject
Martin Bates (St. David's University College,	Geoarchaeologist
Lampeter)	
Richard McPhail (UCL)	Soil micromorphologist
Mark Robinson (Oxford University Museum)	Plant remains analysis
Leigh Allen (OA)	Finds Manager
	Metal and bone small finds
Paul Backhouse (OA)	Drawing Office Manager
Dr Martin Bates(freelance)	Geoarchaeologist
Paul Blinkhorn/Duncan Brown (Freelance)	Saxon/medieval/post-medieval
	pottery
Paul Booth (OA)	Roman pottery
Matt Bradley (OA)	Head of Geomatics
Dr Hugo Lamdin Whymark (Freelance)	Lithic analysis
Cynthia Poole (OA)	Building Materials
Dr Louise Loe (OA)	Osteoarchaeologist
Dr Martin Allen (Fitzwilliam Museum	Coins
Cambridge)	
Steve Allen (York Archaeological Trust)/ Damien	Worked wood/Dendrochronology
Goodburn Brown (Freelance)	1

Specialist	Subject
Paul Miles (OA)	Computer manager
Julian Munby (OA)	Architectural Historian
OA North	Carbonised plant
OA North	Insects
OA North	Pollen
Lena Strid (OA)	Zooarchaeologist
Dr Rebecca Nicholson (OA)	Environmental manager Fishbone
Dana Goodburn Brown	Conservator
Mark Robinson (Oxford University Museum of Natural History)	Molluscs
Luke Howarth (OA)/ Lynne Keys (Freelance)	Slag
Rob Scaife (Freelance)	Pollen analysis
Ian Scott (OA)	Metalwork
Nicola Scott (OA)	Archive Manager
Liz Stafford (OA)	Geoarchaeologist
Hugh Willmott (University of Sheffield)	Glass
Belfast Laboratory	C14 dating
Sarah Hall (Oxford Archaeological Research Laboratory)	Thermoluminescence dating

- 7.4 The County Museums Service (Oxfordshire Museums), if required, will undertake finds conservation.
- 7.5 The site archive including finds (subject to the landowner's agreement) will be deposited with the County Museums Service (Oxfordshire Museums) in an approved format.

8 Health and Safety

8.1 OA will comply with all relevant health and safety legislation.

9 General

9.1 Appendix 7, 8 and 11 are relevant to this project.

10 Bibliography and References

IFA, 2001 Standard and Guidance for Archaeological Watching Briefs

OA, 2000 OA Environmental Guidelines for sampling

OAU,1992 Field Manual (ed. Wilkinson D)

OCAS, 2007 Design Brief for Archaeological Watching Brief - Oxford castle Mound - SAM 21701

OA Standard Fieldwork Methodology Appendices

The following methods and terms will apply, where appropriate, to all OA fieldwork unless varied by undertakings specified in a detailed Written Scheme of Investigation.

7 WATCHING BRIEFS

- 7.1 Ground disturbances (demolition, general site strip and levelling, reduction for roads, excavation for service trenches and foundation trenches) will be monitored by an archaeological supervisor assisted, where necessary, by archaeological technicians and under the overall guidance of a project manager.
- 7.2 All archaeological features and deposits exposed will be recorded.
- 7.3 Where only the tops of features or deposits are exposed, these will be located on a site plan, planned, and recorded by written description and by photographs.
- 7.4 Visible artefacts will be collected in order to assist in the dating of features and deposits.
- 7.5 Where trenches are excavated through cut features (pits, ditches, etc.) and vertical stratigraphy is not present, the features will be recorded in section with appropriate collection of finds.
- 7.6 Where ground disturbance exposes stratified remains or significant features, these will be hand excavated by the archaeologist and recorded.
- 7.7 The archaeological curator will be advised at the earliest opportunity of any archaeological features or deposits that appear worthy of preservation *in situ*.
- 7.8 On completion of the fieldwork the site archive will be compiled and security copied.
- 7.9 Proposals for analysis and publication will be determined in the light of the results of the fieldwork.

RECORDING

- 7.10 All on-site recording will be undertaken in accordance with the *OA Field Manual* (ed. D Wilkinson 1992).
- 7.11 A continuous unique numbering system will be operated. Written descriptions will be recorded on proforma sheets comprising factual data and interpretative elements.
- 7.12 Plans will normally be drawn at 1:50 but in urban or deeply stratified sites a scale of 1:20 will be used. Detailed plans will be at an appropriate scale. Burials will be drawn at 1:10.
- 7.13 A register of plans will be kept.
- 7.14 Sections of features or trenches showing stratigraphy will be drawn at 1:20 or 1:10.
- 7.15 A register of sections will be kept.
- 7.16 All sections will be tied in to Ordnance Datum if possible or into the contractors TBM.
- 7.17 A black and white and colour (35 mm transparency) photographic record, illustrating in both detail and general context the principal features and finds discovered will be maintained. The

photographic record will also include working shots to illustrate more generally the nature of the archaeological work.

- 7.18 Photographs will be recorded on OA Photographic Record Sheets.
- 7.19 All identified finds and artefacts from stratified archaeological deposits will be retained, although certain classes of building material or post medieval pottery may sometimes be discarded after recording if an appropriate sample is retained.

8 EVALUATION AND WATCHING BRIEF REPORTS

- 8.1 Style and format of the report will be determined by OA, but will include as a minimum the following:
 - A location plan of trenches and/or other fieldwork in relation to the proposed development.
 - Plans and sections of features as appropriate located at an appropriate scale.
 - A section drawing showing depth of significant deposits (if encountered) including present ground level with Ordnance Datum, vertical and horizontal scale.
 - A summary statement of the results.
 - A table summarising per trench the features, classes and numbers of artefacts contained within, spot dating of significant finds and an interpretation.
 - A reconsideration of the methodology used, and a confidence rating for the results.
 - An interpretation of the archaeological findings within both the site and their wider landscape/townscape setting.
- 8.2 Copies of the report will be supplied to the client and the Archaeological Officer monitoring the works. Copies of the report will also be supplied to the County Sites and Monuments Record on the understanding that it will become a public document after an appropriate period of time (normally six months).
- 8.3 If the evaluation works generate archaeological results of importance which merit wider publication, the client will be consulted about further arrangements.

ARCHIVES

- 8.4 The site archive, including finds and environmental material, will be ordered, catalogued, labelled and conserved and stored according to the UKIC Guidelines for the preparation of excavation archives for long-term storage.
- 8.5 The site archive will be prepared to at least the minimum acceptable standard defined in Management of Archaeological Projects 2, English Heritage 1991.
- 8.6 The site archive will be microfilmed by the RCHME National Archaeological Record as a safeguard against the accidental loss and the long-term degeneration of paper records and photographs.
- 8.7 The site archive will be deposited with the relevant receiving Museum at the earliest opportunity unless further archaeological work on the site is expected within one year of completion of the archive. The OA will advise the landowner that any artefacts resulting from the project work should be given to the relevant Museum.

11 GENERAL

- 11.1 The requirements of the Brief will be met in full where reasonably practicable.
- Any significant variations to the proposed methodology will be agreed with the local authority's archaeological representative in advance.

- 11.3 The scope of work detailed in the main part of the Written Scheme of Investigation is aimed at meeting the aims of the project in a cost-effective manner. Oxford Archaeology attempts to foresee possible site-specific problems and resource these. However there may be unusual circumstances which have not been included in the costing and programme.
 - Unavoidable delays due to extreme bad weather, vandalism, etc.
 - Complex structures or objects, including those in waterlogged conditions, requiring specialist removal.
 - Extensions to specified trenches or feature sample sizes requested by the archaeological curator.
 - Trenches requiring shoring or stepping, ground contamination, unknown services, poor ground conditions requiring additional plant, specialist reinstatement of surfaces (i.e. tarmac, turf).

HEALTH AND SAFETY and INSURANCE

- All work will be carried out to the requirements of *Health and Safety at Work, etc. Act 1974, The Management of Health and Safety Regulations 1992,* the SCAUM (Standing Conference of Archaeological Unit Managers) H & S manual *Health and Safety in Field Archaeology 1991,* the OA Health and Safety Policy, and any main contractors requirements.
- 11.5 A copy of the OA's Health and Safety Policy is available on request. OA will require copies of the H & S policies of all other contractors and operators present on site in compliance with *The Manual of H & S Regulations 1992*.
- 11.6 The OA holds Employers Liability Insurance, Public Liability Insurance and Professional Indemnity Insurance. Details will be supplied on request.
- 11.7 The OA will not be liable to indemnify the client against any compensation or damages for or with respect to:
 - Damage to crops being on the Area or Areas of Work (save in so far as possession has not been given to the Archaeological Contractor);
 - The use or occupation of land (which has been provided by the Client) by the Project or for the purposes of completing the Project (including consequent loss of crops). Interference whether temporary or permanent with any right of way, light, air or water or other easement or quasi easement which are the unavoidable result of the Project in accordance with the Agreement;
 - Any other damage which is the unavoidable result of the Project in accordance with the Agreement;
 - Injuries or damage to persons or property resulting from any act or neglect or breach of statutory duty done or committed by the client or his agents, servants or their contractors (not being employed by Oxford Archaeology) or for or in respect of any claims demands proceedings damages costs charges and expenses in respect thereof or in relation thereto.

COPYRIGHT and CONFIDENTIALITY

- Oxford Archaeology will retain full copyright of any commissioned reports, tender documents or other project documents, under the Copyright, Designs and Patents Act 1988 with all rights reserved; excepting that it will provide an exclusive licence to the client in all matters directly relating to the project as described in the Written Scheme of Investigation.
- Oxford Archaeology will assign copyright to the client upon written request but retains the right to be identified as the author of all project documentation and reports as defined in the Copyright, Designs and Patents Act 1988 (Chapter IV, s.79).
- 11.10 OA will advise the client of any such materials supplied in the course of projects that are not OA's copyright.

11.11 OA undertakes to respect all requirements for confidentiality about the client's proposals provided that these are clearly stated. It is expected that such conditions shall not unreasonably impede the satisfactory performance of the services required. OA further undertake to keep confidential any conclusions about the likely implications of such proposals for the historic environment. It is expected that clients respect OA's general ethical obligations not to suppress significant archaeological data for an unreasonable period.

OA STANDARDS AND PROCEDURES

- 11.12 OA shall conform to the standards of professional conduct outlined in the Institute of Field Archaeologists' Code of Conduct, the IFA Code of Approved Practice for the Regulation of Contractual Arrangements in Field Archaeology, the IFA Standards and Guidance for Field Evaluations, Desk Based Assessments, etc. and the British Archaeologists and Developers Liaison Group Code of Practice.
- 11.13 OA is a member of the Institute of Environmental Assessment and the Council for British Archaeology.
- 11.14 Project Directors normally will be recognised by the IFA as MIFA grade or equivalent. For more extensive and complicated evaluation projects especially where they are part of large-scale programmes of work in historic urban centres, the procedures outlined in English Heritage's Management of Archaeological Projects 2nd Edition 1991 (MAP 2) will be followed for immediate post-field archive preparation and initial assessment. Agreement to then be reached, in collaboration with the local authority's archaeological representative, about what aspects will need to be taken forward to provide a report in the required format containing the information needed for planning purposes.

OA: SITE HEALTH AND SAFETY AUDIT CHECKLIST CASTLE MOUND, OXFORD SITE NAME: THE SITE CODE:

INVOICE CODE:

Safety Audit Dated:

Undertaken by:

Brief description of works:

WATCHING	BRIEF	AND	SOME	HAND	EXCAVATION	ÓF	WORKS	70	REPAIR A	
SLUMP IN	THE	NORT	HERN	FACE	of THE	(1174	MOUND	.oF	OXFORD	CASTLE
										 _

Project Managers: The law requires you take all measures that are reasonably practicable to ensure the safety of yourself, your staff and the public at large. If in doubt - get advice.

	YES/NO	ACTION
DOCUMENTATION AND TRAINING		
Risk assessment undertaken?		SIGNED OFF BY ALAN FORD
Revised/reviewed?	\mathbf{X}_{i}	<u> </u>
Inductions given to all staff?	1	
Safety information proforma displayed/available?		
ie nearest phone, route to A and E receiving	•	
hospital, site rules etc.		
Are weekly H and S briefings necessary?	Xes	
Are they being carried out and recorded?		ONE DUE FOR FRI PM (i.e. DAY OF AUDIT)
HSE poster displayed?		
Health and safety file complete and up-to-date?	*/	JIM MUMFORD (SITE MANASER) ASKED TO ENSURE THAT A FILE IS CREATED
Is the site a CDM site?		
Who is the Principal Contractor?		GREENFORD
ACCESS		

	YES/NO	ACTION
Have site boundaries and access been agreed with	1/	
owners?	V /	
With occupiers, contractors?	V	
Are access routes to site well defined?	.V	
Are access routes around site well defined?	V	WORK TO BE UNDERTAKEN FROM TOP OR BOSTOM OF MOUND ONL
Is there a sign in/out strategy?	V	AND - NOT
Are areas of the site restricted entry?		ON THE SLOPE/STEPS AS THEY CURRENTLY ARE
SERVICES		
Hazards & services searched prior to site		
mobilisation?	X	
Client's/contractor's drawings available/searched?	×	
CAT and GENNY available?	/ × . . X	
Trained operator?	X	
Overhead cables?	×	
PERSONNEL		
No. of employees on site?	2	
	!	Α.
Others? Please specify		
Young people?		
Risk assessment completed and sent to parents?		
Pregnant staff on site?		
Risk assessment completed?		
CONTAMINATION		•
Soil Report undertaken?		
Available?		·
Checked?		
Measures taken (see PPE below)?		
If contamination present, have all relevant		•
members of staff, e.g. finds department,		
environmental department, been informed?		
HEALTH		•
		•

	YES/NO	ACTION
Special health hazards?	×	
Information available (e.g. Weill's Disease cards)	×	
Accident Book available?	×	"ACCIDICATE CON AND COST AND VIT WITH CO
Filled in correctly?	X	PRESENT ON ALL SITES
First Aid Kit on site?	X	correct of MI SITE
Satisfactory?		TRESENT ON ALL SITES
First Aider/Appointed Person?		
Are there any individuals with specific health	V.	J. MUMFORD - DIABETES
problems/disabilities?		
VEHICLES		
Service up to date?	V	
Routine checks, cleaning?		
Driver aware of responsibilities?.		
Driver's hours properly regulated?		
PLANT		
Mechanical Digger?	/ .	
self-drive?	<u> </u>	
Dumpers	X	
Breakers	×	
Scaffolding	×	
Hóist	×	
Conveyor	X	
Other Plant? - specify	X	
Trained staff? (specify for which plant)		
Routine checks?		GREENFORD'S RESPONSIBILITY
Operator's CITB tickets checked?		The Min of the least on or by the least of the least on or by the least of the least on or by the least on or by the least on or by the least of the least on or by t
POWER		
Fuel and Gas (LPG) stored safely?		
Electricity supply safe?		
Voltage?		
TRENCHES		
Within building?		
a) Depth?	. /	
b) Deeper than width?		
c) Distance from load-bearing structures?	/	

	YES/NO	ACTION
d) Distance from spoil-heap or dumper run?		
Is a. greater than c. or d. at any point?		
Shoring scheme prepared by competent persons? Shoring adequate and secure? Inspection schedule drawn up? Engineer consulted?		
Barriers round deep trenches?		
Ladders fixed?		
GENERAL		
Barrow/dumper runs safe?	`	
Grid pegs protected?		
Hand tools serviceable?		
Site tidy?		
Enclosed areas ventilated?		
Confined spaces present?		
Extremes of temperature?		
PPE		
Is any area 'Hard Hat'? hats available?		
prot. clothing?		
prot. footwear?		
goggles	×	
gloves?	X./	
ear defenders?		
masks?	×	
overalls?	X	
HYGIENE and WELFARE		
Caravan/messroom		
adequate? clean?		
clean?		
ventilated?	V /	-
Fire extinguishers; water; Halon; blanket		
Toilet on site/available		
Washing facilities		
Hot drink facilities		

	YES/NO	ACTION	
FIRE	/		
Fire exits/evacuation procedure defined?			
Good standard of housekeeping?			
OTHER ISSUES			
Noise levels ok?	X	13 TOWNE 1360 ON SITE - REFER TO RA	
Risk of Unexploded Ordnance?	· X		
PUBLIC LIABILITY	,		_
Public or Visitor access?	X/		
Perimeter fenced?			
Warning signs?			
Are shallow trenches cordoned?			
Plant immobilized overnight?		GREENFORD'S RESPONSIBILITY	
HOSTEL			
Acceptable standard?			
Overcrowding?			

IMMEDIATE ACTION NEEDED

ACCIDENT BOOK IN AID KIT	CHAIL PRICE NCC	
IST AID KIT		
		<u> </u>
TOP STEP TO HAVE ROAD PINS AND RUNTINS PUT IN PLACE PRIOR T	OP STEP TO HAVE ROAD PINS AND BUNTING PUT IN PLACE PRIOR	- 10

Resources needed		•			•		,		•	
		<u> </u>								
			·	•				,		
						,				
Attention needed						· . · ·				
			• .	-						
									-	
	1									
Report to Senior M	Aanagement C	Group require	13 NO							
On safety matters	OA consults S	Safety Service	s (UK) Ltd. tel. 01	.865 883288		,		·		

Mr Tom Hassall 80 Rewley Road OXFORD OX1 2RQ Direct Dial: 01483-252027 Direct Fax: 01483-252001

Our ref: AA/60877/5

17 April 2009

Dear Mr Hassall

Ancient Monuments and Archaeological Areas Act 1979 (as amended) section 42

OXFORD CASTLE AND EARLIER SETTLEMENT REMAINS, OXFORD, OXFORDSHIRE

Case No:SL00000429 Monument no: 21710

I refer to our letter of 19 March 2009 relating to the licence to carry out a geophysical survey at the above named site between 23 March 2009 and 31 August 2009.

Please accept this letter as a formal amendment condition 1 which shall now read;

"1. The permission shall only be exercised by Tom Hassall and Simon Stowe and Bryony Marsh and by no other person. It is not transferable to another individual."

All other conditions remain unchanged.

Yours sincerely

Chris Welch

Inspector of Ancient Monuments E-mail: Chris.Welch@english-heritage.org.uk cc Dan Bashford





Mr Tom Hassall Archaeological & Heritage Mngt. Consultant 80 Rewley Road OXFORD OX1 2RQ Direct Dial: 01483-252027 Direct Fax: 01483-252001

Our ref: AA/60877/5

19 March 2009

Dear Mr Hassall

Ancient Monuments and Archaeological Areas Act 1979 (as amended) section 42 - licence to carry out a geophysical survey

OXFORD CASTLE AND EARLIER SETTLEMENT REMAINS, OXFORD, OXFORDSHIRE

Case No:SL00000429 Monument no: 21701

I refer to your application dated 3 March 2009, to carry out a geophysical survey at the above site.

English Heritage is empowered to grant licences for such activity and I can confirm that we are prepared to do so as set out below.

By virtue of powers contained in section 42 of the 1979 Ancient Monuments and Archaeological Areas Act (as amended by the National Heritage Act 1983) English Heritage hereby grants permission for geophysical survey of OXFORD CASTLE AND EARLIER SETTLEMENT REMAINS, for the areas shown on the map that accompanied your application (copy attached). This permission is subject to the following conditions.

- 1. The permission shall only be exercised by Tom Hassall and Simon Stowe and by no other person. It is <u>not</u> transferable to another individual.
- 2. The permission shall commence on 23 March 2009 and shall cease to have effect on 31 August 2009.
- 3. 10 days' notice shall be given of any works on the site carried out under this consent to Christopher Welch at the address at the head of this letter.
- 4. A full report summarising the results of the survey and their interpretation shall be sent to Chris Welch and to Paul Linford of the English Heritage Geophysics



EASTGATE COURT 195-205 HIGH STREET GUILDFORD SURREY GU1 3EH

Telephone 01483 252000 Facsimile 01483 252001 www.english-heritage.org.uk



Team at Fort Cumberland (Fort Cumberland Road, Eastney, Portsmouth, Hampshire, PO4 9LD), no later than 3 months after the completion of the survey.

You are also asked to complete and return the enclosed questionnaire about the survey to the Geophysics Team, Fort Cumberland (address as above), in order to assist with maintenance of our national database of geophysical surveys. Information from this questionnaire will be entered onto our database as a preliminary record which would be updated when you send to us a copy of the full report. If the work is to be done by a contractor could you please pass the form on to the surveyor.

Being part of our survey database, some details of your survey will be made publicly accessible on the Internet, although no images or data sets will be included. We will assume you have no objection to this unless you let us know to the contrary.

This letter does not carry any consent or approval required under any enactment, byelaw, order or regulation other than section 42 of the 1979 Act (as amended).

You are advised that the person nominated under this licence to carry out the activity should keep a copy of this licence in their possession in case they should be challenged whilst on site.

Yours sincerely

Chris Welch

Inspector of Ancient Monuments

E-mail: Chris.Welch@english-heritage.org.uk

Cc Dan Bashford





F	n	C	lo	9	. 1	re	•
_		•	. •	•	u		٠

English Heritage Geophysical Survey Database Questionnaire

Survey Details

Name of Site: OXFORD CASTLE AND EARLIER SETTLEMENT REMAINS

County: OXFORDSHIRE

NGR Grid Reference (Centre of survey to nearest 100m):

Start Date:

End Date:

Geology at site (Drift and Solid):

Known archaeological Sites/Monuments covered by the survey (Scheduled Monument No. or National Archaeological Record No. if known)

Archaeological Sites/Monument types detected by survey (Type and Period if known. "?" where any doubt).

Surveyor (Organisation, if applicable, otherwise individual responsible for the survey):

Name of Client, if any:





Purpose	of S	Survey:
----------------	------	---------

Location of:

- a) Primary archive, i.e. raw data, electronic archive etc:
- b) Full Report:



Telephone 01483 252000 Facsimile 01483 252001 www.english-heritage.org.uk



Technical Details

1	Please fil	l out :	a separa	te shee	t for each	survey	technique	used)
٦	I ICASC III	Jour	a ocpuiu	ic oiloc	t lot odor	Carto	tooiniquo	40047

Type of Survey (Use term from attached list or specify other):					
Area Surveyed, if applicable (In hectares to one decimal place):					
Traverse Separation, if regular:	Reading/Sample Interval:				
Type, Make and model of Instrumentation:					
For Resistivity Survey:	·				
Probe configuration:					
Probe Spacing:					
Land use at the time of the survey (Use term/terms other):	from the attached list or specify				





Additional Remarks (Please mention any other technical aspects of the survey that have not been covered by the above questions such as sampling strategy, non standard technique, problems with equipment etc.):

List of terms for Survey Type

Magnetometer (includes gradiometer)

Resistivity

Resistivity Profile

Magnetic Susceptibility

Electro-Magnetic Survey

Ground Penetrating Radar

Other (please specify)



EASTGATE COURT 195-205 HIGH STREET GUILDFORD SURREY GU1 3EH

Telephone 01483 252000 Facsimile 01483 252001 www.english-heritage.org.uk



List of terms for Land Use:

Arable

Grassland - Pasture

Grassland - Undifferentiated

Heathland

Moorland

Coastland - Inter-Tidal

Coastland - Above High Water

Allotment

Archaeological Excavation

Garden

Lawn

Orchard

Park

Playing Field

Built-Over

Churchyard

Waste Ground

Woodland

Other (please specify)





OXFORD CASTLE MOUND

OXFCAM08

Box1 FILE 2

Phase 1

A. REPORT

OXFORD ARCHAEOLOGY, JANUS HOUSE, OSNEY	Y MEAD, OXFORD	OX2 DES
PART 1 FILMING INSTRUCTIONS Submitter: OA No. of Diazo Copies: 3		
PART 2 TITLE/HEADINGS		
Site Information:		
Line 1: [OA] County [OXFORDSHIRE] Site: [OXFORD Castle Mound	Parish:[OxfoR	
Site identifier/accession code may be included a	OXFCAMOS /orca	12008.10
2. Tieldworken Excavator Smalle D.DOOD	·]
Line 3:		
Classification of Material:		Na A
		Tick if
		Present
Index to Aut		
Index to Archive Introduction		
A: Final Report		
A: Publication Report		
R. Cite Date Toyte Discompany Control of the Contro		
B: Site Data - Text: Diary/Daybook/Fieldnotes B: Site Data - Text: General Summaries		
B: Site Data – Text: Primary Context Records		· ·
B: Site Data - Text: Synthesised Context Records		
B: Site Data - Text: Survey Reports		
D. Cito Data Town Carl		
D. Olic Dala - Text: Catalogue of Drawings		1
B: Site Data - Text: Catalogue of Drawings B: Site Data - Text: Primary Drawings		
B: Site Data - Text: Primary Drawings		
B: Site Data - Text: Primary Drawings B: Site Data - Text: Synthesised Drawings C: Finds Data - Text: Primary Finds Data		
B: Site Data - Text: Primary Drawings B: Site Data - Text: Synthesised Drawings C: Finds Data - Text: Primary Finds Data		
B: Site Data - Text: Primary Drawings B: Site Data - Text: Synthesised Drawings C: Finds Data - Text: Primary Finds Data C: Finds Data - Text: Synthesised Finds Data		
B: Site Data - Text: Primary Drawings B: Site Data - Text: Synthesised Drawings C: Finds Data - Text: Primary Finds Data		

E: Environmental/Ecofact Data: Primary Records
E: Environmental/Ecofact Data: Synthesised Records

E: Environmental/Ecofact Data: Specialist Reports

F: Documentary
F: Press and Publicity
G: Correspondence
H: Miscellaneous

OASIS DATA COLLECTION FORM: England

List of Projects | Search Projects | New project | Change your details | HER coverage | Change country | Log out

Printable version

OASIS ID: oxfordar1-68993

Project details

Project name

Oxford Castle Mound phase 1 and 2

Short description of the project

Oxford Archaeology (OA) carried out an archaeological watching brief and excavation to record restoration and stabilisation works to a ground slippage on the north-west side of the Castle Mound, Oxford on behalf of Mouchel Parkman

for Oxfordshire County Council. The archaeological works revealed the

construction of the mound and the remains of the 12th century stone tower on its

summit with English Civil War earthworks and later 18th and 19th century

landscaping of the mound.

Project dates

Start: 01-03-2008 End: 30-08-2008

Previous/future

work

Yes / Yes

Any associated project reference codes

OXCMS:2008.19 - Museum accession ID

Any associated project reference

codes

OXFCAM 08 - Sitecode

Type of project

Recording project

Site status

Scheduled Monument (SM)

Current Land use

Other 15 - Other

Monument type

CASTLE MOUND Medieval

Significant Finds

POTTREY Medieval

Significant Finds

CLAY PIPES Post Medieval

Significant Finds

STONE WORK Post Medieval

Significant Finds

GLASS Post Medieval

Significant Finds
Significant Finds

BONE Post Medieval

oigi iiiiodiik i iiido

METALWORK Post Medieval

Investigation type

'Part Excavation'

Prompt

Conservation/ restoration

Project location

Country

England

Site location

OXFORDSHIRE OXFORD OXFORD Castle Mound

Study area

432.00 Square metres

Site coordinates

SP 5096 0619 51.7516282369 -1.261692666620 51 45 05 N 001 15 42 W

Point

Project creators

Name of Organisation Oxford Archaeology

Project brief

originator

Oxford County archaeological officer

Project design originator

Oxford Archaeology

Project

D. Dodds

director/manager

Project supervisor

J Mumford

Project archives

Physical Archive

recipient

Oxfordshire County Museum Service

Physical Archive

ID

OXCMS:2008.19

Physical Contents 'Animal Bones', 'Ceramics', 'Glass', 'Metal', 'Worked stone/lithics'

Digital Archive

recipient

Oxford Archaeology

Digital Archive ID

OXFCAM 08

Digital Contents

'Stratigraphic'

Digital Media

available

'Text','Images raster / digital photography'

Paper Archive

recipient

Oxfordshire County Museum Service

Paper Archive ID

OXCMS:2008.19

Paper Contents

'Stratigraphic'

Paper Media

available

'Context sheet', 'Matrices', 'Microfilm', 'Photograph', 'Plan', 'Report', 'Section', 'Survey ','Unpublished Text'

Project

bibliography 1

Grey literature (unpublished document/manuscript)

Publication type

Title

Castle Mound Oxford Oxfordshire

Author(s)/Editor(s)

J. Mumford

Date

2008

Issuer or publisher OXFORD ARCHAEOLOGY

Place of issue or

publication

OXFORD

Description

A4 plastic bound client report

Entered by

wajdan.majeed (wajdan.majeed@oxfordarch.co.uk)

Entered on

7 December 2009

OASIS:

Please e-mail English Heritage for OASIS help and advice
© ADS 1996-2006 Created by Jo Gilham and Jen Mitcham, email Last modified Friday 3 February 2006
Cite only: /dl/export/home/web/oasis/form/print.cfm for this page

OXFORD CASTLE MOUND OXFCAMO8 Phasel

Box1 FILE3

B. PRIMARY CONTEXT RECORDS



The No. 1 Office Supplies
Discount Superstore

KRAFT SQUARE CUT FOLDER
FOOLSCAP

OXFORD ARCHAEOLOGY, JANUS HOUSE, OSNEY MEAD, OXFORD, OX2 DES

		TOT = I IIE B, ONI ON	J, UMZ DES
PART 1	FILMING INSTRUCTION	NS	
Submitter: OA			
No. of Diazo Copies:	3		
PART 2	TITLE/HEADINGS		
Site Information:			
Line 1: [OA]	County: OXFORDSHIRE URD Castle Mound	Parish:[0×60]	2 <i>0</i> j
		obidod ac-4	
Line 2: Fieldworker Line 3:	er/accession code may be incr/Excavator's Name [D.D	ODD	45:2008.19]
Classification of Mate	enal		
			Tick if
			Present
Index to Archive			T
Introduction		1	-
4 E 1 E			•

Index to Archive	
Introduction	
A: Final Report	
A: Publication Report	-
B: Site Data - Text: Diary/Daybook/Fieldnotes	1
B: Site Data - Text: General Summaries	
B: Site Data - Text: Primary Context Records	
B: Site Data - Text: Synthesised Context Records	
B: Site Data - Text: Survey Reports	
B: Site Data - Text: Catalogue of Drawings	
B: Site Data - Text: Primary Drawings	
B: Site Data - Text: Synthesised Drawings	
C: Finds Data - Text: Primary Finds Data	
C: Finds Data - Text: Synthesised Finds Data	
C: Finds Data - Text: Specialist Reports	
C: Finds Data - Text: Box/Bag List	
D: Catalogue of Photos/Slides/Videos/X-rays	
E: Environmental/Ecofact Data: Primary Records	
E: Environmental/Ecofact Data: Synthesised Records	
E: Environmental/Ecofact Data: Specialist Reports	
F: Documentary	
F: Press and Publicity	
G: Correspondence	
H: Miscellaneous	

990	
Oxford Archaeology	

LEVELS REGISTER

SITE CODE	* * * *	SITE NAME CAST	(16 moning	0.000		SHEET NO
-						1.
ТВМ	Backsite	Instrument Height (IH)	Level number	Foresight	Reduced Level (IH-Foresight)	Comments/Context No(s)/ Small Find No(s)/Plan or
		(TBM+Backsight)		<u> </u>		Section No(s)
7477	2.85	77.62	1	1.80	15·82	PLAN 1
			.2	2.16	75.46	
			3	2.34	75.28	
			4	2.48	75.14	<u> </u>
			5	2-16	75.46	
٠ '٠		- -	6	2.55	75.07	
			7	2.38	75.24	
			8	2.26	75.36	
			9	2.46	75.16	
			10	2.48	75.14	
			i)	2.21	75.41	
-			12	2.31	75.31	
_			13	1.77	74.85	·
j		-	14	2.55	75.07	
			15	2.54	7508	
	<u></u>		16	2-48	75.14	
			17	2.37	75.25	
			18	2.34	75.28	
			19	2. 5 5	75.07	
r			20	2.67	74.95	
			21	2.24	75.38	
			22	2.64	74.98	
			23	2.44	75.18	
			24	2.40	75.22	
			25	2.57	75.05	
			26	2.56	75.06	
			27	2.41	75.21	
			28	2.63	7499	
			29	2.60	75.02	
			30	2.60	75.02	7
			31.	2:45	75-17	PLANI
	· · · · · · · · · · · · · · · · · · ·		32	1-96	75.66	PLON (.

•	Oxford Archaeology	
	Oxidia Alchaediogy	

LEVELS REGISTER

SITE CODE	OXFCAMO8	SITE NAME OUT	YRD CASTL	€ MOUNT		SHEET NO 7
ТВМ.	** Backsite	Instrument Height (IH) (TBM+Backsight)	Level number	Foresight	Reduced Level (IH-Foresight)	Comments/Context No(s)/ Small Find No(s)/Plan or Section No(s)
74.77	3.02	77079	1	2.81	74.98	PLAN 2.
			2	2.96	74.83	
			3	2.86	74.93	
			4	2.73	75.06	0
,			S	2.40	7499	
<u>.</u>		,	6	3.40	74.39	1
	ί .		7	3.09	74.70	i.
			8,	2.74	7 \$ 05	
74.77	3.06	77.83	1	202	##XXXX	PLAN 4
			2	2.20	75.63	
			3	1.89	75.94	
	*		. 4	2.10	75.73	
			5	2.54	75.29	
			۲	1.85	75-98	
			7	2.69	75.14	
		· .	8:	2.01	75.82	
,			9	1.99	75.84	· ·
			10	2.80	75.03	
			()	1.98	75.85	
	a the second		12	1.55.	76.28	
<u>.</u>		·	13	2.03	75.80	,
		_	14	2.50	75.33	
			15	2242:39		
			16	\$\$\$2.57		
		· · · · · · · · · · · · · · · · · · ·	13	2-74268	75.15	
			18	260 253	75.30	
			14	2.462-39		
·			20	2.46 2:39		·
3	·		. 21	283 244	75.39	
	· .	į .	. 22	272261	75.22	
			23	276 2-67		
	+ 海 \$3		24	2-1642-54		4 .

SITE CODEONRAMOS SITE NAME CUNTULE Mounds TBM Backsite Instrument Height (III) (TBM+Backsight) 74.77 3006 75.7	
Height (IH) number (IH-Foresight) Small Find No(s)/F Section No(s)/F Sec	
26 2642:55 75:48 27 268258 75:25 28 272162 75:11 29 272162 75:15 30 378287 7496 31 288267 75:16 32 268248 7535 34 288269 75:14 35 374275 75:08 36 277278 75:05 37 272271 75:48 39 278255 75:48 39 278259 7524 40 271269 75:17 42 277274 75:09 43 2.83 75:00 44 2.83 75:00 45 2.69 74:14	lan or
26 264255 7848 27 268258 75.25 28 27262 75.11 29 279268 75.15 30 278287 7498 31 288267 7516 32 268248 7535 33 268248 7535 34 288269 7514 35 294275 7503 36 27274 7505 37 27274 75.12 38 276255 75.48 39 278259 7524 40 271269 75.17 42 277274 75.09 43 2.83 75.00 44 2.83 75.00 45 2.69 74.14	
27 2-68 2-58 75-25 28 2-72.162 75.11 29 2-79.268 75.15 30 2-78.287 749.6 31 2-88.267 75.16 32 2-68.251 75.32 33 2-68.248 75.35 34 2-88.269 75.14 35 2-74.278 75.05 37 2-72.27 75.05 38 2-72.27 75.48 39 2-78.255 75.48 39 2-78.255 75.48 39 2-78.259 75.24 40 2-71.269 75.14 41 2-88.266 75.17 42 2-72.24 75.09 43 2-83 75.00 44 2-83 75.00 45 2-69 74.14	
29 2-79.26 75.15 30 2-78.287 74.96 31 288.267 75.16 32 267.251 75.32 33 268.248 75.35 34 288.269 75.14 35 2-77.278 75.08 24 2-72.274 75.12 38 2-75.255 75.48 39 2-78.269 75.14 41 288.266 75.17 42 2-77.274 75.09 43 2-83 75.00 44 2-83 75.00 45 2-69 74.14	
30 348287 7498 31 288267 7516 32 268251 7532 33 268248 7535 34 288269 7514 35 244275 7508 36 247278 7505 37 29227 35.12 38 246255 75.48 39 278259 7524 40 271269 75.14 41 288266 75.17 42 288266 75.17 42 288266 75.00 43 2.83 75.00 44 2.83 75.00 45 2.69 74.14	
30 298287 7496 31 285267 7516 32 265251 7532 33 265248 7535 34 265248 7535 34 265248 7535 34 265248 7535 34 265248 7535 34 265248 7535 35 294275 7508 36 297278 7505 37 292271 35.12 38 276255 75.48 39 278259 7524 40 291269 75.14 41 288266 75.17 42 277274 75.09 43 2.83 75.00 44 2.83 75.00 45 2.69 74.14	
31 285 267 7516 32 265 267 7532 33 265 248 7535 34 265 248 7535 34 265 248 7535 35 247 275 7508 36 247 278 7505 37 292 27 37 35.12 38 276 255 75.48 39 278 259 7524 40 291 269 75.14 41 288 266 75.17 42 277 274 75.09 43 2.83 75.00 44 2.83 75.00 45 2.69 74.14	•
32 265 251 7532 33 265 248 7535 34 258 269 7514 35 294 275 7508 26 297 278 7505 37 292 271 35.12 38 276 255 75.48 39 278 259 7524 40 271 269 75.14 41 288 266 75.17 42 277 274 75.09 43 2.83 75.00 44 2.83 75.00 45 2.69 74.14	
33 2667.48 7535 34 2667.48 7535 34 2667.48 7514 35 2967.75 7514 36 2977.78 7505 37 2972.71 75.12 38 2767.55 75.48 39 2782.55 75.48 40 2977.69 75.14 41 2887.66 75.17 42 2977.74 75.09 43 2.83 75.00 44 2.83 75.00 45 2.69 74.14	
34 288 269 7514 35 294 275 7508 36 297 278 7505 37 297 274 75.12 38 276 255 75.48 39 278 259 7524 40 297 269 75.14 41 288 266 75.17 42 277 274 75.09 43 2.83 75.00 44 2.83 75.00 45 2.69 74.14	•
35 2.44 2.75 75.08 36 2.47 2.78 75.05 37 2.92 2.71 35.12 38 2.76 2.55 75.48 39 2.78 2.59 75.24 40 2.71 2.69 75.14 41 2.88 2.66 75.17 42 2.77 2.74 75.09 43 2.83 75.00 44 2.83 75.00 45 2.69 74.14	
36 2.972.78 75.05 37 2.972.74 35.12 38 2.762.55 75.48 39 2.782.59 75.24 40 2.972.69 75.14 41 2.882.66 75.17 42 2.772.74 75.09 43 2.83 75.00 44 2.83 75.00 45 2.69 74.14	
38 2767.55 75.48 39 278 259 75.24 40 2917.69 75.14 41 2887.66 75.17 42 277.74 75.09 43 2.83 75.00 44 2.83 75.00 45 2.69 74.14	•
39 278 2:59 7524 40 2917:69 75.14 41 2887:66 75.17 42 2772:74 75.09 43 2:83 75.00 44 2:83 75.00 45 2:69 74.14	
39 278 259 7524 40 291769 75.14 41 288766 75.17 42 297274 75.09 43 2.83 75.00 44 2.83 75.00 45 2.69 74.14	
41 2882.66 75.17 42 2772.74 75.09 43 2.83 75.00 44 2.83 75.00 45 2.69 74.14	
41 288266 75.17 42 2.472.74 75.09 43 2.83 75.00 44 2.83 75.00 45 2.69 74.14	
42 2.74 75.09 43 2.83 75.00 44 2.83 75.00 45 2.69 74.14	,
43 2.83 75.00 44 2.83 75.00 45 2.69 74.14	
45 2.69 74.14	
45 2.69 74.14	
47 2.58 75.25	
48 2.66 75.17	
49 2.62 75.21	
50 2.49 75.34 PLAN 4	
77.83 R 2.35. 75.48 S.4.	
T 2.67. 75.16 S.5.	
1 1.73 75.10 PLIAN 5.	
2 2.98 74.85	
3 3.07 74.76	
4 3.18 74.65	

2° 5= 3.12 , 6 = 3.03 , 7 = 2.49 , 8 = 2.00

\$

7496

Oxford Ar	chaeology		LI	EVELS REC	GISTER	·
SITE CODE	OXFCAMOR	SITE NAMEOLFOR	D, CASTLE	MOUND	•	SHEET NO 4
TBM .	Backsite	Instrument Height (IH) (TBM+Backsight)	Level number	Foresight	Reduced Level (IH-Foresight)	Comments/Context No(s)/ Small Find No(s)/Plan or Section No(s)
74.77	3.06	77.83	5	3.12	74.871	PLAN 5
		·	6	3.03	74.80	
		•	7	2.49	7534	
			8	2.00	75.83	1
74:77	3.07	77.84	下	2.76	75.08	SECTION 2
			下	2.96	74.88	SECTION 3
74.77	2.94	J.J. 141	秀」	2.51	75.20	PLAN 46
		•	12	2.37	75.34	. 1
			\$ 3	2.41	75.30.	
			\$4	2.44	75.27	
10 m			\$ 5	2.68	75.03	
reside v			\$ 6	2.67	75.04	
			Ø 7	2.39	75.32	
			\$ 8	2.69	75.02	
	1		\$ 9	2.70	75.07	
			10	2.65	75.06	
			\$1	279	74.92	
			42	2.48	75. 23	
			4 3	2.72	74.99	·
			64	2.44	75.27	
			\$ 5	2.57	75.14	
			6 6	2.58	75.13	
3			47	2.74	74.97	V
			18	2.87	94.84	RANGE
			51	2.51	75.20	PLAN 4
			52	236	75.35	
			53	2.42	75.29	
			54	2.69	75.02	
			55	2-81.	74.90	
			56	2.71	75.00	
			.54	2.80	74.91	MARIE
			58	2.82	74.89	Mary 1

Oxford A	Archaeology		LI	EVELS REC	GISTER		* 7.
SITE CODI	E Oxfamos	SITE NAME (AS	tit Mou	no, oxfor	۵	SHEET NO 5	
ТВМ	Backsite	Instrument Height (IH) (TBM+Backsight)	Level number	Foresight	Reduced Level (IH-Foresight)	Comments/Contex Small Find No(s)/P Section No(s	Plan or
74.77	2-94	77.71	59	2.75	7.4.96	PLANA	
			60	2.72	74.99	1.	
			61	2.68	75.03		
			62	2.67	75.02		
)	63	2-85	74.86		;
			64	2.73	74.98		t
			65	2.39	75.32		
			66	2.34	75.37		
			67	2.47	75.24		-
			68	2.47	75.24		A. 19.
			69	2.46	75.25	4	•
			70	2.71	75 00 .	PLANA	
			71	2-72.	74-99	PLION A.	
74.77	2-98		i _	2.83		PLAN 7	-
	(Ap)		2	3.33			
			3	3:41			
			4	2.86			
	T.		5	3.35			
			6	3.43			
		N. Committee	7	2-78			
		:	8	3.17			
			9	2.64			
		·	(0	3.23			
			11	3.40			
			12	2.75			
			13	3.24			
			14	3-39			
			15	2-75			
			16	3.36			
			17	3:37		PLAN 7	· / .:
			18	3.13		PLAN 7.	
					† 		

19

3.322

2.878

ř.

Oxford Ar	chaeology		LI	EVELS REG	ISTER		
SITE CODE	OXFCAMOS	SITE NAME	sac mou	-O, Or PON	∂ .	SHEET NO 6	•
ТВМ	Backsite	Instrument Height (IH) (TBM+Backsight)	Level number	Foresight	Reduced Level (IH-Foresight)	Comments/Context Small Find No(s)/P Section No(s)	lan or
74.77	2.878	77.648	20	3.150		PLAN 7	
			21	3.150			
			22	2.911			
			23	3.076			,
			24	3 · 200	. "-		
			25	3.211		4	
			26	3.137		PLAN 7	
			ス	2.36	75.28	SECTION 6-9-	
74,77	2.855		27	2 986		PLAN 7	
			28	3.096			
			29	3.278			
			30	3.135			
			31	3·45D			· -
			32	3 - 364			
			33	3.079			
			34	2.610			
			35	2.717		₹.	·
			36	3.027	·	PLAN 7	- 11
				•			
							. ا
							
	-	•					· · · · · · · · · · · · · · · · · · ·
		- 11-1					
				·			
			77	·			
			177.07				· · ·
·							
			,				



The second

CONTEXT CHECKLIST

SITE CO	DEOXFC	AMOS SITE!	NAME CLASTIC	Mour	نص. و	رجوب		,
Context number	Туре	Excavated within	Relationships	Dra	wn	Matrix	Comments	Recorder initials
Humber		segments		Section	Plan			initiais
	Dep		ore 2	1,3,	_ ,		TURF	ĴΤ
2.			are 3	1.			Long Story	
3			on 4	1		t	Bonn	
* 4			on (3)	ı	•			
S		-	au 6	li				
6			over (7)					
7			=0 103	1			A \$45.5	
8	:		~~ (b)	1	<i>i</i> .	,	Morter + some stone	
1	12.1	YOD	VOD	44/11	1	777	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	1/11
	17/1/11	-	√(J)D -					77/1/
4101	1111	YOU	17613	h a.d.	11.11	177	11, 111110001	7/10-
-11-			5~ (12)	1		€	orage granel.	
12			120 (3)	1		4.50		· .
13	•		?~~ ®	1		1	blue clary	
14			man one 8)	:	ı	prie brown gray selly sand.	
is!			ar (4)	l') ,		370
16	·		und Down P	1	<i></i> .	ì		1 3
17		·	inas-(16)	13 ~	٠, منه	,	Mixed grown or day . There	
1062	You	DV/nz	C C COCKY	4	1	\ \	dending bud cian 1 1 1	11.42
- 1		PYOID	minio	1 2 2	3 3	1,	and 5ml 5H (36)?	(A) (-3)
191	1/1	Vad -	~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~		11	121	part of said 1 1 11 1.	1/1/4
200					17		Mr Heller Line	111/1
4.66	111	NUD	WHELL.	200	100	0001	nagallodo o al	21 9.00
22	,	20,7	L	1		1		
23	Dep	*	0(24)	}		i	craye/brown grand.	
24			an (25)	1	, .	1.	blue cien legu.	
25	,		0~(26)	١		I		
26	·		mar (25) .	1		t,	cly sand.	
27			on 28	1 .		(emy at	
28			(29)	i		1	Cramil	
29		 	insur[86]	(t,	Cramb	
30				33		•	Bonnes from	
31			mais)	3		•	Bhedy + onse jour	
-32	 		under(31)	3	 -	• • •	ange france	
13 年 1 年 1 日		<u></u>	L			,		VĚ



CONTEXT CHECKLIST

Context		Excavated	NAME CASTLE Relationships	Drav		Matrix	Comments	Recorde
number	,,	within segments		Section	· · ·			initials
(2x)	1.5	Valo	72 32	8-		7-	But you brong comey.	T
	1111	YAA		3/	7	1	fre pay	11/
35	7 7		0-1 34) vár 33	3	. 7	, 3	orange grand.	H
36			marisso over SD	3		i .	ange from	
37			6~(3D) in ti 34)	3		1	light pay the day; al showard.	
38			(mir(36) cmr (39)	3		t.	11st gray the cly; shouped.	
39			mar (3)	3, 2	<u></u>	,	oraye from .	
40		·	one (39)	3,2		,	she day	
+1			msi (40)	3,2		ı	inio de constro	
42	CUT		TB (43)	3		,	Moder skowe Repair Out	
<i>t</i> 3	Tice		TO [72]	3	i		Moder stown Repair Out	
44 !	DEP			3		4		\Box
48						,		П
16						1		
47			P con			ì		
48						ı		
49!						1-		
50						ı		
51						1		
52.						,		
53						6		
.54						'		
55			,			'		
56								
57						•		
58 ‡			_					
591				¥		1		
60	4			¥.		1	Tury (post repair).	¥
ZA	2	w	YOD -	2	5	5	min	N Si
62	CUT					t		
63 1						15		
64	V					ı		



CONTEXT CHECKLIST

Oxford	d Archaeolo						CKLIST	٠
SITE CO	DEOKFO	AMOISITE N	NAME OXFORD	CAST	LE I	MOUNT) .	
Context	Туре	Excavated	Relationships	Dra		Matrix	Comments	Record
number		within segments		Section	Plan			initia
65	CUT		FB (44) (45)	3	_	1		JT
66			F8(FF) +(FO)				· · · · · · · · · · · · · · · · · · ·	
67	lacksquare		Cors(#1) FB (70)	4		1		1
<i>6</i> 8	DEP		CUTBY [H]			'		
69	WT		Fg (48)			ı	,	ΠT
70	DEP.		F0[67]	V		,	_	V
7-1	CUT		(Fg (52) Cur(68)	3		ı		UT
72	CUT		FB (37)	3		ı		J7
73	Dep		F0 78	2		1		UT
74	CUT		Cors (41)			٠.		
75.	File		15 F4			′		††
76	CUT		WTX 81 FB (3)			i	,	$\dagger \dagger$
77	БЦ		FO FE F3			,		
73·	DEP		over P			1		
79	CUT		curs (39)			i		+
	Tru		Fo (79)			• .		
	DEP		on 80			1		++
52	DEP		on 39		 	Y		$\dagger \dagger$
	DEP		oruz 81+16			٠.		++
84	OUT		FB(85)	1		1		
85	Bu.		FO \ 84	1		1		
86	DEP		,	1		1		+ +
57		·		1	 	t		+
31 33	THEP DEP			ŧ		•		++
39				,i	-	t	· .	1
3 1: 40	DEP Staut		Y	ì.	1	1	Ors To C	JM
41		<u>-</u>		'.	1	i	POSS TOWER POUNDATION.	1
92	LAYER				-	1	mortal LAMER	
7 <u>12</u> 93	LAYGA		\			1	MORTHR LANGE	JT
						1	<u> </u>	01
94	Би Ти		<u> </u>			1		1
95 96	The CWT		Pb 90,97		2	•	Consquires in cur	JM



CONTEXT CHECKLIST

SITE CODE OXFLAMOS SITE NAME CASTLE MOUND, OXFORD.

SHECO	DE OXFU	AM 08 311E	NAIVIE CASTLE	mound	ر ده ا	ford.		
Context number	Туре	Excavated within	Relationships	Dra	wn	Matrix	Comments	Recorder initials
		segments		Section	Plan		•	i i i i i i i i i i i i i i i i i i i
97	FILL.		Fb 96		2	*	Boer Pue.	JM
98	DEP		over So	3		ı	CONSTRUZION DEP.	17
99	hu		018 93 1 FO 951	1		1	Pit backfill (18th	ĴΤ
100			over &	2		j ·	(1841 Condiciony dep	1
(୭)			0-4 (100)	2	1,2	1		
102			ere (01)	2		1		
103	ar		Cur (102) Frs (7)			4	Resher Cut (18th	→
104	Fu		Fo [103]			ı	BALLPLL OF 1010 LEFT BY	JT
105	БU.		10 (O)			<u>'</u>	(18th Kotsinia of Storic	JT
106	DEP						Russe deport Amod (07).	TL
107	DEPOSIT			<u> </u>			1 / 1	Jon.
108	CUT		Pb (09		4		TREE HOLE	ton
109	Fiu		To. 108		4.		file of 71t	Jan
110	LAYER				-		make we wayer schow 107.	don
111	LAMBA		· -			•	COUNTRUCTION MAKE -P.	Jan
112	LANGE			-		*	SOIL ALANOST WALL	dam.
113	CUT					٠	INTERWAL OF CONTRACTOR CM.	
114	Fill						BANG FOR OF CC	48m
115	DEPOSIT	•			•		foss top of mons?	90m
116	Gu						Lower Bour an	dan
117	cut	-			4.	_	ROOTHOLE	Adm.
118	Till		Fo [03] Under) —	-	. مدر المدر	Robber Trad Backjill	JŤ
119	EMUL	<u>.</u>		<u> </u>			(18° LANDSCUPING?	dan.
120	CUT		·	6,7	4.		CUT THEWEN " WON (90)	Dam
, , , , , , , , , , , , , , , , , , ,								
			· .					•
							_ :	
		,,,,						

Oxford Archaeology	CONTEXT RECORD	Context No.				
SITE OKE CAM OF	ADDITIONAL SHEETS:	TYPE Topson				
Trench	Context Type: Deposit / Cut / Structure	Check Lists:				
Site sub-div	Overlain by:	DEPOSIT:				
Structure No.		1. compaction 2. colour 3. composition 4. inclusion				
Plan No.	Cut by: 142 71	5. thickness 6. extent 7. comments 8. method 8				
		conditions				
Section No.	Same as:	CUT:				
1,2,3,4		1. shape in plan 2. base/sides/top profile				
Co-Ordinates	Consists of	3. dimension and depth 4. sketch 5. truncation 6. fill				
		nos 7. other comments				
Level		MASONRY:				
Slide No.		1. materials 2. size of bricks etc 3. finish of stones 4.				
Neg No.	Fill of: .	coursing/bond 5. form 6. faces 7. bond 8. dimensions as found				
Matrix location		9. other comments				
Description (See check lists):	STRATIGRAPHIC MATRIX					
THABLE (2)	42	H				
a) Dork	Block Stry Sondy Sit this context is	7				
21. V small stone						
9100-250 mm	, Vanier.					
6) entire	mand except where for once on Nov.	the land				
		J				
where from	sumped.					
1. —						
8. Machine	· · · · · · · · · · · · · · · · · · ·					
Interpretation/Discussion	·					
TOPSOL -C	WRIENT CROWNS I EVEL.					
	·					
	-					
Finds (tick): None 🙌 CBM [] Wood [] L	Pot [Bone [Flint [] Stone [] Burnt stone [] Glass eather []	s[] Metal[]				
Small Finds		Recorder JT				
Samples		Date 09-04-08				
Building Material	S	Initials Jour				

Oxford Archaeology	CONTEXT RECORD	Context No.			
SITE OXFCAM Ø8	ADDITIONAL SHEETS:	TYPE CONSTR.			
Trench	Context Type: Deposit / Cut / Structure	Check Lists:			
Site sub-div	Overlain by:	ØEPOSIT:			
Structure No.	Abutted by:	1 compaction 2. colous B. composition 4. inclusion			
Plan No.	Cut by:	thickness 6. extent 7. comments 8. method &			
	Filled by:	conditions			
Section No.	Same as:	CUT:			
1, 2,4	Part of:	1. shape in plan 2. base/sides/top profile			
Co-Ordinates .	Consists of:	3. dimension and depth 4. sketch 5. truncation 6. fill			
· 	Overlies: 3	nos 7. other comments			
Level	Butts:	MASONRY:			
Slide No.	Cuts:	1. materials 2. size of bricks etc 3. finish of stones 4.			
Neg No.	Fill of:	coursing/bond 5. form 6. faces 7. bond 8. dimensions as found			
Matrix location	Relationships uncertain	9. other comments			
Description (See check lists):	1. Frank				
2 Mid Brown Cr 4. 200 15: mid 5 100 mm 6	2 Mid Barn Crey. S. Clay-Son this context is 2 4. 25 mined subsounded stone < 25 mm				
6. Visible ~	N. focing section belong, com 6.9m E-h	<i>)</i>			
8. Machine.	dryiz.				
Interpretation/Discussion	Downit &				
3. Leveling Constevepon	Deposit jar + reprojekting og mond. Deront.				
	· · · · · · · · · · · · · · · · · · ·				
Finds (tick): None CBM[] Wood[]	[] Pot [] Bone [] Flint [] Stone [] Burnt stone [] Leather []	Glass [] Metal []			
Small Finds		Recorder JT			
Samples		Date 09-04-08			
Building Mater	Initials , Dun				

Oxford Archaeology	CONTEXT RECORD	Context No.
SITE OXFCAMO8	ADDITIONAL SHEETS:	TYPE CONSTR.
Trench	Context Type: Deposit / Cut / Structure	Check Lists:
Site sub-div	Overlain by: (2)	DEPOSIT:
Structure No.	Abutted by:	1. compaction 2. colour 3. composition 4. inclusion
Plan No.	Cut by:	5. thickness 6. extent 7. comments 8. method &
	Filled by:	conditions
Section No.	Same as:	CUT:
1,3	Part of:	1. shape in plan 2. base/sides/top profile
Co-Ordinates	Consists of:	3. dimension and depth 4. sketch 5. truncation 6. fill
	Overlies: 4 88	nos 7. other comments
Level	Butts:	MASONRY:
Slide No.	Cuts:	1. materials 2 size of bricks etc 3. finish of stones 4.
Neg No.	Fill of:	coursing/bond 5. form 6. faces bond 8. dimensions as found
Matrix location	Relationships uncertain	9. other comments
Description (See check lists):	STRATIGRAPHIC MATRIX	
PRIMBLE 1) MIS GE	cen Brown 3) Clan SAND	<u></u>
	ded stone < 15 mm, this context is 3	
ou Ceramic h	· • • • • • • • • • • • • • • • • • • •	\$50
	rick at North form in stope, at top -	100-150-
The state of the s	3 6m EN in EN section, months	down N. face
of stope	m N = S	······································
7 8. M	achine	
Interpretation/Discussion		
Construction	deposit, post of reconstruction by mour	of top
Mlani (84 excavations	•
Juniana		
	<u> </u>	
Finds (tick): None [] CBM [] Wood [] Lo	Pot[] Bone[] Flint[] Stone[] Burnt stone[] Glateather[]	ss[] Metal[]
		Recorder JT
Samples		Date 10 -05-08
Building Material	Initials Jan	

Oxford Archaeology	CONTEXT RECORD	Context No.				
SITE OXECAM 08	ADDITIONAL SHEETS:	TYPE PREV. TOPSOL				
Trench	Context Type: Deposit / Cut / Structure	Check Lists:				
Site sub-div	Overlain by: 3	DEPOSIT:				
Structure No.	Abutted by:	1. compaction 2. colour 3. composition 4. inclusion				
Plan No.	Cut by:	5. thickness 6. extent Comments 8. method &				
	Filled by:	conditions				
Section No.	Same as:	CUT:				
', 3,	Part of:	 shape in plan base/sides/top profile 				
Co-Ordinates	Consists of:	3. dimension and depth 4. sketch 5. truncation 6. fill				
	Overlies: (5)	nos 7. other comments				
Level	Butts:	MASONRY:				
Slide No.	Cuts:	1. materials 2. size of bricks etc 3. finish of stones 4.				
Neg No.	Fill of:	coursing/bond 5. form 6. faces 7. bond 8. dimensions as found				
Matrix location	Relationships uncertain	9. other comments				
Description (See check lists):	STRATIGRAPHIC MATRIX					
1) 2) PRABLE DARK BLEA 2) SUBCOMDED STORM	1) 2) 3) FRANCE DARK BREAM CREA SANDY SILT 4) 21 SUSCOUNDED STONE < 10 mm, V OCC LARVER. 5					
5. C100 mm the	ik					
6. 3.5m E-N =	6. 3.5 m E-N = EN Sechin, O.4 m NS (090408)					
7. Organic juli						
8. Machine .						
o : Travoce :						
Interpretation/Discussion						
Pener serman	TOPSON LINE FILLING IN ROBBINZ TREVEN OF M	A4 (90)				
THE TELLOUS	TO THE PROPERTY OF					
						
	Finds (tick): None [Pot [] Bone [] Flint [] Stone [] Burnt stone [] Glass [] Metal [] CBM [] Wood [] Leather []					
\triangle Small Finds 2		Recorder JT				
Samples		Date 09-04-08				
Building Material	S	Initials				

-

Oxford Archaeology	CONTEXT RECORD	Context No.
SITEOXFCAMP8	ADDITIONAL SHEETS:	TYPE CONSTR.
Trench	Context Type: Deposit / Cut / Structure	Check Lists:
Site sub-div	Overlain by: 4	DEPOSIT:
Structure No.	Abutted by:	1. compaction 2. coloul 3. composition 4. inclusion
Plan No.	Cut by:	thickness 6. extent
	Filled by:	7. comments 8. method & conditions
Section No.	Same as:	CUT:
1,3.	Part of:	1. shape in plan 2. base/sides/top profile
Co-Ordinates	Consists of:	3. dimension and depth 4. sketch 5. truncation 6. fill
•	Overlies: 7 80)	nos 7. other comments
evel	Butts:	MASONRY:
Slide No.	Cuts:	1. materials 2. size of bricks etc 3. finish of stones 4.
Neg No.	Fill of:	coursing/bond 5. form 6. faces 7. bond 8. dimensions as found
Matrix location	Relationships uncertain	9. other comments
	·	
	material, in lobber themen ontol of we will speech removed of which	m [90] BALK BULLING
Finds (tick): None [CBM [] Wood []] Pot [4] Bone [7] Flint [] Stone [] Burnt stone [] G	Glass [Metal []
Small Finds 🤣		Recorder
		Recorder Date

Oxford Archaeology	CONTEXT RECORD	Context No.				
SITEOXFRAM 08	ADDITIONAL SHEETS:	TYPE FILL				
Trench	Context Type: Deposit / Cut / Structure	Check Lists:				
Site sub-div Structure No.	Abutted by:	DEPOSIT: 1. compaction 2. colour				
Plan No.	Cut by:	3. composition 4. inclusion 5. thickness 6. extent 7. comments 8. method & conditions				
Section No. 4.1 Co-Ordinates	Consists of:	CUT: 1. shape in plan 2. base/sides/top profile 3. dimension and depth 4. sketch 5. truncation 6. fill				
Level	Butts:	MASONRY:				
Slide No. Neg No. Matrix location	Cuts: Fill of: 10_3 .	1. materials 2. size of bricks etc 3. finish of stones 4. coursing/bond 5. form 6. faces 7. bond 8. dimensions as found 9. other comments				
	M FLIABLE DARK CREY BROWN SILTY SAS COAM MITTER CHARCON (17) POT & BOAK (14) COARSE CRANGE (24) LIMONTONE FRANCE (CO. 18 (2x) S.F. (1)					
•						
Interpretation/Discussion BALKFUL MATERIAL	of ROBBOR RELIEN 1631. (192					
	•					
<i>;</i>						
Wr.						
Finds (tick): None [] CBM [] Wood [] Le	Pot [s[] Metal[]				
Small Finds	.	Recorder Law				
Samples		Date				
Building Materials	5	Initials				

Z,

.:

•

· .

Oxford Archaeology	CONTEXT RECORD	Context No.				
SITE OXFCAMØ8	ADDITIONAL SHEETS:	TYPE BACKFILL				
Trench	Context Type: Deposit / Cut / Structure	Check Lists:				
Site sub-div	Overlain by:	DEPOSIT:				
Structure No.		1. compaction 2. colour 3. composition 4. inclusion				
Plan No.	Cut by:	5. thickness 6. extent				
1		7. comments 8. method & conditions				
Section No.	Same as:	CUF				
1,	Part of:	1. shape in plan 2. base/sides/top profile				
Co-Ordinates	Consists of	3. dimension and depth 4. sketch 5. truncation 6. fill				
		nos 7. other compents				
Level	Butts:	MASONRY:				
Slide No.		1. materials 2. size of bricks etc 3. finish of stones 4.				
Neg No.	Fill of:	coursing/bond 5. form 6. faces 7. bond 8. dimensions as found				
Matrix location		9. other comments				
Description (See check lists):	STRATIGRAPHIC MATRIX					
10:40						
Hid Onge Srow	n Soroly Grand 30% agrid	7 '				
ML 20-30%	Mid Rive Cress Righs					
in looking	118	104				
Rian San Est	ad >1.1m N-S in exc					
7.0.2.	NO THE WAY IN THE WAY					
	·					
Interpretation/Discussion						
BACKALL OF	RUBBER CUT [103]					
		.:				
Finds (tick): None [] CBM [] Wood [] Le	Pot[] Bone[] Flint[] Stone[] Burnt stone[] Glaseather[]	s[] Metal[]				
		Recorder JT				
Samples		Date 22-04-08				
Building Materials	· · · · · · · · · · · · · · · · · · ·	Initials				

Oxford Archaeology	CONTEXT RECORD	Context No.
SITE OXFCAM OX	ADDITIONAL SHEETS:	TYPE Rusple:
Trench	Context Type: Deposit / Cut / Structure	Check Lists:
Site sub-div	Overlain by:	ØE POSIT:
Structure No.	Abutted by:	1. compaction 2. colour 3. composition 4. inclusion
Plan No.	Cut by:	5. thickness 6. extent 7. comments 8, method &
	Filled by:	conditions
Section No.	Same as:	CUT: 8 ²
1, 3,	Part of:	1. sha pe in plan 2. base/sides/top profile
Co-Ordinates	Consists of:	3. dimension and depth 4. sketch 5. troncation 6. fill
• .	Overlies:	nos 7. other comments
Level	Butts:	MASONRY:
Slide No.	Cuts:	1. material 2. size of bricks etc 3. finish of stones 4.
Neg No.	Fill of:	coursing/bond 5.form 6.faces 7. bond 8. dimensions as found
Matrix location Description (See check lists):	Relationships uncertain STRATIGRAPHIC MATRIX	9. other comments
6. Runs 7.4 m \$ N-5 +0 1. Interpretation/Discussion Rusble depon	Sondy (line?) mother Stone rustle, irregularly Sub angular, < 200 mm, Bon thick 6-W, entire length of section, then of Com our Prom touch RASE. L. Frontier good of the facine stones a Cut, But Health W. Aldinst Sale of Tourk, A	1 m NS in
CBM[] Wood[] L		
Small Finds	۲, 5	Recorder
Samples Samples		Date 090408
Building Materia	le .	Initials

. . .

Oxford Archaeology	CONTEXT RECORD	Context No.
SITEOXFCAM 08	ADDITIONAL SHEETS:	TYPECONSTR.
Trench	Context Type: Deposit / Cut / Structure	Check Lists:
Site sub-div	Overlain by 30	DEPOSIT:
Structure No.	Abutted by:	1. compaction 2. colour 3 composition 4. inclusion
Plan No.	Cut by:	5. thickness 6. extent 7. comments 8. method &
, i	Filled by:	conditions
Section No.	Same as:	CUT:
1,3	Part of:	1. shape in plan 2. base/sides/top profile
Co-Ordinates	Consists of:	3. dimension and depth 4. sketch 5. truncation 6. fill
	Overlies: (12)	nos 7. other comments
Level	Butts:	MASONRY:
Slide No.	Cuts:	1. materials 2. size of bricks etc 3. finish of spones 4.
Neg No.	Fill of:	coursing/bond 5. form 6. faces 7. bond 8. dimensions as found
Matrix location	Relationships uncertain	9. other comments
Description (See check lists):	STRATIGRAPHIC MATRIX	
1. Loose 2. mid 6	Som Orange 3. Silly Sand this context is 11	<u> </u>
4.30 1. gravel (Sots moded 2/5 mm (12)	
5 200 mm thick		
6. Rins 1.6m E	in (in section) and 3m N-5 (in section)	
7. —		
8. Machine . Colo		
0.7.100.000	.	
Interpretation/Discussion	······································	
Grand reconstruction	his deposit.	
,		
		1
		·
Finds (tick): None [] CBM [] Wood [] Lo	Pot [] Bone [] Flint [] Stone [] Burnt stone [] Glaeather []	ss[] Metal[]
△ Small Finds		Recorder JT
Samples		Date 090408
Building Material	Initials	

· _____

Oxford Archaeology	CONTEXT RECORD	Context No.	
SITE OXFCAMOS	ADDITIONAL SHEETS:	TYPE CONSTR	
Trench	Context Type: Deposit / Cut / Structure	Check Lists:	
Site sub-div	Overlain by:	DEPOSIT:	
Structure No.	Abutted by:	1 compaction 2. colour 8. composition 4. inclusion	
Plan No.	Cut by:	5 thickness 6. extent 7. comments 8. method &	
-	Filled by:	conditions	
Section No.	Same as:	.CUT:	
1, 3	Part of:	1. shape in plan 2. base/sides/top profile	
Co-Ordinates	Consists of:	3. dimension and depth 4. sketch 5. trulcation 6. fill	
	Overlies: 13	nos 7. other comments	
Level	Butts:	MASONRY:	
Slide No.	Cuts:	1. materials 2. size of bricks etc 3. finish of stones 4.	
Neg No.	Fill of:	coursing/bond 5. form 6. faces 7. bond 8. dimensions as found	
Matrix location	Relationships uncertain	9. other comments	
Description (See check lists):	STRATIGRAPHIC MATRIX		
Loose 2/Mid Oronge	Cong 3/ Silly Sand this context is 12 this context is 12	<u></u>	
1, 20, sus romde	ed growel & 20 mm, Clay potres [3]		
5,026m Phick			
6.<1.6m Ew (in Seenn) x<1.2m N-S (in Section)			
7.—			
8. Machine.			
Interpretation/Discussion			
Construction De	SROOT- RECONSTRUCTION?		
Finds (tick): Nanot Pot [] Rong [] Elint [] Stong [] Rurnt stong [] Class [] Motal []			
	Finds (tick): None [] Pot [] Bone [] Flint [] Stone [] Burnt stone [] Glass [] Metal [] CBM [] Wood [] Leather []		
A Small Finds		Recorder ノ て	
Samples		Date 9 04 08	
Building Materials		Initials	

Oxford Archaeology	CONTEXT RECORD	Context No.		
SITE OXFCAM	ADDITIONAL SHEETS:	TYPE CONSTR.		
Trench	Context Type: Deposit / Cut / Structure	Check Lists:		
Site sub-div	Overlain by: (12)	DEPOSIT:		
Structure No.	Abutted by:	1. compaction 2. colour 3. composition 4. inclusion		
Plan No.	Cut by:	5. thickness 6. extent 7. comments 8. method &		
	Filled by:	conditions		
Section No.	Same as:	CUT:		
1,3	Part of:	1. shape in plan 2. base/sides/top profile		
Co-Ordinates	Consists of:	3. dimension and depth 4. sketch 5. truncation 6. fill		
	Overlies: 3	nos 7. other comments		
Level	Butts:	MASONRY:		
Slide No.	Cuts:	1. materials 2. size of bricks etc 3. finish of stones 4.		
Neg No.	Fill of:	coursing/bond 5. form 6. faces 7. bond 8. dimensions as found		
Matrix location	Relationships uncertain	9. other comments		
Lowe mil Born Grey Sily Sond this context is 13				
5. <02m 6, <2.8m (in section) 9 <0.2m NS (IN section)				
7. —				
8. Machine				
8. Manual Property of the second seco				
Interpretation/Discussion				
Reconsmetin	deposit ,			
-	<u> </u>	·		
Finds (tick): None [] CBM [] Wood [] Le	Pot[] Bone[] Flint[] Stone[] Burnt stone[] Glaseather[]	ss [] Metal []		
		Recorder		
Samples		Date og or og		
Building Materials		Initials		

Oxford Archaeology	CONTEXT RECO		ontext No.
SITE OXECAMOS	ADDITIONAL SHEETS:	,	YPE DEPOSIT
Trench	Context Type: Deposit / Cut / Structure	C	heck Lists:
Site sub-div	Overlain by: (15)	D	EPOSIT:
Structure No.	Abutted by:		. compaction 2. colour . composition 4. inclusion
Plan No.	Cut by:		. thickness 6. extent . comments 8. method &
	Filled by:	C	onditions
Section No.	Same as:		CUT:
1,3	Part of:		.shape in plan .base/sides/top profile
Co-Ordinates	Consists of:		.dimension and depth .sketch 5.truncation 6.fill
	Overlies:	n	os 7. other comments
Level	Butts:		MASONRY:
Slide No.	Cuts:		. materials 2. size of bricks etc . finish of stones 4.
Neg No.	Fill of:		oursing/bond 5. form 6. faces bond 8. dimensions as found
Matrix location	Relationships uncertain		other comments
5.80.100 m. 6. 23 m E W. 7 8. Machine- Interpretation/Discussion	Sounger Stresond Led transled Stone < 10mm in seekin) ×0.5m NS (in Seekin) ×0.5m NS (in Lawsiehen & 1 My of mand Arrest Tourse in		- Construction
CBM[] Wood[] L	Pot[] Bone[] Flint[] Stone[] eather[]	Burnt stone [] Glass	Recorder T
Samples			Date 10-04-07
Building Materia	S		Initials

متحي

Oxford Archaeology	CONTEXT RECORD	Context No.	
SITE OXFCAMOS	ADDITIONAL SHEETS:	TYPE DEPOSIT	
Trench	Context Type: Deposit / Cut / Structure	Check Lists:	
Site sub-div	· / e - 3	DEPOSIT:	
Structure No.		1 compaction 2. colour 3. composition 4: inclusion	
Plan No.	Cut by:	5. thickness 6. extent 7. comments 8. method &	
		conditions	
Section No.	Same as:	CUT:	
1,3,	Part of:	1. shape in plan 2. base/sides/top profile	
Co-Ordinates		3. dimension and depth 4. sketch 5. truncation 6. fill	
	Overlies: 14 22	nos 7. other comments	
Level	Butts:	MASONRY:	
Slide No.	Cuts:	1. materials 2. size of bricks etc3. finish of stones 4.	
Neg No.		coursing/bond 5. form 6. faces 7. bond 8. dimensions as found	
Matrix location	Relationships uncertain	9. other comments	
Description (See check lists): STRATIGRAPHIC MATRIX Thickle Light Cry Brown Sitty For this context is 15 15 1. gravel, 5th randed < 15 m. 0.6 m Ew (in Sechin) x m NS (in Sechin) x 0.23 m Unite 1. — 8. Machine. Interpretation/Discussion (Re?) Construction desposer to			
Finds (tick): None [Pot [] Bone [] Flint [] Stone [] Burnt stone [] Glass [] Metal [] CBM [] Wood [] Leather [] Small Finds Samples Date to-org-of			
Building Materials	5	Initials	

Oxford Archaeology	CONTEXT RECORD	Context No. 16		
SITEOXFCAMOS	ADDITIONAL SHEETS:	TYPE LONGE		
Trench	Context Type: Deposit / Cut / Structure	Check Lists:		
Site sub-div	Overlain by: 8 83	DEPOSIT:		
Structure No.	Abutted by:	1. compaction 2. colour 3. composition 4. inclusion		
Plan No.	Cut by:	5. thickness 6. extent 7. comments 8: method &		
•	Filled by:	conditions		
Section No.	Same as:	CUT:		
1,2,3,	Part of:	1. shape in plan 2. base/sides/top profile		
Co-Ordinates	Consists of:	3. dimension and depth 4. sketch 5. truncation 6. fill		
	Overlies: 4 2 7 90.	nos 7. other comments		
Level	Butts:	MASONRY:		
Slide No.	Cuts:	1. materials 2. size of bricks etc 3. finish of etones 4.		
Neg No.	Fill of:	coursing/bond 5. form 6. faces 7. bond 8. dimensions as found		
Matrix location	Relationships uncertain	9. other comments		
Description (See check lists): Love - In to be Mid Born Cruy Sinds Sift 101. Sustanded Sime Grom. 0.4m Thick in 5.2. 7.6m E-W in Section X 1.60 m NS (in section) 2.— 8. Machine. IT RAN Alanst THE RASE of THE TOWER AND CONTRAL PART of THE LANGE FROM THE INITIAL STUMPING OF THE TOWER STORES & PORTION DEMonstral Interpretation/Discussion ALSO INTENSS FROM Rulling Frank white works in The Surface of Tower Rulling Contraction of Toleson Chauses Surface Alama BASE OF TOWER PRIOR TO 17 GOING ONT OF USE & MOULINGS.				
CBM[] Wood[] I				
Small Finds C Recorder JT		Recorder J T		
Samples		Date 10 - 04 - 08		
A Building Materia	ls	Initials		

Oxford Archaeology	CONTEXT RECORD	Context No.	
SITEOX FCAMP8	ADDITIONAL SHEETS:	TYPE CONSTR.	
Trench	Context Type: Deposit / Cut / Structure	Check Lists:	
Site sub-div		DEP OSIT.	
Structure No.		1. compaction 2. colour 3. composition 4. inclusion	
Plan No.	Cut by:	5. thickness 6. extent · 7. comments 8. method &	
		conditions	
Section No.	Same as: (5) (44)	CUT:	
1, 3 , 2	Part at:	1. shape in plan 2. base/sides/top profile	
Co-Ordinates	Consists or:	3. dimension and depth 4. sketch 5. truncation 6. fill	
	Overlies: (37)	nos 7. other comments	
Level	Butts:	MASONRY:	
Slide No.	Cuts:	1. materials 2. size of bricks etc 3. finish of stones 4.	
Neg No.	111101.	coursing/bond 5. form 6. faces 7. bond 8. dimensions as found	
Matrix location Description (See check lists):	Relationships uncertain STRATIGRAPHIC MATRIX	9. other comments	
Arisand Ferracion mid She grey this context is 17. clay with \$1.5 Nb anded Stare <15 mm 62 \$37 23 Perches 9 Perches 9 Voice middle grey brown Silty sand <101. mixed gonel <30 m.			
runs 55m EW(n secha) × 8.0 m N-5 (in Secha.			
7. — 8. —			
Interpretation/Discussion			
CONSTRUCTION DE	•		
Mixed notine	Total or fort of the continte of	Cary?	
Partialls mis	tod in upper parts Where it crosses the few	of the mome	
	just?), much cleaner on face of man		
PART OF TEP CLAY CAPPING OF THE MOUD FROR TO CONSTRUCTION OF			
Aloured.			
Finds (tick): None [] CBM [] Wood [] L	Pot[] Bone[] Flint[] Stone[] Burnt stone[] Glaseather[]	s[] Metal[]	
△ Small Finds		Recorder JT	
Samples		Date 10-04-08.	
∆ Building Material	s	Initials	

:

Oxford Archaeology	CONTEXT RECORD	Context No.		
SITEOXFCAM Ø8	ADDITIONAL SHEETS:	TYPE CONSTR. DEP		
Trench	Context Type: Deposit / Cut / Structure	Check Lists:		
Site sub-div	Overlain by: 🚜 (구	DEPOSIT:		
Structure No.	Abutted by:	1. compaction 2. colour 3. composition 4. inclusion		
Plan No.	Cut by:	5. thickness 6. extent 7. comments 8. method &		
	Filled by:	conditions		
Section No.	Same as: Pos SA (36) (23)	CUT:		
1	Part of:	1. shape in plan 2. base/sides/top profile		
Co-Ordinates	Consists of:	3. dimension and depth 4. sketch 5. truncation 6. fill		
	Overlies: 26 39	nos 7. other comments		
Level	Butts:	MASONRY:		
Slide No.	Cuts:	1. materials 2. size of bricks etc 3. finish of stones 4.		
Neg No.	Fill of:	coursing/bond 5. form 6. faces 7. bond 8. dimensions as found		
Matrix location	Relationships uncertain	9. other comments		
Description (See check lists):	STRATIGRAPHIC MATRIX			
1. Sort 2. MID BERN ORANGE 3. SLICATILY CLAYEN COARSE SAND 20 20-25% Grand, CLAYEN COARSE SAND 20 20-25% Grand, 20 39				
Sub princed, < 30mm 5 < 0.15m at Nov11 , mkg extent				
6 1. BME-Win	5. <0.15m at North mostern extent. 6. 1. Bm E-Wilsechia X unknown N-5.			
3 - Romby				
7 kmbly s	mile my (36); come dose, same no 100			
Interpretation/Discussion				
CONSTRUCTION DEPOST PART OF SELEND PHASE of CLANEL BUILDING				
<u> </u>				
Finds (tick): None Pot[] Bone[] Flint[] Stone[] Burnt stone[] Glass[] Metal[] CBM[] Wood[] Leather[]				
∑ Small Finds		Recorder JT		
Samples Samples		Date 10-04-08		
Building Materials		Initials Jam		

Oxford Archaeology	CONTEXT RECORD	Context No. 22.
SITEOXFCAMOS	ADDITIONAL SHEETS:	72 TYPE LAYER
Trench	Context Type: Deposit / Cut / Structure	Check Lists:
Site sub-div	Overlain by: (6 32	DEPOSIT:
Structure No.	Abutted by:	1. compaction 2. colour 3. composition 4. inclusion
Plan No.	Cut by:	5. thickness 6. extent
	Filled by:	7. comments 8. method & conditions
Section No.	Same as:	CUT:
1,3	Part of:	1. shape in plan 2. base/sides/(op profile
Co-Ordinates	Consists of:	3. dimension and depth 4. sketch 5. truncation 6. fill
	Overlies: 25, 17	nos 7. other comments
Level	Butts:	MASONRY:
Slide No.	Cuts:	1. materials 2. size of bricks etc
Neg No.	Fill of:	3. finish of stones 4. coursing/bond 5. form 6. faces 7. bond 8. dimensions as found
Matrix location	Relationships uncertain	9. other comments
	-	
Interpretation/Discussion LATEL DEPOSIT	of BLAY Folomore PAR of THE CLAY COR	PINC
Finds (tick): None [1] CBM [] Wood [] L	Pot[] Bone[] Flint[] Stone[] Burnt stone[] Glamether[]	ss [] Metal []
A Small Finds	•	Recorder JT
Samples		Date
Building Material	S	Initials

Oxford Archaeology	CONTEXT RECORD	Context No. 24 23	
SITE OXFLAM Ø8	ADDITIONAL SHEETS:	TYPEGNSTR. OGP.	
Trench	Context Type: Deposit / C ut / Struct ure	Check Lists:	
Site sub-div	Overlain by: 😝 17	DEPOSIT:	
Structure No.	Abutted by:	1. compaction 2. colour 3. composition 4. inclusion	
Plan No.	Cut by:	5. thickness 6. extent 7. comments 8. method &	
	Filled by:	conditions	
Section No.	Same as:	CUT:	
1,2,	Part of:	1. shape in plan 2. base/sides/top profile	
Co-Ordinates	Consists of:	3. dimension and depth 4. sketch 5. truncation 6. fill	
	Overlies: 24	nos 7. other comments	
Level	Butts:	MASONRY:	
Slide No.	Cuts:	1. materials 2. size of bricks etc 3. finish of atones 4.	
Neg No.	Fill of:	coursing/bond 5. form 6. faces 7. bond 8. dimensions as found	
Matrix location	Relationships uncertain	9. other comments	
1. Soft 2. Mid Vingeborn 3. Clay-Son this context is 23			
5. 40 25 m thick 0.2 m thick			
6. Runs 1.3 m E-W (in exc) unknown N-S.			
Interpretation/Discussion			
DEPIDIT RUM	ATING TO MAMMAN CONSTRUCTION OF CASTLE	MOUND.	
· · · · · · · · · · · · · · · · · · ·			
		-	
Finds (tick): None [] Pot [] Bone [] Flint [] Stone [] Burnt stone [] Glass [] Metal [] CBM [] Wood [] Leather []			
Small Finds		Recorder JT	
Samples		Date	
Building Materia	ls	Initials Jan	

Y.		
Oxford Archaeology	CONTEXT RECORD	Context No.
SITEOX FCAMOS	ADDITIONAL SHEETS:	TYPE CONSTR. DET
Trench	Context Type: Deposit / Cut / Structure	Check Lists:
Site sub-div	Overlain by: 23	DEP OSIT.
Structure No.	Abutted by:	compaction 2.colour composition 4.inclusion
Plan No.	Cut by:	5. thickness 6. extent
-	Filled by:	7. comments 8. method 8 / conditions
Section No.	Same as:	CUT:
1	Part of:	1. shape in plan 2. base/sides/top profile
Co-Ordinates	Consists of:	3. dimension and depth 4. sketch 5. truncation 6. fill
\$	Overlies: 25	nos 7. other comments
Level	Butts:	MASONRY:
Slide No.	Cuts:	1. materials 2/size of bricks etc 3. finish of stones 4.
Neg No.	Fill of:	coursing/bond 5.form 6.faces 7.bond 8.dimensions as found
Matrix location	Relationships uncertain	9. other comments
5, < 50 mm the 6. Runs 12r N-5. 7 8. Machine. Interpretation/Discussion	this context is 24 23 this context is 24 25 ch This context is 24 This context i	Cayers.
	Pot [] Bone [] Flint [] Stone [] Burnt stone [] Gla	ss[] Metal[]
CBM[] Wood[] Le	eatner []	T
Small Finds	·	Recorder
Samples		Date 11 - 08
Building Materials	S	Initials &

Oxford Archaeology	CONTEXT RECORD	C	ontext No.	
SITE OXFCAMØ8	ADDITIONAL SHEETS:	Т	YPECONSTR. Dep.	
Trench	Context Type: Deposit / Cut / Structure		heck Lists:	
Site sub-div	Overlain by: 24	D	EPOSIT:	
Structure No.	Abutted by:		compaction 2. colour composition 4. inclusion	
Plan No.	Cut by:	5.	thickness 6. extent comments 8. method &	
	Filled by:		onditions	
Section No.	Same as:		UT:	
· /	Part of:		shape in plan base/sides/top profile	
Co-Ordinates	Consists of:		dimension and depth sketch 5. truncation 6. fill	
	Overlies: ?		os 7. other comments	
Level	Butts:	, N	ASONRY:	
Slide No.	Cuts:		materials 2. size of bricks etc finish of stones 4.	
Neg No.	Fill of:	cc	oursing/bond 5. form 6. faces bond 8. dimensions as found	
Matrix location	Relationships uncertain		other comments	
Description (See check lists):	STRATIGRAPHIC MATR	IX ·	·	
1. Loon 2. Mid Vary Yellow 3. Sond this context is 25				
4.30%. Subjumded gravel < 35 m.				
5. < 0.18m thick				
5. 20.18m thick 6. 1.3m E-w (in exc), unknown N-S.				
7. —				
8. Machine.				
Interpretation/Discussion				
Comil lager of	Come leger jorning part of interes construction of castle mond.			
Finds (tick): None [1 CBM [] Le	Pot [] Bone [] Flint [] Stone [] Burnt stone [eather []] Glass	[] Metal[]	
Small Finds			Recorder	
Samples			Date 10 -04-08	
Building Material	S		Initials	

Oxford Archaeology	CONTEXT RECORD	Context No. 26_		
SITE OXFCAM Ø8	ADDITIONAL SHEETS:	TYPE CONSTR. DOP.		
Trench	Context Type: Deposit / Cut / Structure	Check Lists:		
Site sub-div	Overlain by: (25)	DEPOSIT:		
Structure No.	Abutted by:	1. compaction 2. colour 3. composition 4. inclusion		
Plan No.	Cut by:	5. thickness 6. extent 7. comments 8. method &		
	Filled by:	conditions		
Section No.	Same as: Po S/A (9)	CUT:		
1.	Part of:	1. shape in plan 2. base/sides/top profile		
Co-Ordinates	Consists of:	3. dimension and depth 4. sketch 5 truncation 6. fill		
1.18	Overlies: 24 4 2 39	nos 7 other comments		
Level	Butts:	MASONRY:		
Slide No.	Cuts:	1. materials 2. size of bricks etc 3. finish of stones 4.		
Neg No.	Fill of:	coursing/bond 5. form 6. faces 7. bond 8. dimensions as found		
Matrix location	Relationships uncertain	9. other comments		
Description (See check lists):	Mid. STRATIGRAPHIC MATRIX	(2 25		
1. Soft 2 mind Sign Bonn 3. Clay - Sond 4. 201. mind sit connected stone 8-25mm Occ day pattles within onteat. 5. 6 mind (in exc) < 0.45m thick 6. 3.4m E. W (in exc) bonknown the s. x 0.4m N-5 (in ex). 7 8. Machine. Interpretation/Discussion Part of grand construction of castle mand. Perorishy Some as (19).				
Finds (tick): None [] CBM [] Wood [] L	Pot[] Bone[] Flint[] Stone[] Burnt stone[] Gla	nss[] Metal[]		
		Recorder		
Samples		Date 11-04-08.		
<u> </u>				
Building Materia	ls	Initials		

Oxford Archaeology	CONTEXT RECORD	Context No.		
SITE OXFCAMPS	ADDITIONAL SHEETS:	TYPECONSTR. DEP.		
Trench		Check Lists:		
Site sub-div	Overlain by: 23	DEPOSIT:		
Structure No.	Abutted by:	1. compaction 2. colour 3. composition 4. inclusion		
Plan No.	Cut by:	5. thickness 6. extent 7. comments 8. method &		
		conditions		
Section No.		CUT:		
1,2,	Part or:	1. shape in plan 2. base/sides/top profile		
Co-Ordinates	CONSISTS OF.	3. dimension and depth 4. sketch 5. truncation 6. fill		
	Overlies: 28	nos 7. other comments		
Level		MASONRY:		
Slide No.	Cuts:	1. materials 2. size of bricks etc 3. finish of stones 4.		
Neg No.		coursing/bond 5. form 6. faces 7. bond 8. dimensions as found		
Matrix location		9. other comments		
Description (See check lists): 1. Scat	2. Mid Born STRATIGRAPHIC MATRIX			
1. Soft 2. Mid Brown this context is 27 Lensor + Golds, also.				
5 20.18m thick 6. Runs 1.15m Ew (in exc)				
Interpretation/Discussion				
DEPOST FORMING	PART OF CHUYEL CONSTRUCTION DEPONT.			
		•		
Finds (tick): None [Pot [] Bone [] Flint [] Stone [] Burnt stone [] Glass [] Metal [] CBM [] Wood [] Leather []				
Small Finds		Recorder		
Samples		Date 11-04-08		
A Building Materials		Initials Am		

Oxford Archaeology	CONTEXT REC		Context No.	
SITEOXFCAMØ8	ADDITIONAL SHEETS:	À	TYPE LAUR	
Trench	Context Type: Deposit / Cut / Structure	(Check Lists:	
Site sub-div	Overlain by: 27		DEPOSIT:	
Structure No.	Abutted by:		. compaction 2. colour 3. composition 4. inclusion	
Plan No.	Cut by:	5	5. thickness 6. extent 7. comments 8. method &	
,	Filled by:		conditions	
Section No.	Same as:		сит:	
1,2,	Part of:		. shape in plan 2. base/sides/top profile	
Co-Ordinates	Consists of:		dimension and depth sketch 5. truncation 6. fill	
	Overlies: 29	r	nos 7. other comments	
Level	Butts:	•	MASONRY:	
Slide No.	Cuts:	3	. materials 2. size of bricks etc 3. finish of stones 4.	
Neg No.	Fill of:	7	oursing/bond 5.form 6.faces 7.bond 8. dimensions as found	
Matrix location Description (See check lists):	Relationships uncertain		other comments	
1. Comence 2. REDDISH GROUN this context is 28 3. Secret SAD 4. CRANGE (16) CLAY (SA)				
5. 20.6 m brick 6. Runs C. Im E-W (in Ex.) x 1.4 m NS (in exc) 7. — 8. One Machined.				
Interpretation/Discussion				
Construction	desposit.			
Finds (tick): None [
Small Finds			Recorder ${\mathcal H}$	
Samples			Date 11 - 04 -08 -	
Building Material	5		Initials	

Oxford Archaeology	CONTEXT RECORD	Context No.	
SITE OXF CAM OS	ADDITIONAL SHEETS:	TYPE CONTR. DEP.	
Trench	Context Type: Deposit / -Cut / Structur e	Check Lists:	
Site sub-div	Overlain by: 28	DEPOSIT:	
Structure No.	Abutted by:	1. compaction 2. colour 3: composition 4. inclusion	
Plan No.	Cut by:	5. thickness 6. extent Comments 8. method &	
	Filled by:	conditions	
Section No.	Same as:	CUT: 1. shape in plan	
1,2.	Part of:	base/sides/top profile dimension and depth	
Co-Ordinates	Consists of: Overlies:	4. sketch 5. truncation 6. fill nos 7. other comments	
Level .		MASONRY:	
Slide No.	Butts: Cuts:	1. materials 2. size of bricks etc	
Neg No.	Fill of:	3. finish of stones 4. coursing/bond 5. form 6. faces	
Matrix location	Relationships uncertain	7. bond 8. dimensions as found 9. other comments	
Interpretation/Discussion Deposit	construitin of castle mond.		
·			
-			
Finds (tick): None []	Pot[] Bone[] Flint[] Stone[] Burnt stone[] Glaseather[]	ss[] Metal[]	
Small Finds		Recorder J7	
Samples		Date 11-04-08.	
Building Material	S	Initials Am	

Oxford Archaeology	CONTEXT REC	ORD	Context No.
SITE OXFCAM 08	ADDITIONAL SHEETS:		TYPE CONSTR. DEP.
Trench	Context Type: Deposit / Cut / Structure		Check Lists:
Site sub-div	Overlain by: (3)		DEPOSIT:
Structure No.	Abutted by:		1. compaction 2. colous 3. composition 4. inclusion
Plan No.	Cut by:	Į.	5. thickness 6. extent Comments 8. method &
	Filled by:		conditions
Section No.	Same as:		CUT:
3.	Part of:		1. shape in plan 2. base/s des/top profile
Co-Ordinates 👍	Consists of:		3. dimension and depth 4. sketch 5. kuncation 6. fill
7 K 35	Overlies: (1)		nos 7. other comments
Level	Butts:		MASONRY:
Slide No.	Cuts:		1. materials 2. vize of bricks etc 3. finish of stones 4.
Neg No.	Fill of:		coursing/bond 5.form 6.faces 7. bond 8. dimensions as found
Matrix location	Relationships uncertain	!	9. other comments
5. < 0.45 m thick 6: Unknown E-W extent, Runs 3.3 m down N Stope of castle mond. 7 8. Machine.			
Interpretation/Discussion			
Part of married construction, and the Clay- gravel atternation. Sealing peter face at the would.			
Finds (tick): None [Pot [] Bone [] Flint [] Stone [] Burnt stone [] Glass [] Metal [] CBM [] Wood [] Leather []			
△ Small Finds Recorder			
Samples Date 11-04-08			
Building Materials Initials			

1

-**5** ,

Oxford Archaeology	CONTEXT RECORD	Context No.		
SITE OXFCAM98	ADDITIONAL SHEETS:	TYPE GNSTK. DEP.		
Trench	Context Type: Deposit / Cut / Structure	Check Lists:		
Site sub-div	Overlain by: 13	DE POSIT:		
Structure No.		1. compaction 2. colour 3. composition 4. inclusion		
Plan No.	Cut by:	5 (thickness 6. extent 7. comments 8. method &		
	Filled by:	conditions		
Section No.	Same as:	СИТ:		
F 3		1. shape in plan2. base/sides/top profile		
Co-Ordinates	Consists of:	3. dimension and depth 4. sketch 5. truncation 6. fill		
	Overlies: 15 32	nos 7. other comments		
Level	Butts:	MASONRY:		
Slide No.		 materials 2. size of bricks etc finish of stones 4. 		
Neg No.	Fill of:	coursing/bond 5. form 6. faces 7. bond 8. dimensions as found		
Matrix location	Relationships uncertain			
7. bond 8. dimensions as found				
Finds (tick): None [Pot [] Bone [] Flint [] Stone [] Burnt stone [] Glass [] Metal [] CBM [] Wood [] Leather []				
		RecorderJT		
Samples		Date 11-04-08		
Building Material	S	Initials an		

. .

Ţ

Oxford Archaeology	CONTEXT RECORD	Context No.		
SITE OXFCAMB8	ADDITIONAL SHEETS:	TYPE CONSTR. DEP		
Trench	Context Type: Deposit / Cut / Structure	Check Lists:		
Site sub-div	Overlain by: 3	DEPOSIT:		
Structure No.	Abutted by:	. compaction 2. colour 3. composition 4. inclusion		
Plan No.	Cut by:	5. this kness 6. extent 7. comments 8. method &		
	Filled by:	conditions		
Section No.	Same as:	CUT: 1. shape in plan		
参 3.	Part of:	2. base/sides/top profile		
Co-Ordinates	Consists of:	3. dimension and depth 4. sketch 5. truncation 6. fill		
· · ·	Overlies: 22	nos 7. other comments		
Level	Butts:	MASONRY:		
Slide No.	Cuts:	1. materials 2. size of bricks etc 3. finish of stones 4.		
Neg No.	Fill of:	coursing/bone 5. form 6. faces 7. bond 8. dimensions as found		
Matrix location	Relationships uncertain	9. other comments		
Description (See check lists):	STRATIGRAPHIC MATRIX			
SA (30)	SA (30)			
11:				
5. <0.3m thick (Con on slope) 6. Runs +m N-5 down N. free of				
slope (in ex) HII TRd by [42].				
7. —				
8. Machine.				
Interpretation/Discussion				
Cranel Cayer	Crance Cayer probably jorning part of original consimering of costle mond.			
on costle	mand.			
Finds (tick): None [Pot [Bone [] Flint [] Stone [] Burnt stone [] Glass [] Metal [] CBM [] Wood [] Leather []				
		Recorder		
Samples		Date 11-0-4-07		
☐ Building Materials		Date 11-024-07 Initials jam		

i

Oxford Archaeology	CONTEXT RECORD	Context No.		
SITE OXFCAMOS	ADDITIONAL SHEETS:	TYPE CONSTRUCTOR.		
Trench	Context Type: Deposit / C ut / Structu re	Check Lists:		
Site sub-div	Overlain by: 22	DEPOSIT.		
Structure No.	Abutted by:	1. compaction 2. colour 3. composition 4. inclusion		
Plan No.	Cut by:	5 thickness 6. extent 7. comments 8. method &		
. ·	Filled by:	conditions		
Section No.	Same as:	CUT:		
3	Part of:	1. shape in plan 2. base/sides/top profile		
Co-Ordinates	Consists of:	3. dimension and depth 4. sketch 5. truncation 6. fill		
	Overlies: 🔉 17	nos 7. other comments		
Level	Butts:	MASONRY:		
Slide No.	Cuts:	1. materials 2, size of bricks etc 3. finish of stones 4.		
Neg No.	Fill of:	coursing/bond 5. form 6. faces 7. boald 8. dimensions as found		
Matrix location	Relationships uncertain	9. other comments		
Description (See check lists):	STRATIGRAPHIC MATRIX			
1. FRIABLE-LADE 2. Mid Orange Brown 3. Sighty Clayer Send 4. 254301. grand. 17				
5. 60 mm thick (in exc). 6. Run 0.6 m NS (in exc), unknown E-W.				
Change O. Con N. Cini and work F-W				
6. Aver U. 6 M IVS (N exc), unknown C-00.				
Interpretation/Discussion				
Small Cens o-	I orange grand Seen only in Cost to	cip Section 3.		
Paris de	Partie State of and the	J		
130000	The resurry	possion		
Shund har	- higher up mound face.			
Snall less of orange granel Seen only in east facing Section 3. Reside with the Position suggests result of passible sumpry from higher up mound force.				
Finds (tick): None[] Pot[] Bone[] Flint[] Stone[] Burnt stone[] Glass[] Metal[] CBM[] Wood[] Leather[]				
△ Small Finds		Recorder JT		
Samples Date		Date 14-04-08		
Building Materials		Initials Jam		

Oxford Archaeology	CONTEXT RECORD	Context No.			
SITE OXFCAMES	ADDITIONAL SHEETS:	TYPE CONSTE. DEP			
Trench		Check Lists:			
Site sub-div	Overlain by:	DEPOSIT:			
Structure No.	Abutted by:	1. compaction 2. colour 3. composition 4. inclusion			
Plan No.	Cut by:	5. thickness 6. extent 7. comments 8. method & conditions			
Section No. T.SECTION		CUT:			
3.	Day of	1. shape in plan 2. base/sides/top profile			
Co-Ordinates ·	Consists of	3. dimension and depth 4. sketch 5. truncation 6. fill			
		nos 7. other comments			
Level	Butts:	MASONRY:			
Slide No.	Cuts:	1. materials 2. size of bricks etc 3. finish of stories 4.			
Neg No.	Fill of:	coursing/bond 5. form 6. faces 7. bond 8. dimensions as found			
Matrix location		9. other comments			
Soft Mid Barm Orange 3 Starthy Clargery Coarse Sand 4, 23 201. Shis Randed Coronel < 30m.					
J)					
- /					
	-				
Interpretation/Discussion					
Construction deposit of grand.					
Probable Some	on 19 but physical link not observe	able.			
Construction deposit of grand. Probably some on 19 but physical link not observable. Some description + relation ship to 10. (7) PAPT of some consistent					
- The state of the					
,					
Finds (tick): None [Pot [] Bone [] Flint [] Stone [] Burnt stone [] Glass [] Metal [] CBM [] Wood [] Leather []					
△ Small Finds		Recorder.JT			
Samples		Date 14/04/08.			
Building Material	3	Initials Am			

.

Oxford Archaeology	CONTEXT RECORD	Context No.	
SITE OX FCAM 08	ADDITIONAL SHEETS:	TYPE Secondon Desport	
Trench	Context Type: Deposit / Cut / Structure	Check Lists:	
Site sub-div	Overlain by: (17)	DEPOSIT:	
Structure No.	Abutted by:	1. compaction 2. colour 3. composition 4. inclusion	
Plan No.	Cut by:	8. thickness 6. extent	
	Filled by:	7. comments 8. method & conditions	
Section No.	Same as:	COT.	
3	Part of:	1. shape in plan 2. base/sides/top profile	
Co-Ordinates	Consists of:	3. dimension and depth 4. sketch 5. truncation 6. fill	
	Overlies: .(36)	nos 7. other comments	
Level	Butts:	MASONRY:	
Slide No.	Cuts:	1. materials 2. size of bricks etc 3. finish of stones 4.	
Neg No.		coursing/bond 5. form 6. faces 7. bond 8. dimensions as found	
Matrix location	Relationships uncertain	9. other comments	
1. Sept MidBourn Orange 3. Coorse Clagues Sond 7. \$\frac{1}{233}\). SR (man (20m) S. <100 mm thick 6, Runs 0.6 m NS (in exc) in a kind of Step . Unknown & Western . 7 8. Machine.			
Fall as Construction moterial into Stepping in mond free (Inclear whether this lies directly on a Cut or onto			
Finds (tick): None {			
△ Small Finds		Recorder JT	
Samples		Date 14-04-08.	
Building Materials		Initials Jam	

Oxford Archaeology	CONTEXT RECORD	Context No.
SITE DXFCAMOS	ADDITIONAL SHEETS:	TYPEGWSTE DEP
Trench .	Context Type: Deposit / Cut / Structure	Check Lists:
Site sub-div	Overlain bý: 36)	DEPOSIT:
Structure No.	Abutted by:	1. compaction 2. colous 3. composition 4. inclusion
Plan No.	Cut by:	5. thickness 6. extent 7. comments 8. method &
	Filled by:	conditions
Section No.	Same as:	CUT:
3	Part of:	1. shape in plan 2. base/sides/top profile
Co-Ordinates	Consists of:	3. dimension and depth 4. sketch 5. thuncation 6. fill
	Overlies: (39)	nos 7. other comments
Level	Butts:	MASONRY:
Slide No.	Cuts:	1. materials 2. nze of bricks etc 3. finish of stones 4.
Neg No.	Fill of:	coursing/bond 5.form 6.faces 7. bond 8. dimensions as found
Matrix location Description (See check lists):	Relationships uncertain STRATIGRAPHIC MATRIX	9. other comments
5. <30mm des E-W. 7 8. Madrine.	this context is 38 (21. Sus Randed Stone 39 (1) Lick, 6. Rens 0.6m N-5 (n ex)	un knam
Interpretation/Discussion		
Dopont only growld lager porter is a to port of depont build	nsible on this Cens between to you N. face of mand. Possibly rom but this is specialation so seen the upper, facing Cayon rather the light mends height. Comments	Micker Santh, m be - a so
Finds (tick): None [] CBM [] Wood [] Lo	Pot[] Bone[] Flint[] Stone[] Burnt stone[] Glaeather[]	ss [] Metal []
		Recorder
Samples		Date
A Building Materials		Initials Jam

Oxford Archaeology	CONTEXT RECORD	Context No.	
SITE OXFCAMO8	ADDITIONAL SHEETS:	TYPE CONSTR. DEP.	
Trench	Context Type: Deposit / Cut / Structure	Check Lists:	
Site sub-div		DEPOSIT: ,	
Structure No.	Abutted by:	1.compaction 2.colour 3.composition 4.inclusion	
Plan No.	Cut by:	5. thickness 6. extent 7. comments 8. method &	
		conditions 6. Hethod &	
Section No.	·	CUT:	
5	Part 01;	1. shape in plan 2. base/sides/top profile	
Co-Ordinates .	Consists of:	3. dimension and depth 4. sketch 5. truncation 6. fill	
	Overlies: (46)	nos 7. other comments	
Level		MASONRY:	
Slide No.	Cuts.	1. materials 2. size of bricks etc 3. finish of stopes 4.	
Neg No.	Fill of:	coursing/bond 5. form 6. faces 7. bond 8. dimensions as found	
Matrix location		9. other comments	
4. 3 50 /. Gra 5. < 06m 6. Runs and 7. — Interpretation/Discussion	Sond this context is 39 Sond this context is 39 Thick Thick Thick Thick Thick The exc The exc	2 PART OF	
Finds (tick): None [] Pot [] Bone [] Flint [] Stone [] Burnt stone [] Glass [] Metal [] CBM [] Wood [] Leather []			
Small Finds		Recorder	
Samples		Date 14-04-08	
Building Materials	5	Initials Hom	

Oxford Archaeology	CONTEXT RECORD	Context No.
SITE OXFZAN	MA & ADDITIONAL SHEETS:	TYPE CONSTR. DEP
Trench	Context Type: Deposit / Cut / Structure	Check Lists:
Site sub-div	Overlain by: (46)	DEPOSIT:
Structure No.	Abutted by:	1. compaction 2. colour 3. composition 4. inclusion
Plan No.	Cut by: 63.	5. thickness 6. extent 7. comments 8. method &
	Filled by:	conditions
Section No.	Same as:	CUT:
3.	Part of:	1. shape in plan 2. base/sides/top profile
Co-Ordinates	Consists of:	3. dimension and depth 4. sketch 5. truncation 6. fill
•	Overlies:	nos 7. other comments
Level	Butts:	MASONRY:
Slide No.	Cuts:	1. materials 2. size of bricks etc 3. finish of stones 4.
Neg No.	Fill of: 66.	coursing/bond 5. form 6. faces 7. bond 8. dimensions as found
Matrix location	Relationships uncertain	9. other comments
V. Jew Small Life of the Small Rich Rich Interpretation/Discussion	Subsanded Stanes. Subsanded Stanes. School 85m NS, mEN accoss visible N foce of me	
Construction (gar forming part of aceta the	rand.
	<u>.</u>	· · · · · · · · · · · · · · · · · · ·
Finds (tick): None	[Pot [] Bone [] Flint [] Stone [] Burnt stone [] Leather []] Glass [] Metal []
△ Small Finds		Recorder_J_T
Samples Samples		Date/4-04-08
↑ Building Mater	ials	Initials 44

Oxford Archaeology	CONTEXT REC		Context No.	
SITEOXFLAMOS	ADDITIONAL SHEETS:		TYPE Defosm,	
Trench	Context Type: Deposit / Cut / Structure		Check Lists:	
Site sub-div	Overlain by: 40		DEPOSIT:	
Structure No.	Abutted by:		1. compaction 2 dolour 3. composition 4. inclusion 5. thickness 6. extent	
Plan No.	Cut by:	9	5. thick less 6. extent 7. comments 8. method &	
	Filled by:		conditions	
Section No.	Same as:		сит:	
3,2	Part of:	1:	1. shape in plan 2. base/sides/top profile	
Co-Ordinates	Consists of:	3	3. dimension and depth 4. sketch 5. truncation 6. fill	
	Overlies: 7		nos 7. other comments	
Level	Butts:		MASONRY:	
Slide No.	Cuts:		1. materials 2. size of bricks etc 3. finish of atones 4.	
Neg No.	Fill of:		coursing/bond 5. form 6. faces 7. bond 8. dimensions as found	
Matrix location	Relationships uncertain		9. other comments	
Sight and Sight	Brownist Nid Yellowsk ageny Coarse Sand	this context is 41		
Gellonist gro	vel deposit (5?) noti	y up the bulk	y The	
	Sygning a more Stepped (layered construction for the bulk g the mound with the alternating layer of groundedy on the face forming an outer shell applied outons stepped Slope. Finds (tick): None.[] Pot [7] Bone[] Flint[] Stone[] Burnt stone[] Glass[] Metal[]			
Λ	CBM [] Wood [] Leather [] Small Finds 2 More of Mo		Recorder) —	
	Samples		Date 14-0%	
<u> </u>	Building Materials		Initials iam	

Oxford Archaeology	CONTEXT RECORD	Context No.		
SITE OX FCAMYOS	ADDITIONAL SHEETS:	TYPE SAME OUT		
Trench	Context Type: Dapos it / Cut / Structu re	Check Lists:		
Site sub-div	Overlain by:	DEPOSIT:		
Structure No.	Abutted by:	1. compaction 2. colour 3. composition 4. inclusion		
Plan No.	Cut by:	5. thickness 6. extent 7. comments 8. method &		
	Filled by: (43)	conditions		
Section No.	Same as: Part of:	CUT: 1. shape in plan		
Co-Ordinates	Consists of:	base/sides/top profile dimension and depth		
	Overlies:	4. sketch 5. truncation 6. fill nos 7. other comments		
Levei	Butts:	MASONRY:		
Slide No.	Cuts:	1. materials 2. size of scicks etc 3. finish of stones 4.		
Neg No.	Fill of:	coursing/bond 5. form 6. faces 7. bond 8. dimensions as found		
Matrix location	Relationships uncertain	9. other comments		
Description (See check lists):	STRATIGRAPHIC MATRIX			
Cut covers from grand running 18m dawn jaa N-S and accross the pront m E-W. Graduoi 5.0.5, forms a Slice taken off north face, simularly depth as a along length of section 3, Down CO. Sm deep. (from 0.4-0.75m) mit gradually sloping sides.				
TB (+3).	TR (43)			
Interpretation/Discussion				
Corococ	en de por esterna de la cons	d away from		
gette an	RANGE THE LOOK RAIN.			
takes by Cut proposty carried out for repair work to face &				
Come Son Cut proposts carried out for repair work to face &				
Finds (tick): None [] Pot [] Bone [] Flint [] Stone [] Burnt stone [] Glass [] Metal [] CBM [] Wood [] Leather []				
∑ Small Finds		Recorder JT		
Samples		Date 14-04-08		
Building Material	Initials tan			

Oxford Archaeology	CONTEXT RECORD	Context No.	
SITE OXFCAM Ø8	ADDITIONAL SHEETS:	TYPE Repair dep.	
Trench	Context Type: Deposit / Cut / Structure	Check Lists:	
Site sub-div Structure No.	Overlain by: Abutted by:	DEPOSIT: 1. compaction 2. colour 3. composition 4. inclusion 5. thickness 6. extent	
Plan No.	Cut by: Filled by:	7. comments 8. method & conditions	
Section No. 3. Co-Ordinates	Same as: Part of: Consists of: Overlies:	CUT: 1. shape in plan 2. base/sides/top profile 3. dimension and depth 4. sketch 5. truncation 6. fill nos 7. other comments	
Level Slide No.	Butts: Cuts:	MASONRY: 1. materials 2. size of bricks etc	
Neg No.	Fill of: [42]	3. finish of stones 4. coursing/bond 5. form 6. faces 7. bond 8. dimensions as found	
Matrix location Description (See check lists):	Relationships uncertain STRATIGRAPHIC MATRIX	9. other comments	
1. Suft 2. Dark Brown Creen 3. A. Mired granes, < 40m Sondy 5:14 moderale quantity 5. 0.4-0.75 m thick			
5. 0.4-0.75 m thick 6.			
Interpretation/Discussion 1970's R Has SV	Deposit ropois Alling out on North for Assignath Shoped recessitating curre	e of mand. nt repairs.	
Finds (tick): None CBM[] Wood[]	[Pot [] Bone [] Flint [] Stone [] Burnt stone [] Gl Leather []	ass[] Metal[]	
A Small Finds		Recorder JT	
Samples		Date 14-04-08	
Building Mater	rials	Initials Jan	

Oxford Archaeology	CONTEXT RECORD	Context No.			
SITE OXFCAMØ8	ADDITIONAL SHEETS:	TYPE LAYBR			
Trench	Context Type: Deposit / Cirt / Structure	Check Lists:			
Site sub-div	Overlain by:	DEPOSIT:			
Structure No.		1. compaction 2. colour 3. composition 4. inclusion			
Plan No.	Cut by: [42]	5. thickness 6. extent 7. comments 8. method & conditions			
Section No.	Same as: (17)	CUT:			
3	Dart of:	1. shape in plan			
Co-Ordinates	Consists of:	base/sidea top profile dimension and depth			
		4. sketch 5. truncation 6. fill nos 7. other comments			
Level	Butts:	MASONRY:			
Slide No.	Cuts:	1. materials 2. size of bricks etc 3. finish of stones 4.			
Neg No.	Fill of: / C	coursing/bond 5. form 6. faces 7. bond 8. dimensions as found			
Matrix location		9. other comments			
Description (See check lists):	STRATIGRAPHIC MATRIX	•			
1-4 - Same a	1-4-Same as (7)				
5. <0.5m thick high on slope					
1-4-Same as (7) 5. Co. Sm thick high on slope 6. 26m N-S on slope visible in Section.					
Unknown extent E-W.					
7 . —					
8. Machine -					
· · · · · · · · · · · · · · · · · · ·					
Interpretation/Discussion					
Part of the.	blue clay 'capping' covering the morne	d. and			
\$		•			
<i>T</i>					
·					
Finds (tick): None [4 Pot [] Bone [] Flint [] Stone [] Burnt stone [] Glass [] Metal [] CBM [] Wood [] Leather []					
Small Finds	Recorder JT				
Samples	Date 14-04-08				
Building Materials	Initials dom				

Oxford Archaeology	CONTEXT RECO		Context No.	
SITEOXFCAMOS	ADDITIONAL SHEETS:	7	TYPE Gnstr. Dep	
Trench	Context Type: Deposit / Cut / Structure		Theck Lists:	
Site sub-div	Overlain by: (17) (44)		DEPOSIT:	
Structure No.	Abutted by:		. compaction 2. colour 3. composition 4. inclusion	
Plan No.	Cut by: Filled by:	5 7	comments 8. method &	
Section No.	Same as: (39)	1	CUT: shape in plan	
C- Oddinova	Part of:		. base/sides/top profile . dimension and depth	
Co-Ordinates	Consists of: Overlies:	4	l. sketch 5. truncation 6. fill	
Level	Overlies: (46) Butts:		MASONRY:	
Slide No.	Cuts:	1	. materials 2. size of bricks etc	
Neg No.	Fill of: 64.	c	s. finish of stones 4. coursing/bond 5. form 6. faces	
Matrix location	Relationships uncertain		'. bond 8. dimensions as found 9. other comments	
Description (See check lists):		TRATIGRAPHIC MATRIX		
1-4= SA (39)				
5. < 0.3m thick				
6. Runs 6m NS dann N. Jace of mond, (in exc), Unknown E-Wextent.				
(in exc) Unknown E-Wextent.				
7.				
8. Madine				
Interpretation/Discussion				
Posithy some	deposit as (39), divides	e by repair	cut [42].	
Port on inition	a construction or mand	,		
J	J. S.			
Finds (tick): None [Pot [] Bone [] Flint [] Stone [] Burnt stone [] Glass [] Metal [] CBM [] Wood [] Leather []				
Small Finds			Recorder JT	
Samples		Date 14-04-08		
Building Material	S		Date 14-04-08	

Oxford Archaeology	CONTEXT RECORD	Context No.		
SITE OXFCAM 08	ADDITIONAL SHEETS:	TYPE GNSTR DEP		
Trench	Context Type: Deposit / Cut / Structure	Check Lists:		
Site sub-div	Overlain by: 45	DEPOSIT:		
Structure No.	Abutted by:	1. compaction 2. colous 3. composition 4. inclusion		
Plan No.	Cut by:	5. thickness 6. extent 7. comments 8. method		
		conditions		
Section No.	Same as:	CUT:		
<u></u> ک.	Part of:	1. shape in plan 2. base/sides/top profile		
Co-Ordinates	Consists of:	3. dimension and depth 4. sketch 5. truncation 6. fill		
		nos 7. other comments		
Level	Butts:	MASONRY:		
Slide No.	Cuts:	1. materials 2. size of bricks etc 3. finish of mones 4.		
Neg No.		coursing/bond 5. form 6. faces 7. bond 8. dimensions as found		
Matrix location	Relationships uncertain .	9. other comments		
Description (See check lists):	STRATIGRAPHIC MATRIX			
Tonacions Light Blue Grey Clay V. few inclusions of Small Submanded 45 this context is 46 40 48				
gamel.				
<0.4m thick.				
Runs 4.6 m NS in exc, unknown extent E-W				
Machine excavoted.				
Interpretation/Discussion				
Par es the	armel - clay afternation segmence on	Carm well		
	gravel-clay alternating sequence of	J		
n the co	rameha of the mand.	-		
•				
Finds (tick): None [] Pot [] Bone [] Flint [] Stone [] Burnt stone [] Glass [] Metal [] CBM [] Wood [] Leather []				
	Recorder			
Samples	Date 14-04-08. Initials Jam			
Building Materials	Initials			

Oxford Archaeology	CONTEXT RECORD	Context No.		
SITE OXFCAM Ø8	ADDITIONAL SHEETS:	TYPE BOND, NG.		
Trench	Context Type: Deposit / Cut / Structu re	Check Lists:		
Site sub-div	Overlain by: (48)	DEPOSIT:		
Structure No.	Abutted by:	1. compaction 2. colour 3. composition 4. inclusion		
Plan No.	Cut by: 69	5. thickness 6. extent Comments 8. method &		
	Filled by:	conditions		
Section No.	Same as:	CUT:		
3	Part of:	1. shape in plan 2. base/sides/top profile		
Co-Ordinates	Consists of:	3. dimension and depth 4. sketch 5. truncation 6. fill		
	Overlies: (49)	nos 7. other comments		
Level	Butts:	MASONRY:		
Slide No.	Cuts:	1. materials 2. size of bricks etc 3. finish of stones 4.		
Neg No.	Fill of:	coursing/bond 5. form 6. faces 7. bond 8. dimensions as found		
Matrix location	Relationships uncertain	9. other comments		
Description (See check lists): 1. Tenerious Light 2: But any Clay mixed 3. Intel orange \$ bown growed parties in a Brownia gellon Clay. 5. < 0.2m thick 6. 1.1m NS (in exc), unknown E-Westert. 7 8. Machine. Interpretation/Discussion more Substantial Cay deposited be bond layer of clay and growed togethe of part of general construction by the marmed.				
Finds (tick): None-CBM [] Wood []	Pot[] Bone[] Flint[] Stone[] Burnt stone[] G Leather[]	lass [] Metal [] Recorder J		
Samples	Date 14.04.08			
Building Mater	Initials Som			

Oxford Archaeology	CONTEXT RECORD	Context No.			
SITEOXFLAMOS	ADDITIONAL SHEETS:	TYPE CONSTR. DEP.			
Trench	Context Type: Deposit / Cost / Structure	Check Lists:			
Site sub-div	Overlain by: 46	DEPOSIT:			
Structure No.	Abutted by:	7. compaction 2. colour 8. composition 4. inclusion			
Plan No.	Cut by:	5.thickness 6. extent 7. comments 8. method &			
	Filled by:	conditions			
Section No.	Same as:	СИТ:			
3	Part of:	1. shape in plan 2. base/sides/top profile			
Co-Ordinates	Consists of:	3. dimension and depth 4. sketch 5. truncation 6. fill			
	Overlies: (43)	nos 7. other comments			
Level	Butts:	MASONRY:			
Slide No.	Cuts:	 materials 2. size of bricks etc finish of stones 4. 			
Neg No.	Fill of: 64,64	coursing/bond 5. form 6. faces 7. bond 8. dimensions as found			
Matrix location	Relationships uncertain -4 = as (45) 5nt with 2. blue grey clay blobs.	9. other comments			
5. V. vanisse, < 0.16 m 6. 15m NS (in eac), unknown E-W 7					
8 - Machine Interpretation/Discussion					
Probably got og bonding between more substantial layers in the construction of the mond.					
<u> </u>					
Finds (tick): None 1/1 CBM [] Wood [] Le	Pot[] Bone[] Flint[] Stone[] Burnt stone[] Glaseather[]	ss [] Metal []			
Small Finds		Recorder JT			
Samples		Date 14-04-08			
Building Materials	S	Initials			

Oxford Archaeology	CONTEXT RECORD	Context No. 49.		
SITE OXFLAM OB	ADDITIONAL SHEETS:	TYPE CONSTR. DOP.		
Trench		Check Lists:		
Site sub-div	Overlain by: 47	DEPOSIT:		
Structure No.	Abutted by:	1. Compaction 2. colors B. composition 4. inclusion		
Plan No.	Cut by: C	thickness 6. extent 7. comments 8. method &		
		conditions		
Section No.	Same as:	CUT:		
3	Part OI:	1. shape in plan 2. base/sides/top profile		
Co-Ordinates		3. dimension and depth 4. sketch 5. truncation 6. fill		
		nos 7. other comments		
Level	Butts:	MASONRY:		
Slide No.	Cuts.	1. materials 2. size of bricks etc 3. finish of stones 4.		
Neg No.		coursing/bond 5. form 6. faces 7. bond 8. dimensions as found		
Matrix location	Relationships uncertain	9. other comments		
Description (See check lists): 1. Tenacian 2. Mid Blue Com 3. Clay 4. Trequent grand inclinion; Ge				
Subnormaled, < 30 mm.				
5. <0 Sm thick, variable, 6. Runs 25m N-S, unknown eatent E-W.				
7. —				
8. Machine.				
Interpretation/Discussion				
Grandly clay	in cut into gravel, possibly bonding	Granel		
med clay layer (41) and (pre shriping) (46) (respectively)				
Finds (tick): None [] Pot [] Bone [] Flint [] Stone [] Burnt stone [] Glass [] Metal [] CBM [] Wood [] Leather []				
△ Small Finds		Recorder 1		
Samples		Date		
Building Material	S	Initials Son		

•

Oxford Archaeology	CONTEXT REC		Context No. 50		
SITE OXFCAMOS	ADDITIONAL SHEETS:		TYPE CONSTIC DOP.		
Trench	Context Type: Deposit / Cut / Structure		Check Lists:		
Site sub-div	Overlain by: (53)		DEPOSIT:		
Structure No.	Abutted by:		1.compaction 2.colour 3.composition 4.inclusion		
Plan No.	Cut by: 47		5. thickness 6. extent 7. comments 8. method &		
	Filled by:		conditions		
Section No.	Same as:		CUT:		
3	Part of:		1. shape in plan 2. base/sides/top profile		
Co-Ordinates	Consists of:		3. dimension and depth 4. sketch 5. truncation 6. fill		
	Overlies: 70		nos 7. other comments		
Level	Butts:		MASONRY:		
Slide No.	Cuts:		 materials 2. size of bricks etc finish of stones 4. 		
Neg No.	Fill of: 167		coursing/bond 5. form 6. faces 7. bond 8. dimensions as found		
Matrix location	Relationships uncertain		9. other comments		
Description (See check lists):	-	STRATIGRAPHIC MATRIX			
17.	2 Min P. C	<u></u>			
this context is 50					
3. Sady Clay 4. Dirty + Rooked,					
1. Tenacion 2. Mid Ram Gren 3. Sordy Clay 4. Dirry + Reated, 451. SR/SA GRACE 125m					
5.<0.4m thick in ex. 6. 034m 3.4m N-5 (in ex), unknown E-W					
6. 034m 3.4 m N-5 (in ex), unknown E-W					
7 8. A	7 8. Machine				
Interpretation/Discussion			· · · · ·		
Dirty mixed a	lay possible serves as	bon dia a be breeze	- Larran		
	7,1	7	9		
Elm and	grand.				
Lies is cut (Noteles' in gravel 41).					
<u> </u>					
Finds (tick): None [] Pot [] Bone [] Flint [] Stone [] Burnt stone [] Glass [] Metal [] CBM [] Wood [] Leather []					
△ Small Finds			RecorderJT		
Samples Samples		Date 14-04-08			
Building Materials			Initials Jour		

Oxford Archaeology	CONTEXT RECORD	Context No.
SITE OX FCAMOS	ADDITIONAL SHEETS:	TYPE CONSTR DEP
Trench	Context Type: Deposit / Cut / Structure	Check Lists:
Site sub-div	Overlain by: (52)	DEROSIT:
Structure No.	Abutted by:	1. compaction 2. color 3. composition 4. inclusion
Plan No.	Cut by: [42] [71]	5. thickness 6. extent 7. Comments 8. method 8 conditions
Continu No.	Filled by:	CUT:
Section No.	Same as: Part of:	1. shape in plan
Co-Ordinates	Consists of:	2. base/sides/top profile 3. dimension and depth
CO-Ordinates	Overlies: 53	4. sketch 5. truncation 6. fill nos 7. other comments
Level	Butts:	MASONRY:
Slide No.	Cuts:	1. materials 2. size of bricks etc
Neg No.	Fill of:	3. finish of stones 4.coursing/bond 5. form 6. faces
Matrix location	Relationships uncertain	7. bond 8. dimensions as found 9. other comments
Description (See check lists):	STRATIGRAPHIC MATRIX	
1. Ferrore 3. Silly Sand	2. Mid brey Rom 4. 10-15% SR Stone < 15m. 53	
5.02m thick 6.6m N-S(n ex 7 8. Machine.), unknown E-W	:
Interpretation/Discussion		
Pat of married	Construction:	
Finds (tick): None (CBM [] L	Pot[] Bone[] Flint[] Stone[] Burnt stone[] G _eather[]	lass [] Metal []
		Recorder JT
Samples		Date 14-04-08
Building Materia	ls	Initials ign.

Oxford Archaeology	CONTEXT RECORD		ontext No.	
SITEOXFamps	ADDITIONAL SHEETS:		YPE & REPAR DEP	
Trench	Context Type: Deposit / Cut / Structure	CI	neck Lists:	
Site sub-div	Overlain by: 60	Di	EPOSIT:	
Structure No.	Abutted by:	•	compaction 2. colour composition 4. inclusion	
Plan No.	Cut by:	5.	thickness 6. extent comments 8. method &	
	Filled by:		onditions	
Section No.	Same as:	C	UT:	
3	Part of:		shape in plan base/sides/top pr <u>of</u> ile	
Co-Ordinates	Consists of:	3.	dimension and depth sketch 5 truncation 6. fill	
	Overlies:		os 7. other comments	
Level	Butts:	N	IASONRY:	
Slide No.	Cuts:	3.	materials 2. size of bricks etc finish of stones 4.	
Neg No.	Fill of: 71	cc	oursing/bond 5. form 6. faces bond 8. dimensions as found	
Matrix location	Relationships uncertain		other comments	
Description (See check lists):		STRATIGRAPHIC MATRIX		
1. Sept 2. Dark Bline Cmy 3. Clay-Sand 4. 151. Stone incls, Sins Randed Sins Ang. 5. < 0.8 m thick 6. Thickest low a slope, Pans >3.8 m N-S(in eac) unknown E-W. 7. Lagrand 17.— 8. Massine. Interpretation/Discussion Processing packfull by work done in mid 1970's to install the way to the north by cartle memd. Thick Nopen extent probably the result of Sumping by this deposit reguing the later repairs required by [42] and (43).				
Finds (tick): None [Pot [] Bone [] Flint [] Stone [] Burnt stone [] Glass [] Metal [] CBM [] Wood [] Leather []				
∑ Small Finds			RecorderJT	
Samples			Date 14-04-08	
Building Materials			Initials	

Oxford Archaeology	CONTEXT RECORD	Context No.		
SITE OXFCAMOS	ADDITIONAL SHEETS:	TYPE CONSTE DEP.		
Trench	Context Type: Deposit / Cut / Structure	Check Lists:		
Site sub-div	Overlain by: (51)	EPOSIT:		
Structure No.	Abutted by:	1. compaction 2. colour 3. composition 4. inclusion		
Plan No.	Cut by:	5. thickness 6. extent		
	Filled by:	7. comments 8. method & conditions		
Section No.	Same as:	СИТ:		
3.	Part of:	1. shape in plan 2. base/sides/top profile		
Co-Ordinates	Consists of:	3. dimension and depth 4. sketch 5. truncation 6. fill		
·	Overlies: 50	nos 7. other comments		
Level	Butts:	MASONRY:		
Slide No.	Cuts:	1. materials 2. size of bricks etc 3. finish of stones 4.		
Neg No.	Fill of:	coursing/bond 5. form 6. faces 7. bond 8. dimensions as found		
Matrix location	Relationships uncertain	9. other comments		
Description (See check lists):	STRATIGRAPHIC MATRIX	· · · · · · · · · · · · · · · · · · ·		
1 1 2 2 -		<u> </u>		
1. 600x 2. 1				
2. Clayer Jana	3. Clayer Sand 4. 301 pegraniel this context is 53			
1. Dose 2. Dark Goldan Bran 3. Clayery Sand 4. 301. pegramel. 5. < 250mm thick				
6 Rens 1.4m NS, in exe, conknown E-W				
Interpretation/Discussion				
Bandi dan	· · · · · · · · · · · · · · · · · · ·	1 4 74		
ismany aupin +	a cut step 101), panisy somes	to beller		
join (ayus	in cut step [67], parish serves			
Finds (tick): None [] Pot [] Bone [] Flint [] Stone [] Burnt stone [] Glass [] Metal [] CBM [] Wood [] Leather []				
		Recorder		
Samples		Date 14/04/08.		
Building Materials		Initials		

Oxford Archaeology	CONTEXT RECORD	Context No.		
SITE OXFIAMOS	ADDITIONAL SHEETS:	TYPE WASH.		
Trench	Context Type: Deposit / Cut / Structure	Check Lists:		
Site sub-div	Overlain by:	DEPOSIT:		
Structure No.	Abutted by:	1. compaction 2. colour 3. composition 4. inclusion		
Plan No.	Cut by: 67	5. thickness 6. extent 7. comments 8. method & conditions		
Section No.	Same as:	СИТ:		
3	Part of:	1. shape in plan 2. base/sides/top profile		
Co-Ordinates	Consists of:	3. dimension and depth 4. sketch 5. truncation 6. fill		
	Overlies: (55)	nos other comments		
Level	Butts:	MASONRY:		
Slide No.	Cuts:	1. materials 2 arze of bricks etc 3. finish of stones 4.		
Neg No.	Fill of:	coursing/bond 5. form 6. faces 7. bond 8. dimensions as found		
Matrix location	Relationships uncertain	9. other comments		
Description (See check lists):	STRATIGRAPHIC MATRIX	· · · · · · · · · · · · · · · · · · ·		
1. Sept 2. Ca				
3. Mid Bonn				
1. Sept 2. Co 3. Mid Bonn +. 60% mixed				
20 m.				
5. <0-2m thick come				
6. 3.7m N-S	on North Jace, in exc. Unknown E-	ω .		
Interpretation/Discussion				
Probable was	I from higher a slope during construction			
as desomit	is cut by Step [67].			
070011	3) 3, 103,			
Finds (tick): None [Pot [] Bone [] Flint [] Stone [] Burnt stone [] Glass [] Metal [] CBM [] Wood [] Leather []				
∑ Small Finds		Recorder JT		
Samples		Date 14-04-08 Initials		
Building Materials		Initials Adm		

Oxford Archaeology	CONTEXT RECORD	Context No.	
SITE OXFCAM Ø8	ADDITIONAL SHEETS:	TYPE WASH	
Trench	Context Type: Deposit / Cut / Structure	Check Lists:	
Site sub-div	Overlain by: 54	DEPOSIT:	
Structure No.	Abutted by:	1. compaction 2. colour 3. composition 4. inclusion	
Plan No.	Cut by:	5. thickness 6. extent 7. comments 8. method &	
	Filled by:	conditions	
Section No.	Same as:	CUT:	
3	Part of:	1. shape in plan 2. base/sides/top profile	
Co-Ordinates	Consists of:	3. dimension and depth 4. sketch 5. truncation 6. fill	
	Overlies: 56	nos 7. other comments	
Level	Butts:	MASONRY:	
Slide No.	Cuts:	1. materials 2. size of bricks etc 3. finish of stones 4.	
Neg No.	Fill of:	coursing/bond 5. form 6. faces 7. bond 8. dimensions as found	
Matrix location	Relationships uncertain	9. other comments	
Soft Mid-Grey-Borm Clay-Sond this context is 55 20% pea groud. < 80 mm (hick (n ex)) Rens 2.5 m N-5 in ex, unknown E-W			
Interpretation/Discussion			
Hic wash	formed ding construction of mound.		
Finds (tick): None []	Pot[] Bone[] Flint[] Stone[] Burnt stone[] (Glass [] Metal []	
CBM[] Wood[] L			
△ Small Finds		Recorder	
Samples		Date 14-04-08	
Building Materia	Initials A		

Oxford Archaeology	CONTEXT RECORD	Context No.		
SITE OXFCAMOS	ADDITIONAL SHEETS:	TYPE HILL WASH		
Trench	Context Type: Deposit / Cut / Structure	Check Lists:		
Site sub-div	Overlain by: (55)	DEPOSITE:		
Structure No.	Abutted by:	1. compaction 2. colors 3. composition 4. inclusion		
Plan No.	Cut by:	5. thickness 6. extent 7. comments 8. method &		
	Filled by:	conditions		
Section No.	Same as:	CUT:		
3	Part of:	1. shape in plan 2. base/sides/top profile		
Co-Ordinates	Consists of:	3. dimension and depth 4. sketch 5. truncation 6. fill		
	Overlies: (57)	nos 7. other comments		
Level	Butts:	MASONRY:		
Slide No.	Cuts:	1. materials 2. size of bricks etc 3. finish of stones 4.		
Neg No.	Fill of:	coursing/bond 5. form 6. faces 7. bond 8. dimensions as found		
Matrix location	Relationships uncertain	9. other comments		
Description (See check lists):	STRATIGRAPHIC MATRIX			
Isat 2/mil				
Soft 3 Mid				
1 1. SK Stone				
5) < 130mm thick 6) 3. Im NS (in ex)				
6) 3. Im NS (in ex)				
\mathcal{H} —				
8) Machine				
Interpretation/Discussion				
thill work of	wned during construction of mound.			
	mana:			
· · · · · · · · · · · · · · · · · · ·				
Finds (tick): None [Pot [Bone [Flint [Stone [Burnt stone [Glass [Metal [] CBM [Wood [Leather []				
		Recorder JT		
Samples		Date 14-04-08		
Building Material	S	Initials farm		

Oxford Archaeology	CONTEXT RECORD	Context No.		
SITEOXFCAMØ8	ADDITIONAL SHEETS:	TYPE HUWANA		
Trench		heck Lists:		
Site sub-div	Overlain by: (36)	EPOSIT:		
Structure No.		.compaction 2.colour .composition 4.inclusion		
Plan No.	Cut by:	. thickness 6. extent . comments 8. method &		
		onditions		
Section No.		CUT:		
3	Part of:	. shape in plan . base/sides/top profile		
Co-Ordinates	Consists of	dimension and depth sketch 5. truntation 6. fill		
		os 7. other comments		
Level	Butts:	MASONRY:		
Slide No.		. materials 2. size of bricks etc . finish of stones 4.		
Neg No.	Fill of:	oursing/bond 5. form 6. faces bond 8. dimensions as found		
Matrix location		other comments		
Description (See check lists):	STRATIGRAPHIC MATRIX	:		
1 14 00 6	5.6			
1-4 = SA (5	7			
5. < 80 mm				
1-4 = 5A (54) 5. <80m 6. 2:8m NS (in ex) unknown E-W				
unknown E-W				
7. —				
8. Madrine				
Interpretation/Discussion				
allaniana lara	ed ding construction of mand.			
Good of the second	and the straining of the			
Finds (tick): None { Pot [] Bone [] Flint [] Stone [] Burnt stone [] Glass [] Metal [] CBM [] Wood [] Leather []				
Small Finds		Recorder j-		
Samples		Date 14.04.08		
Building Materials	5	Initials Adm.		

Oxford Archaeology	CONTEXT RECORD		ontext No.	
SITE OXFCAMØ8	ADDITIONAL SHEETS:	Т	YPEHILMANT	
Trench	Context Type: Deposit/ Cut / Structure	C	heck Lists:	
Site sub-div	Overlain by: 57	/ 6	EPOSIT:	
Structure No.	Abutted by:		. compaction 2. colour . composition 4. inclusion	
Plan No.	Cut by:	5	. thickness 6. extent . comments 8. method &	
	Filled by:		onditions	
Section No.	Same as:		IUT:	
3	Part of:		shape in plan base/sides/top profile	
Co-Ordinates	Consists of:	3	. dimension and depth . sketch 5. truncation 6. fill	
·	Overlies: (59)		os 7. other comments	
Level	Butts:		MASONRY:	
Slide No.	Cuts:		. materials 2. size of bricks etc . finish of stones 4.	
Neg No.	Fill of:		oursing/bond 5. form 6. faces . bond 8. dimensions as found	
Matrix location	Relationships uncertain		other comments	
Description (See check lists):		STRATIGRAPHIC MATRIX		
1-4 SA (55)			<u></u> _	
5. Aorm Phick				
5. Horm thick 6. 1.3m N-5 in ex unknown E-W				
7. —				
8. Machine				
Interpretation/Discussion				
Collins				
Coller, my for	ned doing construction of	mand		
			-	
Finds (tick): None [/] CBM[] Wood[] L	Pot[] Bone[] Flint[] Stone[eather[]] Burnt stone [] Glass	[] Metal[]	
Small Finds			Recorder	
Samples			Date 14-04-08	
Building Material			Date 14-04-08 Initials Adm	

.-

Oxford Archaeology	CONTEXT RECORD	Context No.			
SITE OXECAMOR	ADDITIONAL SHEETS:	TYPE WWW.			
Trench	Context Type: Deposit / Cat / Structure -	Check Lists:			
Site sub-div	Overlain by: 58	DEPOSIT:			
Structure No.	Abutted by:	1. compaction 2. colour 3. composition 4. inclusion			
Plan No.	Cut by:	5. thickness 6. extent			
,	Filled by:	7. comments 8. method & conditions			
Section No.	Same as:	CUT:			
3	Part of:	1. shape in plan 2. base/sides/top profile			
Co-Ordinates	Consists of:	3. dimension and depth 4. sketch 5. truncation 6. fill			
	Overlies: (41)	nos 7. other comments			
Level	Butts:	MASONRY:			
Slide No.	Cuts:	1. materials 2. size of bricks etc 3. finish of stones 4.			
Neg No.	Fill of:	coursing/bond 5. form 6. faces 7. bond 8. dimensions as found			
Matrix location	Relationships uncertain	9. other comments			
Description (See check lists):	STRATIGRAPHIC MATRIX				
1. Friedle	2. Mid Blan Grey 58				
3 Sandra Ch	this context is 59				
5. Oardy Clay 7. 30-40%. SR Stone 41 41					
1. Trickle 2. Mid Blan Grey 3. Sordy Clay 4. 30-40: SR Stare 1. Trickle 2. Mid Blan Grey this context is 59 41 5. <0.28m - thick					
(3 m N 5 in and the T ()					
6. 3m N-S, in exc, unknown E-W.					
t. $-$					
8. Machine, Interpretation/Discussion					
How word Sh	CLAY CAP FROM 14 PHASE OF MON	~ ∂.			
					
		·			
Finds (tick): None [Pot [] Bone [] Flint [] Stone [] Burnt stone [] Glass [] Metal [] CBM [] Wood [] Leather []					
		Recorder J T			
Samples		Date 14-04-08			
Building Material	5	Initials Jam			

Oxford Archaeology	CONTEXT RECORD	Context No.			
SITE OXFCAM 08	ADDITIONAL SHEETS:	TYPE Topson 1.			
Trench		Check Lists:			
Site sub-div		DEPOSIT:			
Structure No.	Abutted by:	1. compaction 2. colour 3. composition 4. inclusion			
Plan No.	Cut by:	5. thickness 6. extent 7. comments 8. method &			
		conditions			
Section No.	Same as:	CUT:			
3.	Part of:	1. shape in plan 2. base/sides/top profile			
Co-Ordinates	Consists of:	3. dimension and depth 4. sketch 5. truncation 6. fill			
		nos 7. other comments			
Level	Butts:	MASONRY:			
Slide No.	CHIS'	1. materials 2. size of bricks etc 3. finish of stones 4.			
Neg No.	Fill of: 7-11	coursing/bond 5. form 6. faces 7. bond 8. dimensions as found			
Matrix location		9. other comments			
Description (See check lists):	STRATIGRAPHIC MATRIX				
Tury + topsoil. this context is 52 43.					
	•	·			
Interpretation/Discussion					
Topsvil + The	1 1970's Report bookstool. Anour	SARI-CL			
more from 20					
hope Licen (40)	REPAIR work.				
-					
Finds (tick): None [] CBM [] Wood [] Le	Pot[] Bone[] Flint[] Stone[] Burnt stone[] Glaseather[]	s[] Metal[]			
	Recorder JT				
Samples		Date 14-04-08.			
Building Materials	5	Initials			

Oxford Archaeology	CONTEXT RECORD	Context No.		
SITEOXFCAMOS	ADDITIONAL SHEETS:	TYPE CUT		
Trench	Context Type: D eposit / Cut / Structure	Check Lists:		
Site sub-div	Overlain by:	DEPOSIT:		
Structure No.	Abutted by:	1. compaction 2. colour 3. composition 4. inclusion		
Plan No.	Cut by:	5. thickness 6. extent 7. comments 8. method &		
	Filled by: (17)	conditions		
Section No.	Same as:	СИТ		
3	Part of:	1. shape in plan 2 base/sides/top profile		
Co-Ordinates	Consists of:	3. dimension and depth 4. sketch 5. truncation 6. fill		
-	Overlies:	nos 7. other comments		
Level	Butts:	MASONRY:		
Slide No.	Cuts: 39 45	1. materials 2. size of bricks etc 3. finish of stones 4.		
Neg No.	Fill of:	coursing/bond 5. form 6. faces 7. bond 8. dimensions as found		
Matrix location	Relationships uncertain	9. other comments		
Description (See check lists):	2.3 STRATIGRAPHIC MATRIX			
Description (See check lists): 2 3 m (org. Cut only Seer in propole running N-5 & on N. Side of Castle mand. Runn up the Slope + includes				
notches + steps, often at right apples. S. N				
11010hes + 316	eps, ofen as right angles.			
	62			
		4		
- L.J				
Interpretation/Discussion Grands				
Cut into (39) +	(HS) to provide a key for (17)	to adhere to.		
	<i>y y</i>			
Finds (tick): None[] Pot[] Bone[] Flint[] Stone[] Burnt stone[] Glass[] Metal[] CBM[] Wood[] Leather[]				
		Recorder J7.		
Samples		Date		
Building Material	S	Initials		

,

· ;

Oxford Archaeology	CONTEXT RECORD	Context No.	
SITE OXECAMOS	ADDITIONAL SHEETS:	TYPE CUT	
Trench	Context Type: Deposit / Cut / Structure	Check Lists:	
Site sub-div	Overlain by:	DEPOSIT:	
Structure No.	Abutted by:	1. compaction 2. colour / 3. composition 4. inclusion	
Plan No.	Cut by: Filled by: (39)	5. thickness 6. extent 7. comments 8. method & conditions	
Section No.	Same as: 64	CUT:	
3	Part of:	1. shape in plan 2. base/sides/top profile	
Co-Ordinates	Consists of:	3. dimension and depth 4. sketch 5. truncation 6. fill	
	Overlies:	nos 7. other comments	
Level	Butts:	MASONRY:	
Slide No.	Cuts: (40)	1, materials 2. size of bricks etc 3, finish of stones 4.	
Neg No.	Fill of:	7. bond 8. dimensions as found	
Matrix location	Relationships uncertain	9. other comments	
Lut 3.8m long (in exc) seem in Sechin only running N-5 an N. Juce of castle mand. Consists of a series of Notcles Steps, fractantly at right apples and surjuce. This context is 63 +144 HO Interpretation/Discussion Cont into clay (70) to pamile a key sor (39) to adhere to.			
Finds (tick): None [] Pot [] Bone [] Flint [] Stone [] Burnt stone [] Glass [] Metal [] CBM [] Wood [] Leather []			
		Recorder JT	
Samples		Date	
Building Material		Initials Anim	

Oxford Archaeology	CONTEXT RECORD		Context No.	
SITE OXFCAMOS	ADDITIONAL SHEETS:		TYPE KEYING-IN	
Trench	Context Type: Deposit / Cut / Structure		Check Lists:	
Site sub-div	Overlain by:		DEPOSIT:	
Structure No.	Abutted by:		1. compaction 2. colour 3. composition 4. inclusion	
Plan No.	Cut by:		5. thickness 6. extent 7. comments 8. method & conditions	
Section No.	Same as: (63)		CUT:	
3	Part of:		1. shape in plan	
Co-Ordinates	Consists of:		2. base/sides/top profile3. dimension and depth	
•	Overlies: ∠		4. sketch 5. truncation 6. fill nos 7. other comments	
Level	Butts:	***	MASONRY:	
Slide No.	Cuts: (40)		1. materials 2. size of bricks etc 3. finish of stones 4.	
Neg No.	Fill of:		coursing/bond 5. form 6. faces	
Matrix location	Relationships uncertain		7. bond 8. dimensions as found 9. other comments	
See 163 , 4 m long in exe. this context is [64] = 63				
Interpretation/Discussion		•		
As Cut crea	try a key for or	elins contex	K to adhere	
sit more secu	As Cut creating a key for overlying contexts to there sit more securely in and prevent the upper layer of the mand sliding down its sides.			
the mand s	oliding down its sides.			
Finds (tick): None() CBM[] Wood[] Lo	Pot[] Bone[] Flint[] Stone[eather[]] Burnt stone [] Gla	ss[] Metal[]	
			Recorder 5	
Samples		<u> </u>	Date 14-04-08	
Building Materials		Initials Jan		

Oxford Archaeology	CONTEXT REC	_	ontext No.		
SITE OXFCAM 98	ADDITIONAL SHEETS:	Т	YPE CUT		
Trench	Context Type: Deposit / Cut / Structure	C	heck Lists:		
Site sub-div	Overlain by: (44)	D	EPOSIT:		
Structure No.	Abutted by:		compaction 2. colour composition 4. inclusion		
Plan No.	Cut by:	5.	thickness 6. extent comments 8. method &		
	Filled by:		onditions		
Section No. 2	Same as: 62		⊍⊺.		
<u> </u>	Part of:		shape in plan base/sides/top profila		
Co-Ordinates	Consists of:		dimension and depth sketch 5. truncation 6. fill		
	Overlies:		os 7. other comments		
Level	Butts:		IASONRY:		
Slide No.	Cuts: (45)	3.	materials 2. size of bricks etc finish of stones 4.		
Neg No.	Fill of:		oursing/bond 5. form 6. faces bond 8. dimensions as found		
Matrix location	Relationships uncertain		other comments		
Description (See check lists):		STRATIGRAPHIC MATRIX			
0-1 5		44			
my den n	Section. 3m N-S (in exc), /steps who side of	this context is 65	= 62		
Kuns approx	3m N-S(nexc),		<u>-</u>		
cuts notches	Isters who side or	<u> </u>			
maind. S N					
· · · · ·					
	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	65	1		
		L . L	ز		
Interpretation/Discussion					
Cut to aid.	stricking of upper contro	its to steep for	ace uj		
Costle mand	and Stop them Sh	ding off.			
Cut to aid stricking of upper contexts to streep face up Costle mound and Stop them Sliding off.					
·					
Finds (tick): None[] Pot[] Bone[] Flint[] Stone[] Burnt stone[] Glass[] Metal[] CBM[] Wood[] Leather[]					
Small Finds			Recorder JT		
Samples			Date 14-04-08		
Building Materials	S		Initials Jam		

Oxford Archaeology	CONTEXT RECORD	Context No.		
SITE OXFCAM 08	ADDITIONAL SHEETS:	TYPE KEYMG-IN CUT		
Trench	Context Type : Deposit / Cut / Structure -	Check Lists:		
Site sub-div	Overlain by:	DEPOSIT:		
Structure No.	Abutted by:	1. compaction 2. colour/ 3. composition 4 inclusion		
Plan No.	Cut by:	5. thickness 6. extent 7. comments 8. method &		
	Filled by: (40) + (49)	conditions		
Section No.	Same as:	CUT:		
3	Part of:	1. shape in plan 2. base/sides/top profile		
Co-Ordinates	Consists of:	3. dimension and depth 4. sketch 5. truncation 6. fill		
	Overlies:	nos 7. other comments		
Level	Butts:	MASONRY:		
Slide No.	Cuts: (66)	1. materials 2. size of bricks etc 3. finish of stones 4.		
Neg No.		coursing/bond 5. form 6. faces 7. bond 8. dimensions as found		
Matrix location	Relationships uncertain	9. other comments		
Description (See check lists): STRATIGRAPHIC MATRIX His context is G6 = G7? This context is G6 = G7? Consists g a series g steps at				
Le mond.				
TR'd by [42] N				
Interpretation/Discussion				
First Stepping, pande better	First stepping/terracing on gramel deposit (41), probably cut to possible better grip for upper deposits.			
Finds (tick): None [1 CBM [] Wood [] Le	Pot[] Bone[] Flint[] Stone[] Burnt stone[] Glaseather[]	s[] Metal[]		
A Small Finds		Recorder J7		
Samples		Date 14/04/08		
Building Materials		Initials Lan.		

Oxford Archaeology	CONTEXT RECORD	Context No.		
SITE DXFCAM98	ADDITIONAL SHEETS:	TYPE Kegipin aut		
Trench		Check Lists:		
Site sub-div	Overlain by:	DEPOSIT:		
Structure No.	Abutted by:	1. compaction 2. colour 3. composition 4. inclusion		
Plan No.	Cut by:	5. thickness 6. extent 7. comments 8. method &		
	(10)	conditions		
Section No.	Part of:	CUT: 1. shape in plan 2. hose/kides/ten profile		
Co-Ordinates	Consists of	2. base/sides/top profile 3. dimension and depth		
		4. sketch 5. truncation 6. fill nos 7. other comments		
Level	Butts:	MASONRY:		
Slide No.		1. materials 2. size of bricks etc		
Neg No.	Fill of:	3. finish of stones 4. coursing/bond 5. form 6. faces		
Matrix location		7. bond 8. dimensions as found 9. other comments		
Description (See check lists): Stepping and running N-S on No face This context is 67 = 66 Only seen in progrice TRid by 42 Interpretation/Discussion See [66]				
Finds (tick): None [] Pot [] Bone [] Flint [] Stone [] Burnt stone [] Glass [] Metal [] CBM [] Wood [] Leather []				
		Recorder JT		
Samples		Date 14/04/08		
Building Materials		Initials		

Oxford Archaeology	CONTEXT REC	ORD	Context No.	
SITE OXFCAMO8	ADDITIONAL SHEETS:		TYPE DEP	
Trench	Context Type: Deposit / Gut / Structure		Check Lists:	
Site sub-div	Overlain by:		DEP OSIT.	
Structure No.	Abutted by:		1.compaction 2.colour 3.composition 4.inclusion	
Plan No.	Cut by: 71		5. thickness 6. extent 7. comments 8. method &	
	Filled by:		conditions	
Section No.	Same as:		CUT: 1. shape in plan	
<u> </u>	Part of:		2. base/sides/top profile 3. dimension and depth	
Co-Ordinates	Consists of: Overlies:		4. sketch 5. truncation 6. fill nos 7. other comments	
Level	Overlies: (5) Butts:		MASONRY:	
Slide No.	Cuts:		1. materials 2. size of bricks etc	
Neg No.	Fill of:		3. finish of stones 4. coursing/bond 5. form 6. faces	
Matrix location	Relationships uncertain	:	7. bond 8. dimensions as found 9. other comments	
Description (See check lists):		STRATIGRAPHIC MATRIX	·	
/. ?. []				
this context is 68				
7. 4.				
5. < 0.24m thick in exc.				
5. <0.24m thick in exc. 6. >2m NS. unknown E-W				
7. –				
8 Maching.				
Interpretation/Discussion				
Partile Slum	up from higher on ma	und Side.		
Finds (tick): None [] Pot [] Bone [] Flint [] Stone [] Burnt stone [] Glass [] Metal [] CBM [] Wood [] Leather []				
△ Small Finds		Recorder JT		
Samples		Date 14-04-0)		
Building Materials		Initials Jan		

٠.

Oxford Archaeology	CONTEXT REC		Context No.
SITE OX FCAMOS	ADDITIONAL SHEETS:		TYPE CUT
Trench	Context Type: Deposit / Cut / Structure		Check Lists:
Site sub-div	Overlain by:		DEPOSIT:
Structure No.	Abutted by:		. compaction 2. colour 3. composition 4. inclusion
Plan No.	Cut by:	-	5. thickness 6. extent 7. comments 8. method &
	Filled by: (48)		conditions
Section No.	Same as:	1/	CUT:
3	Part of:		1. shape in plan 2. base/sides/top profile
Co-Ordinates	Consists of:		3. dimension and depth 4. sketch 5. truncation 6. fill
·	Overlies:		os 7. other comments
Level	Butts:		MASONRY:
Slide No.	Cuts: (47)		. materials 2. size of bricks etc 3. finish of stones 4.
Neg No.	Fill of:		coursing/bond 5. form 6. faces 7. bond 8. dimensions as found
Matrix location	Relationships uncertain		other comments
Description (See check lists): Rem 1.6 m N-S in exc. Consish of Stepping Cuts up side of this context is 69 manuf problesh running horizontally Attention around it. This sy [42] Interpretation/Discussion Interpretation/Discussion Interpretation/Discussion The sy cut to the in layers of deposits more effectively and prevent the North face of the manuf Slidny aff.			
Finds (tick): None [CBM [] Wood []] Pot[] Bone[] Flint[] Stone[Leather[]] Burnt stone [] Glass	s[] Metal[]
A Small Finds			Recorder JT
Samples	·		Date 14-04-08
Building Materia	nls		Initials Vom

Oxford Archaeology	CONTEXT RECORD	Context No. 70		
SITE OXFGAM 08	ADDITIONAL SHEETS:	TYPE DEP		
Trench	Context Type: Deposit / Cut / Structure	Check Lists:		
Site sub-div	Overlain by: (50)	DEPOSIT:		
Structure No.	Abutted by:	1. compaction 2. colour 3. composition 4. inclusion		
Plan No.	Cut by:	5. thickness 6. extent 7. comments 8. method &		
	Filled by:	conditions		
Section No.	Same as:	CUT:		
, J	Part of:	1. shape in plan 2. base/sides/top profile		
Co-Ordinates	Consists of:	3. dimension and depth 4. sketch 5. truncation 6. fill		
	Overlies:	nos 7. other comments		
Level	Butts:	MASONRY:		
Slide No.	Cuts:	1. materials 2. size of bricks etc 3. finish of stones 4.		
Neg No.	Fill of: 67	coursing/bond 5. form 6. faces 7. bond 8. dimensions as found		
Matrix location	Relationships uncertain	9. other comments		
Description (See check lists):	STRATIGRAPHIC MATRIX			
1. Soft 2. Mid Yellen Brown this context is (70)				
3. Sandy Clay				
4.40: Romded granel < 30m				
1. Saft 2. Mid Yeller Brown 3. Sandy Clay (Ven Sandy) 4. 40: Romded grand < 30m 5. 0.45m Bick 6. 0.15m NS (in ex) unknown E-W				
6. O. 15m NS (in ex) unknown E-W				
7. —				
8. Machine				
Interpretation/Discussion				
Appen to	be sumped gard that ha	s faller into		
Step cutting	167/, altrus could be mixed	grand - clay		
Appear to be sumped gard patter that has jaller into step cutting [67], although could be mixed grand-clay placed intentionally as a kind of adherine.				
Finds (tick): None[] Pot[] Bone[] Flint[] Stone[] Burnt stone[] Glass[] Metal[] CBM[] Wood[] Leather[]				
△ Small Finds	*** - ** - **	Recorder JT		
Samples		Date 14-04-08		
Building Material	s	Initials dam		

Oxford Archaeology	CONTEXT RECORD	Context No. H	
SITE OXFCAMPS	ADDITIONAL SHEETS:	TYPECUT	
Trench	Context Type: Deposit / Cut / Structure	Check Lists:	
Site sub-div	Overlain by:	DEPOSIT:	
Structure No.	Abutted by:	1. compaction 2. colour 3. composition 4. inclusion	
Plan No.	Cut by:	5. thickness 6. extent 7. comments 8. method & conditions	
Section No.	Same as:	CUT:	
3,2,	Part of:	1. shape in plan 2. base/sides/top profile	
Co-Ordinates	Consists of:	3. dimension and depth	
	Overlies:	4. sketch 5. truncation 6. fill nos 7. other comments	
Level -	Butts:	MASONRY:	
Slide No.	Cuts: (68)	1. materials 2. size of bricks etc 3. finish of stones 4.	
Neg No.	Fill of:	coursing/bond 5. form 6. faces	
Matrix location	Relationships uncertain	7. bond 8. dimensions as found 9. other comments	
Cut rus 5.4m N-5 in eac, and around mand face to jacing section 5.2. Fairly flat, lend bose at around 45° angle, imperceptible preak of slaper at S-W, gradual at SE.			
Interpretation/Discussion Cut from	1970's wall construction.		
Finds (tick): None[] CBM[] Wood[] L	Pot[] Bone[] Flint[] Stone[] Burnt stone[] Glase	ss[] Metal[]	
∑ Small Finds		Recorder	
Samples		Date 14-04-08	
☐ Building Materials		Initials the	

Oxford Archaeology	CONTEXT RECORD	Context No.		
SITEOX T CAM @8	ADDITIONAL SHEETS:	TYPE CUT		
Trench	Context Type: Deposit / Cut / Structur e	Check Lists:		
Site sub-div	Overlain by:	DEPOSIT:		
Structure No.		1. compaction 2. colour 3. composition 4. inclusion		
Plan No.	Cut by:	5. thickness 6. extent 7. comments 8. method & conditions		
Section No.	Part of:	CUT: 1. Shape in plan 2. base/sides/top profile		
Co-Ordinates	Consists of:	3. dimension and depth 4. sketch 5. truncation 6. fill nos 7. other comments		
Level	Butts:	MASONRY:		
Slide No.		1. materials 2. size of bricks etc 3. finish of stones 4.		
Neg No.	Fill of:	coursing/bond 5. form 6. faces 7. bond 8. dimensions as found		
Matrix location		9. other comments		
Description (See check lists):	STRATIGRAPHIC MATRIX			
<i>c</i> , ,	37			
deen only in f	orgale, Stepped out on this context is 72	7		
c 45° angle on				
Seen only in prople, Stepped out on c45° anglé averall, with aboutes this context is 72 36 2m NS, unknown E-Westert,				
2 1/5 War umus . Kims				
am IV), intram t-Westert,				
72				
2m				
	S	-1 1		
Interpretation/Discussion				
Cut to one	La Chariel Suche has class to	xw (17) ho		
the year	to prevent mand sides slipping.	ye		
Stick to	to prevent mand sides slipping.			
Finds (tick): None [] Pot [] Bone [] Flint [] Stone [] Burnt stone [] Glass [] Metal [] CBM [] Wood [] Leather []				
△ Small Finds		Recorder JT		
Samples		Date 14-04-08		
Building Material	S	Initials		

Oxford Archaeology	CONTEXT RECORD	Context No.			
SITE OXFCAMOS	ADDITIONAL SHEETS:	TYPE DEF			
Trench	Context Type: Deposit / Cut / Structure	Check Lists:			
Site sub-div	Overlain by: (77)	DEPOSIT:			
Structure No.	Abutted by:	1. compaction 2. colour 3 composition 4. inclusion			
Plan No.	Cut by:	5. thickness 6. extent 7. comments 8. method &			
		conditions			
Section No.	Same as:	CUT:			
2	Part of:	1. shape in plan 2. base/sides/top profile			
Co-Ordinates	CONSISTS OF:	3. dimension and depth 4. sketch 5. truncation 6. fill			
	Overlies: (40)	nos 7. other comments			
Level	WWY977	MASONRY:			
Slide No.	Cuts:	1. materials 2. size of bricks etc 3. finish of stones 4.			
Neg No.		coursing/bond 5. form 6. faces 7. bond 8. dimensions as found			
Matrix location		9. other comments			
Description (See check lists):	Sonaly Stratigraphic MATRIX				
Ten At	Mid Cry brown Clay 77				
201 miled grame	201 mised gramel < 20 m. this context is 33				
< 0.4m Mil					
dirty lowing content 5. < 0.4m thick. 6. Runs 8.8m dann N. Jace of Slope (in exc), unknown E-W					
extent.					
7. Dirty, russy feel. 8. Machine.					
Interpretation/Discussion					
Brun garelly Soil, possibly debris from exe of [76], theget he					
Paristy re-projeting sace of mend ofter put consuction?					
Finds (tick): None [] Pot [] Bone [] Flint [] Stone [] Burnt stone [] Glass [] Metal [] CBM [] Wood [] Leather []					
		Recorder J T			
Samples		Date 15 04 CN.			
Building Material	5	Initials MM			

Oxford Archaeology	CONTEXT RECORD	Context No.		
SITE _{OXFCAM} Ø8	ADDITIONAL SHEETS:	TYPE Cut		
Trench	Context Type: Deposit / Cut / Structure	Check Lists:		
Site sub-div	Overlain by:	DEPOSIT:		
Structure No.	Abutted by:	1. compaction 2. colour 3. composition 4. inclusion		
Plan No.	Cut by:	5.thickness o. extent 7.comments 8. method &		
	Filled by: 75	conditions		
Section No.	Same as:	CVT:		
2	Part of:	1. shape in plan 2/base/sides/top profile		
Co-Ordinates	Consists of:	3 dimension and depth 4. sketch 5. truncation 6. fill		
	Overlies:	nos 7. other comments		
Level	Butts:	MASONRY:		
Slide No.	Cuts: (41)	1. materials 2. size of bricks etc 3. finish of stones 4.		
Neg No.	Fill of:	coursing/bond 5. form 6. faces 7. bond 8. dimensions as found		
Matrix location	Relationships uncertain .	9. other comments		
Description (See check lists):	STRATIGRAPHIC MATRIX			
	<u> </u>			
deer in sagile	arly. this context is 70	1 14		
2. Near sightage	e with verticle south			
Sedi to Jean to North State				
July 10 July 10	Grad biois,			
dozay, no s.	ides east nest or north. Shorp argies.			
Seen in progrile only. 2. Near rightayle with verticle south Side and post base to Northern Slape. Chops ay, no sides east west ar north, Sharp ayers. 3. 1.2 m N-S, unknown E-W 4.				
5. TR - 6. TB FS 0.5m deep.				
7 N Z S				
Interpretation/Discussion	- 1.	2~ 1/24		
By andy	ne of a series of steps continuing	y up the		
jace of the mo	jace of the mand and in bands around the Sides, seen more			
dearly in sac	in section, 3.			
Cut to seave with their layer to grand layer as				
mond + prevent shippage.				
Finds (tick): None [/] CBM [] Wood [] Lo	Pot [] Bone [] Flint [] Stone [] Burnt stone [] Glaeather []	ass[] Metal[]		
		Recorder JT		
Samples Date 15 - 41				
		Initials Au		

and

Oxford Archaeology	CONTEXT RECO		Context No. 75	
SITE OXFLAMOS	ADDITIONAL SHEETS:		TYPE Fice	
Trench	Context Type: Deposit / Cut / Structure		Check Lists:	
Site sub-div	Overlain by: (40)		DEPOSIT:	
Structure No.	Abutted by:		d. compaction 2. colour 3. composition 4. inclusion	
Plan No.	Cut by:		5. thickness 6. extent 7. comments 8. method &	
	Filled by:		conditions	
Section No.	Same as:		CUT:	
2	Part of:		I. shape in plan 2. base/sides/top profile	
Co-Ordinates	Consists of:	E CONTRACTOR CONTRACTO	3. dimension and depth 4. sketch 5. truncation 6. fill	
	Overlies:		nos 7. other comments	
Level	Butts:		MASONRY:	
Slide No.	Cuts:		I. materials 2. size of bricks etc 3. finish of stones 4.	
Neg No.	Fill of: Fix		coursing/bond 5. form 6. faces 7. bond 8. dimensions as found	
Matrix location	Relationships uncertain	The state of the s	O. other comments	
1. Tenecian 2. Light Blue Cony 3. Clay 4. 151. mised grand SR/SA, 220m This context is 75				
5. 05m thick. 6. 1.1m N-5, mkronn E-W				
7. —				
8 Madin				
Interpretation/Discussion				
Crarley day	(step all pomity intens	ded to setter	key in	
the overly in	(step jill pomits intense	(41).	<i></i>	
Finds (tick): None [Pot [] Bone [] Flint [] Stone [] Burnt stone [] Glass [] Metal [] CBM [] Wood [] Leather []				
Small Finds			Recorder J T	
Samples			Date 15-04-03	
Building Material	s		Initials Mm.	

ì

Oxford Archaeology	CONTEXT RECORD	Context No.			
SITE OX FCAM 98	ADDITIONAL SHEETS:	TYPE Park Cut?			
Trench	Context Type:-Deposit-/ Cut / Structure-	Check Lists:			
Site sub-div	Overlain by:	DEPOSIT:			
Structure No.	Abutted by:	1.compaction 2.colour 3.composition 4 inclusion			
Plan No.		5. thickness 6. extent 7. comments 8. method &			
	Filled by: (73) FD (7P)	conditions			
Section No.	Same as:	CUT:			
2		1. shape in plan 2. base/sides/top profile			
Co-Ordinates		3. dimension and depth 4. sketch 5. truncation 6. fill			
	Overlies:	nos 7. other comments			
Level	Butts:	MASONRY:			
Slide No.	Cuts: (81)	1. materials 2 size of bricks etc 3. finish of stones 4.			
Neg No.	Fill of:	coursing/bond 5. form 6. faces 7. bond 8. dimensions as found			
Matrix location	Relationships uncertain	9. other comments			
Description (See check lists):	STRATIGRAPHIC MATRIX				
1001 =	73				
They some	1. Und son in puble L. Near rightage this context is 76				
cut viened fro	n West, convex bose,				
gradual stantam 5.0.5 to veticle sout					
1. Only seen in prople 2. Near rightage cut never from west, convex base, gradual stantem 5.0.5 to vehicle soul side, no sides Ear W, drops of to interes Limit to nott. 3. 1.6m high <3m N-S (in Seein), unicrem					
whit to noth	limit to noth. 3. 1.6m high <3m N-S (in sexia), unknown				
E-N.	4.	A) T			
5. TR 5 79 6. FB B 77 (70)7					
Interpretation/Discussion	Interpretation/Discussion				
Cut interpreted as part thy					
Let interprete a port of relating to construction of & N					
a path winding around the					
north side of the mond; which hali					
cut through mond clay capping and allowed nates to build is unless they					
coppin resulting in the slumping on side of word-					
Finds (tick): None [Pot [] Bone [] Flint [] Stone [] Burnt stone [] Glass [] Metal [] CBM [] Wood [] Leather []					
A Small Finds		Recorder			
Samples	Date 15-04-08				
		Initials Om.			

Oxford Archaeology	CONTEXT RECORD	Context No.	
SITEOXFCAM 08	ADDITIONAL SHEETS:	TYPE FUL	
Trench	Context Type: Deposit / Gut / Structure	Check Lists:	
Site sub-div	Overlain by: (78)	DEPOSIT:	
Structure No.	Abutted by:	1. compaction 2. colour 3. composition 4. inclusion	
Plan No.	Cut by:	5. thickness 6. extent 7. comments 8. method &	
	Filled by:	conditions	
Section No.	Same as:	CUT:	
2	Part of:	1. shape in plan 2. base/sides/top profile	
Co-Ordinates	Consists of:	3. dimension and depth 4. sketch 5. truncation 6. fill	
	Overlies: (73)	nos 7. other comments	
Level	Butts:	MASONRY:	
Slide No.	Cuts:	1. materials 2. size of bricks etc 3. finish of stories 4.	
Neg No.	Fill of: 76	coursing/bond 5. form 6. faces 7. bond 8. dimensions as found	
Matrix location	Relationships uncertain	9. other comments	
Fridle to Syst Mixed Clayer Sand with Brown this context is 77 55. 1. Im Mick 6. 3. Im N-5, unknown F-W			
6.3.1m N-5,	unknown E-W		
7. –			
8. Machine.			
Back pill of	path construction out to form tenace	of fall around	
		<u></u>	
Finds (tick): None [1] CBM [] Wood [] L	Pot[] Bone[] Flint[] Stone[] Burnt stone[] Glamether[]	ss[] Metal[]	
Small Finds		Recorder	
Samples		Date 15 - 04 - 08	
Building Material	s	Initials Jam,	

Oxford Archaeology	CONTEXT RECORD	Context No.
SITE OXFLAM 08	ADDITIONAL SHEETS:	TYPEDEP
Trench	Context Type: Deposit / Cut / Structure	Check Lists:
Site sub-div	Overlain by:	DEPOSIT:
Structure No.	Abutted by:	1. compaction 2. colour 3. composition 4. inclusion
Plan No.	Cut by: Filled by:	5. thickness 6. extent 7. comments 8. method & conditions
Section No.	Same as:	CUT:
2	Part of:	1. shape in plan 2. base(sides/top profile
Co-Ordinates	Consists of:	3. dimension and depth
	Overlies: (77)	4. sketch 5. runcation 6. fill nos 7. other comments
Level	Butts:	MASONRY:
Slide No.	Cuts:	1. materials 2. size of bricks etc 3. finish of stones 4.
Neg No.	Fill of:	coursir)g/bond 5. form 6. faces
Matrix location	Relationships uncertain	7. bond 8. dimensions as found9. other comments
Matrix location Pescription (See check lists): Tenacion 2) Mid Blue Coney Clay this context is 78 Tenacion 3) Mid Blue Coney Clay this context is 78 S) 03m thick 6) 6m N-S (in exc) unknown E-W 8) Madrine Interpretation/Discussion Messay Clay depant, pobably to do with the construction of a path around the north face of the mound.		
Finds (tick): None [7]	Pot[] Bone[] Flint[] Stone[] Burnt stone[] Geather[]	lass [] Metal []
Small Finds		Recorder JT
Samples		Date 15-04-08
<u> </u>		Initials 1 Aug.
Building Materia	IS	Indiais MM/

Oxford Archaeology	CONTEXT REC	CORD	Context No.
SITE OXT CAMOS	ADDITIONAL SHEETS:		TYPE Keyran
Trench	Context Type: Deposit / Cut / Structure		Check Lists:
Site sub-div	Overlain by:		DEPOSIT:
Structure No.	Abutted by:		1. compaction 2. colour 3. composition 4. inclusion
Plan No.	Cut by:		5. thickness 6 extent 7. comments 8. method &
	Filled by: 80		conditions
Section No.	Same as:		CUT:
2	Part of:		1. shape in plan 2. base/sides/top profile
Co-Ordinates	Consists of:		3. dimension and depth 4. sketch 5. truncation 6. fill
	Overlies:	·	nos Z. other comments
Level	Butts:		MASONRY:
Slide No.	Cuts: (39)		1. materials 2. size of bricks etc 3. finish of stones 4.
Neg No.	Fill of:		coursing/bond 5. form 6. faces
Matrix location	Relationships uncertain	·	7. bond 8. dimensions as found 9. other comments
No east or west No east or west north. 3. 0.5. E-W. 5. TR'a by [76] 7. — Interpretation/Discussion	propile 2 Flat pass, Sharp Verticle sowth side. - side, Slopus owny bo m deep, 09m N-S, unknown 6. FB (80) pande key for war clay	N	[79]
Finds (tick): None () CBM [] Wood [] L	Pot[] Bone[] Flint[] Stone	[] Burnt stone [] Glas	ss [] Metal [] Recorder JT
Samples			Date 15-04-08
*	le		Initials Day
Building Materials		■ 1 1/1/VI	

STATE OF

..

Oxford Archaeology	CONTEXT RECORD	Context No.	
SITE OXF CAM P8	ADDITIONAL SHEETS:	TYPE FILL	
Trench	Context Type: Deposit / Cut / Structure	Check Lists:	
Site sub-div		DEPOSIT:	
Structure No.		1. compaction 2. colour 3. composition 4. inclusion	
Plan No.		5. thickness 6. extent 7. comments 8. method &	
· —	Filled by:	conditions	
Section No.	Same as:	CUT:	
2	Part of:	1. shape in plan 2. base/sides/top profile	
Co-Ordinates		3. dimension and depth 4. sketch 5. truncation 6. fill	
		nos 7. other comments	
Level		MASONRY:	
Slide No.	Cuis.	1. materials 2. size of bricks etc 3. finish of stories 4.	
Neg No.	Fill of: 199	coursing bond 5. form 6. faces 7. bond 8. dimensions as found	
Matrix location		9. other comments	
1. Frieble 2. Mid Yellow Brown 3. Clay-Sand 4- 15% peogravel + clay Lenous.			
5. 0.5 m thick 6. 0.6 n N-5, Sloper North, unknown EW.			
6. O.B. N-5 Slopes North unknown E.W.			
7			
8. Marine			
Interpretation/Discussion			
Corolling depor	it in Step on mound side, possitty to	paride a	
A ROLL	Para frie for cla (8) 4 m	ment	
Slippage	Leve sopra for pixing for clay &D to porter for your former of mand.	rereit	
Surano of	vace jule of mana.		
Finds (tick): None () CBM[] Wood[] Lo	Pot[] Bone[] Flint[] Stone[] Burnt stone[] Glaseather[]	s[] Metal[]	
Small Finds		Recorder J T	
Samples		Date 15-07008	
A Building Materials		Initials DM	

Oxford Archaeology	CONTEXT RECORD	Context No.
SITE OXFCAM Q8	ADDITIONAL SHEETS:	TYPE DEP
Trench	Context Type: Deposit / Cut / Structure	Check Lists:
Site sub-div	Overlain by: (83)	DEPOSIT:
Structure No.	Abutted by:	1. compaction 2. colour 3. composition 4. inclusion
Plan No.	Cut by:	5. thickness 6. extent 7. comments 8. method &
	Filled by:	conditions
Section No.	Same as:	CUT:
2	Part of:	1. shape in plan 2. base/sides/top profile
Co-Ordinates	Consists of:	3. dimension and depth 4. sketch 5. truncation 6. fill
	Overlies: (80) 28 39	nos 7. other comments
Level	Butts:	MASONRY:
Slide No.	Cuts:	1. materials 2. size of bricks etc 3. finish of stones 4.
Neg No.	Fill of:	coursing/bona 5. form 6. faces 7. bond 8. dimensions as found
Matrix location	Relationships uncertain	9. other comments
4. 25% growel 5. 40.34m this 6. Run 2.8m TR'd to North	45 mm	80
Interpretation/Discussion	deposit forming part of the capping or	ond top of the
V -00-0-1		
Finds (tick): None [-] CBM [] Wood [] L	Pot[] Bone[] Flint[] Stone[] Burnt stone[] Geather[]	ilass [] Metal []
		Recorder JT
Samples		Date 15-04-08
Building Material	S	Initials ftm.

Oxford Archaeology	CONTEXT RECORD	Context No.	
SITE OXFCAMOS	ADDITIONAL SHEETS:	TYPE LAYGE	
Trench	Context Type: Deposit / Gut / Structure	Check Lists:	
Site sub-div	Overlain by: 28	DEPOSIT:	
Structure No.	Abutted by:	1. compaction 2. colour 3. composition 4. inclusion	
Plan No.	Cut by:	5. thickness 6. extent 7. comments 8. method &	
	Filled by:	conditions	
Section No.	Same as:	CUT:	
2	Part of:	1. shape in plan 2. base/sides/top profile	
Co-Ordinates	Consists of:	3. dimension and depth 4. sketch 5. truncation 6. fill	
	Overlies: (39)	nos 7. other comments	
Level	Butts:	MASONRY:	
Slide No.	Cuts:	1. materials 2. size of bricks etc 3. finish of stopes 4.	
Neg No.	Fill of:	coursing/bond 5. form 6. faces 7. bond 8. dimensions as found	
Matrix location	Relationships uncertain	9 other comments	
1. Compact Z. REDDEH Browns 3. CWC1 GAD COANS CAAR CAAR 39			
5, < 120mm H unknown F-W	rick 6. Runs OFm N-S, thinnest in 7 8. Machine,	NONIL	
Interpretation/Discussion			
Politica por	+ of general grand construction of	mond.	
,			
Finds (tick): None-[7] CBM [] Wood [] Lo	Pot[] Bone[] Flint[] Stone[] Burnt stone[] Glaseather[]	ss[] Metal[]	
		Recorder JT	
Samples		Date 15-97-08,	
Building Material	S	Initials DM	

Oxford Archaeology	CONTEXT RECORD	Context No.	
SITE OXFCAMØ8	ADDITIONAL SHEETS:	TYPE DGP	
Trench	Context Type: Deposit / Cut / Structure	Check Lists: 🕜	
Site sub-div	Overlain by:	DEPOSIT:	
Structure No.		1. compaction 2. coloui 3. composition 4. inclusion	
Plan No.	Cut by:	5. thickness 6. extent 7. comments 8. method &	
		conditions	
Section No.	Same as:	CUT:	
2		1. shape in plan 2. base/sides/top profile	
Co-Ordinates ·	Consists of:	3. dimension and depth 4. sketch 5. truncation 6. fill	
·		nos 7. other comments	
Level .		MASONRY:	
Slide No.	(IITS'	1. materials 2. size of bricks etc 3. finish of stones 4.	
Neg No.		coursing/bond 5.form 6.faces 7.bond 8.dimensions as found	
Matrix location		9. other comments	
Description (See check lists):	STRATIGRAPHIC MATRIX		
mille light Blue (my Clay-Sand this context is \\ 83 \\ 35 1. (word, 5.l. < 30 m) 20.15m thick			
1.3 m N.S,	1.3 in N-S, Slopes to North, tempering at ends, Unknown E-W		
Unknown F-	Unknown E-W		
7. —			
8. Machine			
Interpretation/Discussion			
Deposit parish relates to forestruction demolition activity on top of Construction and.			
Warns	•	······································	
Finds (tick): None [/] CBM [] Wood [] La	Pot[] Bone[] Flint[] Stone[] Burnt stone[] Glasseather[]	s[] Metal[]	
Small Finds		Recorder	
		Date 15-04-08	
	S	Initials / A.M.	

Oxford Archaeology	CONTEXT RECORD	Context No. 84	
SITE OXFCAMOS	ADDITIONAL SHEETS:	TYPE Cut	
Trench	Context Type: Deposit / Cut / St ructure	Check Lists:	
Site sub-div	Overlain by:	DEPOSIT:	
Structure No.		1.compaction 2.colour 3.composition 4.inclusion	
Plan No.	Cut by:	5. thickness 6 extent 7. comments 8. method &	
		conditions	
Section No.	Same as:	CUT:	
2		1. shape in plan 2. base/sides/top profile	
Co-Ordinates		3. dimension and depth 4. sketch 5. truncation 6. fill	
		nos 7. oth er comments	
Level	Butts:	MASONRY:	
Slide No.		1. materials 2. size of bricks etc 3. finish of stones 4	
Neg No.	Fill of:	coursing/bond 5. form 6. faces 7. bond 8. dimensions as found	
Matrix location		9. other comments	
Description (See check lists):	STRATIGRAPHIC MATRIX	,	
1. Project only. 2. Series of Steps, thend this context is 84 with gardened to sharp breaks of Slepe			
nd 75-90°	not 75-90° rises. General Slape c 50°.		
3. C.4m N-S	3. C 4 m N-S (dispicult to depne) um known E-W.		
\$.5. TRJ 5471 6.18 (85) 80 87 1889 4.			
7			
Interpretation/Discussion	Interpretation/Discussion		
Sines of step	oed cuts in N. foce of	(
_			
adherin for	adherin for importante to		
present Sup		S	
contents dam mand slope Probably continued around sides of			
mound in a series of fands.			
Finds (tick): None [Pot [] Bone [] Flint [] Stone [] Burnt stone [] Glass [] Metal [] CBM [] Wood [] Leather []			
△ Small Finds		Recorder JT	
Samples		Date 15 - 04 - 08.	
Building Materials		Initials Am.	

Oxford Archaeology	CONTEXT RECORD	Context No.	
SITE OXFCAMOS	ADDITIONAL SHEETS:	TYPE GINSTE. DOP.	
Trench	Context Type: Deposit / Cost / Structure	Check Lists:	
Site sub-div	Overlain by: (86)	DEPOSIT:	
Structure No.	Abutted by:	1.compaction 2.colour 3.composition 4.inclusion	
Plan No.	Cut by:	5. thickness 6. extent 7. comments 8. method &	
	Filled by:	conditions	
Section No.	Same as:	CUT:	
2.	Part of:	1. shape in plan 2. base/sides/top-profile	
Co-Ordinates	Consists of:	3. dimension and depth 4. sketch 5. kuncation 6. fill	
	Overlies:	nos 7. other comments	
Level	Butts:	MASONRY:	
Slide No.	Cuts:	1. materials 2. size of bricks etc 3. finish of stones 4.	
Neg No.	Fill of: 84	coursing/bond 5. form 6. faces 7. bond 8. dimensions as found	
Matrix location	Relationships uncertain	9. other comments	
Description (See check lists): 1. Frichle Mid Gry Brown Garr this context is 85			
1. Frisle Mid Grey Brown Garre Clayery Sand C 101. Small grownel. 0.3m thick			
0.5m N.S, Slopes to North, unknown EW			
3.—			
8. Machine,			
Interpretation/Discussion			
Till of a step	in mand side. The Appear to be a clay hips, probably designed to better in construction deposits.	ne of series	
of grandly-	day hips, probably designed to bette	r bond	
more sizeaso	i construction deposits.		
	• 		
	· · · · · · · · · · · · · · · · · · ·		
Finds (tick): None [7] CBM [] Lo	Pot[] Bone[] Flint[] Stone[] Burnt stone[] Glameather[]	ss[] Metal[]	
		Recorder J	
Samples		Date 15-04-08	
Building Materials		Initials PM.	

Oxford Archaeology	CONTEXT RECORD	Context No.	
SITEO & FCAM @8	ADDITIONAL SHEETS:	TYPE CONSTR.	
Trench	Context Type: Deposit / Cut / Structure	Check Lists:	
Site sub-div	Overlain by: (87)	DEPOSIT:	
Structure No.	Abutted by:	1. compaction 2. colour 3. composition 4. inclusion	
Plan No.	Cut by:	5. thickness 6. extent	
	Filled by:	7. comments 8. method & conditions	
Section No.	Same as:	CUT:	
2	Part of:	1. shape in plan2. base/sides/top profile	
Co-Ordinates	Consists of:	3. dimension and depth 4. sketch 5. truncation 6. fill	
	Overlies: (85)	nos 7. other comments	
Level	Butts:	MASONRY:	
Slide No.	Cuts:	1. materials 2. size of bricks etc 3. finish of stones 4.	
Neg No.	Fill of: 84	coursing/bond 5. form 6. faces 7. bond 8. dimensions as found	
Matrix location	Relationships uncertain	9. other comments	
Description (See check lists):	STRATIGRAPHIC MATRIX	· ·	
1	87		
lonación Mid	Tonocian Mid Blue Gray Cley 151 Subjected Grand < 20 mm. 85		
151 Sus innde	151 Sub moded Grand < 20 mm.		
< 0.4m thick			
1.8 m N-S (in exc), Slapes to north, unknown F-W			
\$ 7			
8. Machine			
8. Machine.	- I'lkohne.		
Interpretation/Discussion			
Construction depos	site part of clay capping of man!		
·	o . o		
-			
Finds (tick): None Pot [] Bone [] Flint [] Stone [] Burnt stone [] Glass [] Metal [] CBM [] Wood [] Leather []			
		Recorder JT	
Samples	· · · · · · · · · · · · · · · · · · ·	Date 15-04-08	
☐ Building Materials		Initials Au	

Oxford Archaeology	CONTEXT RECORD	Context No. 8 子
SITEOXF CAM 98	ADDITIONAL SHEETS:	TYPE CONSTR. DEP.
Trench	Context Type: Deposit / G ut / Structure	Check Lists:
Site sub-div	Overlain by: (8 8)	DEPOSIT:
Structure No.	Abutted by:	1 compaction 2. colour 3 composition 4. inclusion
Plan No.	Cut by:	5. thickness 6. extent 7. comments 8. method &
. —	Filled by:	conditions
Section No.	Same as:	СИТ:
-2	Part of:	1. shape in plan 2. base/sides/top profile
Co-Ordinates	Consists of:	3. dimension and depth 4. sketch(5. truncation 6. fill
	Overlies: (86)	nos 7. other comments
Level -	Butts:	MASONRY:
Slide No.	Cuts:	1. materials 2. size of bricks etc 3. finish of stones 4.
Neg No.	Fill of: 84	coursing/bond 5. form 6. faces 7. bond 8. dimensions as found
Matrix location	Relationships uncertain	9. other comments
Description (See check lists): Print		
Finds (tick): None (1) CBM [] Wood [] Lo	Pot[] Bone[] Flint[] Stone[] Burnt stone[] Glaseather[]	Recorder
Samples		Date 15-04-08.
Building Material	S	Initials \

Oxford Archaeology	CONTEXT RECORD	Context No.	
SITE DXFCAMPS	ADDITIONAL SHEETS:	TYPE CONSTR. DEP.	
Trench	Context Type: Deposit / Cut / Structure	Check Lists:	
Site sub-div	Overlain by: (89)	DEPOSIT:	
Structure No.	Abutted by:	2.compaction 2.colour 3.composition 4.inclusion	
Plan No.	Cut by:	thickness 6. extent 7. comments 8. method &	
	Filled by:	conditions	
Section No.	Same as:	CUT:	
2	Part of:	1. shape in plan 2. base/sides/top profile	
Co-Ordinates	Consists of:	3. dimension and depth 4. sketch 5. truncation 6. fill	
	Overlies: &Z	nos 7. other comments	
Level	Butts:	MASONRY:	
Slide No.	Cuts:	1. materials 2. fize of bricks etc 3. finish of stones 4.	
Neg No.	Fill of: 84	coursing/bond 5.form 6.faces 7.bond 8.dimensions as found	
Matrix location	Relationships uncertain	9. other comments	
Description (See check lists):	STRATIGRAPHIC MATRIX		
7	89		
lenaum (bit	comply to (Log) this context is 88		
M. d Bram Gres Sondy Clan			
20:1 a cond sub conded \$15m			
M. & Brown Gry Sondy Clay 20:1. grand, sub-randed 15m < 0.18m thick is north,			
I'my approx I'm N-5 (in exc), unknown E-W			
7			
8. Machine.			
Interpretation/Discussion			
Comphysical	posit of day cooping which has showed	0 1 +	
-1	posit of day copping, which has shape	down de	
Suzie			
		·	
Finds (tick): None [4 CBM [] Wood [] Le	Pot[] Bone[] Flint[] Stone[] Burnt stone[] Glasteather[]	ss [] Metal []	
		Recorder J7	
Samples		Date (5-04-08.	
Building Material	S	Initials ()	

Oxford Archaeology	CONTEXT RECORD	Context No.	
SITE OX FCAM 68	ADDITIONAL SHEETS:	TYPE GNSTE. DEP	
Trench	Context Type: Deposit / Cut / Structure	Check Lists:	
Site sub-div	Overlain by: 40	DEPOSIT:	
Structure No.	Abutted by:	1. compaction 2. colors 3. composition 4. inclusion	
Plan No.	Cut by:	5. thickness 6. extent 7. comments 8. method	
	Filled by:	conditions	
Section No.	Same as:	CUT:	
2	Part of:	1. shape in plan 2. base/sides/top profile	
Co-Ordinates	Consists of:	3. dimension and depth 4. sketch 5. truncation 6. fill	
·	Overlies: (88)	nos 7. other comments	
Level	Butts:	MASONRY	
Slide No.	Cuts:	1. materials 2. size of bricks etc 3. finish of stones 4.	
Neg No.	Fill of: \[\langle 84 \right]	coursing/bend 5. form 6. faces 7. bond 8. dimensions as found	
Matrix location	Relationships uncertain	9. other comments	
Description (See check lists): STRATIGRAPHIC MATRIX			
1 Trocke 40 40			
this context is 8°)			
88			
	Friedle Mid Yeller		
-Bonn Cla	gey Sand 101. grand		
0.32 m thick			
	exc) X umknown E-W, Slopes strepting nort	7	
	activie.		
Interpretation/Discussion			
Cronel	4 10 1 t 1 0 0	. 1	
Construction deposit from later place of mound construction,			
which has	which has shaped down slope.		
		<u></u>	
		<u> </u>	
:		,	
Finds (tick): None [→] CBM [] Wood [] L	Pot[] Bone[] Flint[] Stone[] Burnt stone[] Glaseather[]	ss[] Metal[]	
Small Finds	· · · · · · · · · · · · · · · · · · ·	Recorder JT	
Samples		Date 15-04-08	
Building Material	s	Initials Am	

:.

4

	and the state of t			
Oxford'Archaeology	CONTEXT RECORD	Context No.		
SITE OXPCAMO8	ADDITIONAL SHEETS:	TYPE STRUCTURE		
Trench	Context Type: Deposit / Cut / Structure (Check Lists:		
Site sub-div	Overlain by: 97 116 114	DEPOSIT:		
Structure No.	Abutted by:	1. compaction 2. colour. 3. composition . inclusion		
Plan No.	Cut by: 920	5. thickness 6, extent		
145	Filled by:	7. comments 8. method & conditions		
Section No.	Same as:	сит:		
2.3.	Part of:	1. shape in plan 2. base/sides/top profile .		
Co-Ordinates	Consists of:	3. dimension and depth		
	Overlies:	4. sketch 5. truncation 6. fill nos 7. other comments		
Level	Butts:	MASONRY:		
Slide No.	Cuts:	1. materials 2. size of bricks etc		
Neg No.	Fill of: 96. 113.	3. finish of stones 4. / coursing/bond 5. form 6. faces		
Matrix location	Relationships uncertain	7. bond 8. dimensions as found9. other comments		
CO.28m LAID IN A SECRES of ROMAN CINEVEN WHAT GENERAL SECRES OF ROMAN CINEVEN COURSES WITH A COAPSE CLANGE MORTAR THE SONTO. THE PACE NORTH FACE OF TOWER LAS EXPOSE LUPTH THE CITTLE FACE 6.7 - R IMPRIL FACE 5.80 m PLUS C.8m LEWEIST TO SM R O.5m				
TO SE JUST TO	THE EAST OF THE WALL FALL CENTER WAS A TIME 1.65	Constant (m)		
Interpretation/Discussion	wall	t fill 7 allesto-of thauna see		
SURVIVING CORE (12" NORMAN TOWER ON MOUND THE				
MORTH FACE OF TOWER WITH SAWY PORT IN CONTER TO CIVE WILLIAM TO				
	SOF CLIPTIANS WALL OR for Compressive?	<i>₹</i>		
7.000	So Caronia and Green Parks Continues Market			
TUG were was	2-In THICK with THE BUTCH FALLOWN REMOVE	co to 0'4m into		
THE CORELTO A D	6874 of 0.75 to top of oblimer son terral.			
Flavor face wa	S in Rough years stort full (simonan to it George Toine). W	1174 A CONGE NEWDONE AT BASE.		
	[] Pot [] Bone [] Flint [] Stone [] Burnt stone [] G			
Small Finds		Recorder		
Samples		Date		
Building Materials Initials				

Oxford Archaeology	CONTEXT RECORD	Context No.	
SITE OXFCAMO&	ADDITIONAL SHEETS:	TYPE LAYGE	
Trench	Context Type: Deposit / Cut / Structure	Check Lists:	
Site sub-div	Overlain by: 6 🚘	DEPOSIT:	
Structure No.	Abutted by:	1. compaction 2. colour 3. composition 4. inclusion	
Plan No.	Cut by:	5. thickness 6. extent 7. comments 8. method &	
1,4	Filled by:	conditions	
Section No.	Same as:	CUT:	
6,7	Part of:	shape in plan base/sides/top profile	
Co-Ordinates	Consists of:	3. dimension and depth 4. sketch 5. truncation 6. fill	
·	Overlies: 92	nos 7. other comments	
Level	Butts:	MASONRY:	
Slide No.	Cuts:	1. materials 2. size of bricks etc 3. finish of stones 4.	
Neg No.	Fill of: 120	coursing/bond 5. form 6. faces 7. bond 8. dimensions as found	
Matrix location	Relationships uncertain	9. other comments	
(BY) WITH SMALL TABLEAR LIMISTONG REARS (28) (B) 22m. 0.06m - 0:08m (BUER AM AREA 1.3m × 1.3m Mr Aresert.			
ONALING SILARE 92.			
IT was soware	_	DNY WHI	
WITH WALL FALLS OF GOD NORTH FALL REMOVED BY LATER LOBBING, SOUTH?			
	ROOM OF DOORNOY/GURENSURY THROWER -AU (40)	ACC WHICH HAS	
Finds (tick): None [] Pot [] Bone [] Flint [] Stone [] Burnt stone [] Glass [] Metal [] CBM [] Wood [] Leather []			
△ Small Finds		Recorder	
Samples		Date	
Building Material	S	Initials (Am	

i

Oxford Archaeology	CONTEXT RECORD	Context No.	
SITE OXFRAMOS	ADDITIONAL SHEETS:	TYPE LAYGIL	
Trench	Context Type: Deposit / Cut / Structure	Çheck Lists:	
Site sub-div	Overlain by:	DEPOSIT:	
Structure No.	Abutted by:	1. compaction 2. colour 3. composition 4. inclusion	
Plan No.	Cut by:	5. thickness 6. extent 7. comments 8. method &	
1,2,4	Filled by:	conditions	
Section No.	Same as:	CUT:	
6.7	Part of:	1. shape in plan 2. base/sides/top profile	
Co-Ordinates	Consists of	3. dimension and depth 4. sketch 5. truncation 6. fill	
	Overlies: 90	nos 7. other comments	
Level	Butts:	MASONRY:	
Slide No	Cuts:	1. materials 2. size of bricks etc 3. finish of stopes 4.	
Neg No.	Fill of: 120	coursing/bond 5. form 6. faces 7. bond 8. dimensions as found	
Matrix location	Relationships uncertain	9. other comments	
PANUS (5x) IN BASE 120			
	OR MATERIAL MAKING OF RUSE OF BOOK/HIMA	easure tuloucu	
Finds (tick): None N	Pot [] Bone [] Flint [] Stone [] Burnt stone [] Glaseather []	ss[] Metal[]	
Small Finds	∑ Small Finds Recorder		
Samples		Date	
Building Materials		Initials	

and the second second second second second

Oxford Archaeology	CONTEXT RECORD	Context No. 93	
SITE OX FLAMOS	ADDITIONAL SHEETS:	TYPE Tru	
Trench	Context Type: Deposit / <u>Cut / Structu</u> re	Check Lists:	
Site sub-div	Overlain by: Q9	DEPOSIT:	
Structure No.	Abutted by:	1. compaction 2. colour 3. composition 4. inclusion	
Plan No.	Cut by:	5. thickness 6. extent 7. comments 8. method &	
	Filled by:	conditions	
Section No.	Same as:	CUT:	
1	Part of:	1. shape in plan2. base/sides/top profile	
Co-Ordinates	Consists of:	3. dimension and depth 4. sketch 5. truncation 6. fill	
ا :	Overlies: (94)	nos 7. other comments	
Level	Butts:	MASONRY:	
Slide No.	Cuts:	1. materials 2. size of bricks etc 3. finish of stones 4.	
Neg No.	Fill of: [95]	coursing/bond 5. form 6. faces 7. bond 8. dimensions as found	
Matrix location	Relationships uncertain	9. other comments	
Description (See check lists): Teracian STRATIGRAPHIC MATRIX			
The Bhe Cong Chang with 10'1. Coronal this context is 93			
1	1.85m E-W (in ex) X Im N-S (in ex)		
lian on 13	= W+S sides of and (95)		
7. Clay her an almost fibrour feel-particly just drying out.			
25 8. Markine / Hand.			
Interpretation/Discussion			
Pit beck hi	U- rubbial desport		
	seception possion desposing		
· ·			
Finds (tick): None [] CBM [] Wood [] Lo	Pot [Bone [Flint [] Stone [] Burnt stone [] Glaseather []	ss[] Metal[]	
		Recorder J	
		Date 18 OHOS	
Building Material	s ``	Initials 50m	

į

Oxford Archaeology	CONTEXT RECORD	Context No.
SITE OXFCAMØ8	ADDITIONAL SHEETS:	TYPE TIL
Trench		Check Lists:
Site sub-div	Overlain by: (93)	DEPOSIT:
Structure No.	Abutted by:	1. compaction 2. colour 3. composition 4. inclusion
Plan No.	Cut by:	5. thickness 6. extent 7. comments 8. method &
	•	conditions
Section No.		CUT:
1		1. shape in plan 2. base/sides/top profile
Co-Ordinates	Consists of	3. dimension and depth 4. sketch 5. truncation 6. fill
,		nos 7. other comments
Level		MASONRY:
Slide No.	- Cuts.	1. materials 2. size of bricks etc 3. finish of stones 4.
Neg No.		coursing/bond 5. form 6. faces 7. bond 8. dimensions as found
Matrix location .		9. other comments
Description (See check lists): Tenco: an Mid Son Orang Brown Sont Clayers Sand, 30:1. gravel 20:1. blue clay bloods. 1 9m E-W (in ex) x Im N-5 (in ex) (in any on west sloppe of out 155, Sloping to lowest point of out. 7 8. Marchine of Handexc. Orcest. Interpretation/Discussion Baselyll of pit.		
Finds (tick): None [] Pot [] Bone [] Flint [] Stone [] Burnt stone [] Glass [] Metal [] CBM [J Wood [] Leather []		
A Small Finds		Recorder JT
Samples		Date 18/04/08
Building Materials	5	Initials Alm

Oxford Archaeology	CONTEXT RECORD	Context No. 95	
SITE OX FCAMPY	ADDITIONAL SHEETS:	TYPE CUT	
Trench	Context Type: Deposit / Cut / Structure	Check Lists:	
Site sub-div	Overlain by:	DEPOSIT:	
Structure No.	Abutted by:	1. compaction 2. colour 3. composition 4. inclusion	
Plan No.	Cut by:	5. thickness 6. extent 7. comments 8. method &	
	Filled by: (94) (93)	conditions	
Section No.	Same as:	Сит:	
	Part of:	1. shape in plan 2. base/sides/top profile	
Co-Ordinates	Consists of:	3. dimension and depth 4. ketch 5. truncation 6. fill	
	Overlies:	nos 7. other comments	
Level	Butts:	MASONRY:	
Slide No.	Cuts: 7, 97,98	1. materials 2. size of bricks etc 3. finish of stones 4.	
Neg No.	Fill of:	coursing/bond 5. form 6. faces 7. bond 8. dimensions as found	
Matrix location Description (See check lists):	Relationships uncertain STRATIGRAPHIC MATRIX	9. other comments	
1. Incomplete 2 Tid to north, Sout backs who well [91] e+w= +0° stope, Continuon i 47. iith fore medanting the prop.			
	4. Emilionen	War W	
,	Telways		
	N - 911		
Interpretation/Discussion			
Fire Pit containing (18th publish includes claysings			
Probable	dates in The expanding in man	Summer L	
Probably dates to The experition of mond summent			
a this period.			
Fill Biontained a let of bone + pot.			
Finds (tick): None [] Pot [] Bone [] Flint [] Stone [] Burnt stone [] Glass [] Metal [] CBM [] Wood [] Leather []			
		Recorder	
Samples ■		Date 18/04/08	
☐ Building Materials		Initials Jour	

Oxford Archaeology	CONTEXT REC	ORD	Context No.
SITE OXFCAMOS	ADDITIONAL SHEETS:		TYPE CUT
Trench	Context Type; Deposit / Cut / Structure		Check Lists:
Site sub-div	Overlain by:		DEPOSIT:
Structure No.	Abutted by:		1.compaction 2.colour 3.composition 4.inclusion
Plan No.	Cut by:		5. thickness 6. extent 7. comments 8. method &
2	Filled by: 40 -	•	conditions
Section No.	Same as:	•	CUT:
	Part of:		1. shape in plan 2. base/sides/top profile
Co-Ordinates	Consists of:		3. dimension and depth 4. sketch 5. truncation 6. fill
	Overlies:		nos 7. other comments
Level	Butts:		MASONRY:
Slide No.	Cuts: 8	• 1	1. materials 2. size of bricks etc 3. finish of stones 4.
Neg No.	Fill of:		coursing/bond 5. form 6. faces 7. bond 8. dimensions as found
Matrix location	Relationships uncertain		9. other comments
Description (See check lists):		STRATIGRAPHIC MATRIX	
Only parally exconsted, at western end of this context is 96 with uncovered eatend. Near resticle north side Romain & E-W in ex X<1.7m			
N-sin ex)	(at western corner)		
Remaining to		t present)	The A
<i>a</i>	or towards middle of ex	,	mith removed
6, 95]? FB (15) + 97)			
Interpretation/Discussion Controlled Curt Atom Stort man of Tower Abstraction owner Falls. Theliast 175 ROBLEL			
PEMOUTION 12.3			
	(F)		
T 196			
1.7m			
$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$			
	+	LOE	- · · :
			
	<u> </u>		
Finds (tick): None [] CBM [] Wood [] L	Pot[] Bone[] Flint[] Stone[eather[]] Burnt stone [] Gla	ss[] Metal[]
Small Finds			Recorder
Samples			Date
Building Material	S		Initials

Sept.

Oxford Archaeology	CONTEXT RECORD	Context No.
SITE OXFUAMOS	ADDITIONAL SHEETS:	TYPE Fill
Trench	Context Type: Deposit / Cut / Structure	Check Lists:
Site sub-div	Overlain by:	DEPOSIT:
Structure No.		1. compaction 2. colour 3. composition 4. inclusion
Plan No.	Cut by: Q 5	5. thickness 6. extent 7. comments 8. method &
2.		conditions
Section No.	Same as:	CUT:
		1. shape in plan 2. base/sides/top profile
Co-Ordinates	Consists of:	3. dimension and depth 4. sketch 5. truncation 6. fill
		nog 7. other comments
Level	Butts:	MASONRY:
Slide No.	Cuts:	1. materials 2. size of bricks etc 3. finish of stones 4.
Neg No.	Fill of: 01	coursing/bond 5. form 6. faces 7. bond 8. dimensions as found
Matrix location		9. other comments
BATEURS OF LEDDIN BROWN (40K) CENTER(IK) CONSTRUCTIONS BATEURS (0.12m (kg) Center(IK) Constrant this context is 97 Prints (0.12m (kg) Center(IK) Constrant This context is 97 Prints (0.12m (kg) Center(IK) Constrant This context is 97 Prints (0.12m (kg) Center(IK) Constrant This context is 97 Prints (0.12m (kg) Center(IK) Constrant This context is 97 Prints (0.12m (kg) Center(IK) Constrant This context is 97 Prints (0.12m (kg) Center(IK) Constrant This context is 97 Prints (0.12m (kg) Center(IK) Constrant This context is 97 Prints (0.12m (kg) Center(IK) Constrant This context is 97 Prints (0.12m (kg) Center(IK) Center(IK) Center(IK) Center(IK) Prints (0.12m (kg) Center(IK) Cente		
Finds (tick): None [Pot [] Bone [] Flint [] Stone [] Burnt stone [] Glass [] Metal [] CBM [] Wood [] Leather []		
△ Small Finds		Recorder
Samples		Date
Building Materials		Initials Adm

Oxford Archaeology	CONTEXT RECORD	Context No.
SITE OXFCAMØ8	ADDITIONAL SHEETS:	TYPE CONSTR. DEP
Trench	Context Type: Deposit / Cut / Structure	Check Lists:
Site sub-div	Overlain by:	DEPOSIT:
Structure No.	Abutted by:	1'.compaction 2.coloby 3.composition 4.inclusion
Plan No.	Cut by: 0 4 9 16	5. thickness 6. extent comments 8. method 8 conditions
Section No.	Same as:	CUT:
3	Dart of	1. shape in plan
Co-Ordinates	Consists of:	2. base/sides/top profile 3. dimension and depth
		4. sketch 5. truncation 6. fill nos 7. other comments
Level	Butts:	MAŞ ONRY:
Slide No.		1. materials 2. size of bricks etc 3. finish of stones 4.
Neg No.	Fill of:	coursing bond 5. form 6. faces
Matrix location		7. bond 8/dimensions as found 9. other comments
Description (See check lists):	STRATIGRAPHIC MATRIX	·
1. Friable 2. Mid Brown (new 96		
3. Sondy 514 5-10; SR San 10mm		
1. Friable 2. Mid Brown (mey 3. Sandy Silt 4.5-10; SR Sane 10mm 5-10; SA Stone 2100mm		
B. 2.2m F-Wings x 8m NS down mounds North lace		
6. 2.2 m E-W in ex × 8 m. NS down mound's North face. 5. < 0.65 m low down on stope, higher on stope < 0.3 m thick		
7. –	\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	
8. Machine		
Interpretation/Discussion		
Construction deposit jurning part of grand construction of		
Finds (tick): None [] CBM [] Wood [] Lo	Pot[] Bone[] Flint[] Stone[] Burnt stone[] Glaseather[]	s[] Metal[]
		RecorderJT
Samples		Date 21-04-08.
Building Material	S ·	Initials Law

: •

Oxford Archaeology	CONTEXT RECORD	Context No.	
SITE OXFCAM Ø8	ADDITIONAL SHEETS:	TYPE PIT FILL	
Trench	Context Type: Deposit / Ca t / Structure -	Check Lists:	
Site sub-div	Overlain by: 7	DEPOSIT:	
Structure No.	Abutted by:	1 compaction 2. colour 3. composition 4. inclusion	
Plan No.	Cut by: (Ø3	thickness 6. extent 7. comments 8. method 2	
	Filled by:	conditions	
Section No.	Same as:	CUT:	
1	Part of:	1. shape in plan 2. base/sides/top profile	
Co-Ordinates	Consists of:	3. dimension and depth 4. sketch 5. trancation 6. fill	
	Overlies: (93)	nos 7. other comments	
Level	Butts:	MASONRY:	
Slide No.	Cuts:	1. materials 2. size of bricks etc 3. finish of stones 4.	
Neg No.	Fill of: 95	coursing bond 5. form 6. faces 7. bond 8. dimensions as found	
Matrix location	Relationships uncertain	9. other comments	
Description (See check lists):	STRATIGRAPHIC MATRIX		
1. Friable	(03.)		
1. Friable 2. Dark Born Gruy 3. Clayery Sand 4. < 251. granel. 1. Friable 2. Dark Born Gruy this context is 99 1. Friable 2. Dark Born Gruy 1. Friable 3. Clayery Sand 4. < 251. granel.			
3 < 0.26m thick			
6. 0.3m NS in exc x 0.75m FW in exc.			
6. 0.3m NS in exc × 0.75m FW in exc. 7. only small deposit on edge of step from current works.			
Ano			
8. Machinethand.			
Interpretation/Discussion			
Backfill of	(IXH MSbist piled pile, this deposit de	id not contain	
finds thank			
0			
Finds (tick): None [-] CBM [] Wood [] Le	Pot[] Bone[] Flint[] Stone[] Burnt stone[] Glaseather[]	s[] Metal[]	
		Recorder JT	
Samples		Date 21 - 04 - 08	
☐ Building Materials		Initials Jam	

Oxford Archaeology	CONTEXT RECORD	Context No.
SITEOXFCAMO8	ADDITIONAL SHEETS: Landguy	TYPE TYPE
Trench	Context Type: Deposit / Cut / Structure	Check Lists:
Site sub-div	Overlain by: (01)	DEPOSIT:
Structure No.	Abutted by:	1. compaction 2. colour 3. composition 4. inclusion
Plan No.	Cut by:	5. thickness 6. extent 7. comments 8. method &
	Filled by:	conditions
Section No.	Same as:	CUT:
专2 (Part of:	1.shape in plan 2.ba se/sides/top profile
Co-Ordinates	Consists of:	3. dimension and depth 4. sketch 5. truncation 6. fill
·	Overlies: 8 96.	nos 7. other comments
Level	Butts:	MASONRY:
Slide No.	Cuts:	1. materials 2. size of bricks etc 3. finish of stones
Neg No.	Fill of:	coursing/board 5. form 6. faces 7. bone 8. dimensions as found
Matrix location	Relationships uncertain	9. other comments
Description (See check lists):	STRATIGRAPHIC MATRIX	
	Sis Anguler + Sus Rondes [10] this context is	/ob
Stre 5-20 mm	, orc. lager.	
<0.3 m deop.	- ex) x 0.5 m N-5 (in exc)	
Machine +	<u>-</u>	
MILCONUL 1	(100).	
Interpretation/Discussion		·
Topper Card	of condination of Reconstruction of	mound pattowning
agu cheavan		· ·
landraien	deport (1812 pre excaration	5 by E. King.
A Company	alton', Company	- 5, 5, 7, 7, 7
	<u> </u>	
Finds (tick): None [CBM [] Wood []	Pot [Bone [] Flint [] Stone [] Burnt stone [] Leather []	Glass [] Metal []
Small Finds	!	Recorder JT
Samples	•••	Date 22 - 04 - 08
Building Materi	ale) ,	Initials ADy

• 😯

Oxford Archaeology	CONTEXT R	ECORD	Context No.
SITE OXFCAMØE	ADDITIONAL SHEETS:		TYPE Comes Took
Trench	Context Type: Deposit / Cut / Structure	F	Check Lists:
Site sub-div	Overlain by: /02		DEPOSIT:
Structure No.	Abutted by:		1. compaction 2. colour 3. composition 4. inclusion
Plaņ No.	Cut by:		5. thickness 6. extent
	Filled by:		conditions
Section No.	Same as:	· · · · · · · · · · · · · · · · · · ·	CUT:
2	Part of:		1. shape in plan 2. base/sides/top profile
Co-Ordinates	Consists of:		3. dimension and depth 4. sketch 5. truncation 6. fill
	Overlies: 100		nos 7. other comments
Level	Butts:	· · · · · · · · · · · · · · · · · · ·	MASONRY:
Slide No.	Cuts:		1. materials 2. size of bricks etc 3. finish of stones 4.
Neg No.	. Fill of:		coursing/bond 5. form 6. faces
Matrix location	Relationships uncertain		7. bond 8. dimensions as found 9. other comments
Description (See check lists)	:	STRATIGRAPHIC MATRIX	
-		102	
Trisle light	gry boom Silty Sond	this context is	
20% St And	Lar + occ Sub Roundeal	tills context is 17	<u></u>
Thiste light gry board Silty Sand this context is 107 201. Ses Angular + acc Sub Roundeal 100			
30- 2 30	m. il		
3.3m E-W (. exc) x 0.9 m N-5 (in e	uxc)	
Madine -			
1 120me		·	
Interpretation/Discussion			
Cords	deposit. Prososh		
, ,	Second Japan There The	OF CHATTESTAD	(4. 1
Love scaping	deposit. Probably	(18th, pre	King's
lacaratur	<u> </u>		
			
	<u> </u>		
Finds (tick): None	Pot[] Bone[] Flint[] Stor		ass[] Metal[]
CBM[] Wood[]	Leather [] Compression	Clay pipe	
Small Finds			Recorder
_	-		Date 22-04-08
Samples			
Building Mate	rials		Initials / frum

Oxford Archaeology	CONTEXT RECORD	Context No.		
SITE OXFCAM98	ADDITIONAL SHEETS:	TYPE GOLDWAY		
Trench	Context Type: Deposit / Cut / Structure	Check Lists:		
Site sub-div	Overlain by:	DEPOSIT:		
Structure No.		1. compaction 2. colour 3. composition 4. inclusion		
Plan No.	Cut by: 103	5. thickness 6. extent 7. comments 8. method & conditions		
Section No.	Same as:	CUT:		
12	Dart of	1. shape in plan		
Co-Ordinates		2. base/sides/top profile 3. dimension and depth		
es stantates		4. sketch 5. truncation 6. fill nos 7. other comments		
Level		MASONRY:		
Slide No.	Cuts	1. materials 2. size of bricks etc		
Neg No.	Fill of:	3. finish of stones 4. coursing/bond 5. form 6. faces		
Matrix location		7. bond 8. dimensions as found 9. other comments		
Description (See check lists):	STRATIGRAPHIC MATRIX			
1-4- 05 (00)				
this context is 102				
3.4 m (n exc) N-S down N-face of mand, 0.2 m E-W in exc				
3.4 m (in exc) N.S down N. Loce of mond, 0.2 mE-W in exc				
Interpretation/Discussion	Interpretation/Discussion			
CONSTRUCTION	Cocrost former par of provide of	ecenticos.		
	BER DRENCH.			
Londcaping deport probably (8th but pre king's excarable Cut by (18th robbe cut				
Cut he OSH copper of the				
or sy con rose as				
Finds (tick): None [] Pot [] Bone [] Flint [] Stone [] Burnt stone [] Glass [] Metal []				
CBM [] Wood [] Leather []				
△ Small Finds		Recorder J T		
Samples ■		Date 12 - 04 - 08		
Building Material	5	Initials Jour,		

	· · · · · · · · · · · · · · · · · · ·		
Oxford Archaeology	CONTEXT RECORD	Context No.	
SITEOXFLAM OS	ADDITIONAL SHEETS:	TYPE CWT	
Trench	Context Type: Deposit / Cut / Structure	Check Lists:	
Site sub-div	Overlain by:	DEPOSIT:	
Structure No.	Abutted by:	1. compaction 2. colour 7 3. composition 4. inclusion	
Plan No.	Cut by:	5. thickness 6 extent 7. compaents 8. method &	
4	Filled by: 105, 104 7 6 543 (118)	conditions	
Section No.	Same as:	CUT:	
2,3,4	Part of:	1. shape in plan 2. base/sides/top profile	
Co-Ordinates	Consists of:	3. dimension and depth 4. sketch 5. truncation 6. fill	
	Overlies:	nos 7. other comments	
Level	Butts:	MASONRY:	
Slide No.	Cuts: 106,107,90	1. materials 2. size of bricks etc 3. finish of stones 4.	
Neg No.	Fill of:	coursing/bond 3. form 6. faces 7. bond 8 dimensions as found	
Matrix location Relationships uncertain 9. other comments Description (See check lists): A CURSING LINGAR WITH SLOPING PARTY FACE AND THE IIB IO4 IOS SCHAPPE GENERAL SLOPE ROLLING SHARKY TO A NEAR TOP OF MAN, AND THIS CONTEXT IS IOB INTER 0-68 DEPTH CHANNER ALONE FINEN FACE AND GO CONTINUES A NUMBER of SOIL BACK FINES TO FORM (8" CHANGE NEW ON TO BE X O BACK FINES TO FORM (8" CHANGE NEW ON TO BE X O BACK FINES TO FORM (8" CHANGE NEW ON TO BE X O BACK FINES TO FORM (8" CHANGE NEW ON TO BE X O BACK FINES TO FORM (8" CHANGE NEW ON TO BE X O BACK FINES TO FORM (8" CHANGE NEW ON TO BE X O BACK FINES TO FORM (8" CHANGE NEW ON TO BE X O BACK FINES TO FORM (8" CHANGE NEW ON TO BE X O BACK FINES TO FORM (8" CHANGE NEW ON TO BE X O BACK FINES TO FORM (8" CHANGE NEW ON TO BE X O BACK FINES TO FORM (8" CHANGE NEW ON TO BE X O BACK FINES TO FORM (8" CHANGE NEW ON TO BE X O BACK FINES TO FORM (8" CHANGE NEW ON TO BE X O BACK FINES TO FORM (8" CHANGE NEW ON TO BE X O BACK FINES TO FORM (8" CHANGE NEW ON TO BE X O BACK FINES TO FORM (8" CHANGE NEW ON TO BE X O BACK FINES TO FORM (8" CHANGE NEW ON TO BE X O BACK FINES TO FORM (8" CHANGE NEW ON TO BE X O BACK FINES TO BE X O BACK FINES TO FORM (8" CHANGE NEW ON TO BE X O BACK FINES TO BE X			
(c2) (W) 11/4/4/10 × 0.38 - 36.874.			
Interpretation/Discussion (18° follows Themen should have set the Stower Tower insu			
Finds (tick): None [] CBM [] Wood [] Le	Pot[] Bone[] Flint[] Stone[] Burnt stone[] Glaeather[]	ss[] Metal[]	
Small Finds		Recorder Jour	
Samples		Date	
Building Materials	S	Initials Jany -	

Oxford Archaeology	CONTEXT RECORD	Context No.	
SITE OXECAM 08	ADDITIONAL SHEETS:	TYPE FILL	
Trench	Context Type: Deposit / Cut / Structur e	Check Lists:	
Site sub-div	Overlain by: 7	DEPOSIT:	
Structure No.	Abutted by:	1. compaction 2. colour 3. composition 4. inclusion	
Plan No.	Cut by:	5. thickness 6. extent 7. comments 8. method &	
	Filled by:	conditions	
Section No.	Same as:	CUT:	
	Part of:	1. shape in plan 2. base/sides/top profile	
Co-Ordinates	Consists of:	3. dimension and depth 4. sketch 5. truncation 6. fill	
	Overlies:	nos 7. other comments	
Level	Butts:	MASONRY:	
Slide No.	Cuts:	1. materials 2. size of bricks etc 3. finish of stones 4.	
Neg No.	Fill of: [103]	coursing/bond 5.form 6.faces 7.bond 9.dimensions as found	
Matrix location Description (See check lists):	Relationships uncertain STRATIGRAPHIC MATRIX	9. other comments	
1-4 an (105) 8. <0.15m (n ex) 6. <0.2E-W x 1.15 NS n exc			
7. —			
8. Hand exc.			
Interpretation/Discussion			
Bretzill of	(18th Rossbirg of Stone from Coster A	join between	
	·		
	<u> </u>		
Finds (tick): None [] CBM [Wood [] Le	Pot[] Bone[] Flint[] Stone[] Burnt stone[] Glaseather[]	ss[] Metal[]	
		Recorder	
Samples		Date	
Building Materials		Initials\\	

Trench Context Type: Deposit / Gut / Structure 40. Abuted by: Structure 40. Abuted by: Cut by: Section No. Same as: Part of: Co-Ordinates Conditions Co-Ordinates Conditions Co-Ordinates Conditions Conditions Co-Ordinates Conditions Co-Ordinates Conditions Co-Ordinates Conditions Conditi	Oxford Archaeology	CONTEXT RECORD	Context No.
Sire sub-div Overlain by: Filled by: Structure No. Abunted by: Lot by: Filled by: Section No. Same as: Co-Cirolinates Consists of: Co-Cirolinates Consists of: Butts Sirich No. Cuts Butts Sirich No. Cuts Butts Sirich No. Cuts Sirich No. Cuts Butts Sirich No. Cuts Sirich No. Siri	SITE OXFCAM 08	ADDITIONAL SHEETS:	TYPE BAKKIL
Structure No. Abutted by: Cut by: Filled by: Section No. Same as: Part of: Co-Ordinates Consists of: Overlies: Neg No. Fill of: Fill of: I composition of A inclusion Share in Sparing in Jean Level Butts: Slidde No. Cut's: Neg No. Fill of: Fill of: I composition of A inclusion Share in Sparing in Jean Level Butts: Slidde No. Cut's: Neg No. Fill of: Fill of: Fill of: Fill of: I composition of the incompon and depth Advertin's Quantity of Jeans of the incompon and depth Advertin's Quantity of Jeans of the incomponents Neg No. Fill of: F	Trench	Context Type: Deposit / Cut / Structure	Check Lists:
Plan No. Substitute No. Substitute Su	Site sub-div	Overlain by: (7)	DEPOSIT:
Plan No. Filled by: Section No. Same as: Part of: Co-Ordinates Conditions Condition	Structure No.	Abutted by:	
Filled by: Conditions Same as: Cut: 1. shape in plan 2. bask-(light proprieties 2. bask-(Plan No.	Cut by:	5. thickness 6. extent
Part of: Co-Ordinates Consists of: Overlies: Butts: Side Na. Cuts: Side Na. Side Na. Cuts: Side Na. Side		Filled by:	
Co-Ordinates Consists of: Overlies: Level Butts: Slide No. Cuts: Slide No. Cuts: Slide No. Fill of: File 3 Relationships uncertain Description (See check lists): I. Loose 2 mined Mid Bramn Smaly Sift + Mortar WH occ SR lumeahn Level A line of which set is this context is 105 Filed Void O 26 m deap × <026 m Eur × 1·10 m NS (are exc). Finds (tick): None [Pot [] Bone [] Flint [] Stone [] Burnt stone [] Glass [] Metal [] Small Finds Recorder IT Samples Recorder IT Date 12 .04.08	Section No.	Same as:	
Overlies: Overlies: Doverlies: Doverlies: NaSONRY: Instantials 2 piec of brick set strains as found str		Part of:	2. base/sides /top profile
Developer Butts: MASONRY: Insterible of bricks etc. Sifick No. Cuts: Insterible 2 file of bricks etc. Sifick No. Sifick No. Cuts: Insterible 2 file of bricks etc. Sifick No.	Co-Ordinates	Consists of:	
Side No. Cuts: Neg No. Fill of:	•	Overlies:	
Since No. Neg No. Neg No. Fill of: \[\overline{103} \] Mark location Relationships uncertain Description (See check lists): 1. \[\text{Loo Fiz} \] 2. \[mixed \] Mid \[Bearn \] Small Sift + \[Morfor \] Mit \[occ \(SR \) \[\text{Loneships} \] Sift + \[Morfor \] Mit \[occ \(SR \) \[\text{Loneships} \] Sift + \[Morfor \] Mit \[occ \(SR \) \[\text{Loneships} \] Sift + \[Morfor \] Mit \[occ \(SR \) \[\text{Loneships} \] Sift + \[\text{Morfor Mith occ \(SR \) \[\text{Loneships} \] Sift \[\text{Vind <0 \cdot 26 m deap \times < \(\cdot 26 m \) \[\text{Loo mixed} \] \[\text{Loo mixed} \] Sift \[\text{Vind <0 \cdot 26 m deap \times < \(\cdot 26 m \) \[\text{Loo mixed} \] \[\text{Loo mixed} \] Sift \[\text{Vind <0 \cdot 26 m deap \times < \(\cdot 26 m \) \[\text{Loo mixed} \] \[\text{Loo mixed} \] Sift \[\text{Vind <0 \cdot 26 m deap \times < \(\cdot 26 m \) \[\text{Loo mixed} \] \[\text{Loo mixed} \] \[\text{Loo mixed} \] That \[\text{Loo mixed} \] Sift \[Loo mi	Level	Butts:	· /
Matric location Relationships uncertain Description (See check lists) 1. Loo se 2. mied Mid Born Small Silt + Mortor With Occ SR Lumeshu Loo m + grag grand < 15m Wiled Vaid O. 26m day × 0.26mEW × 1.10m NS (arm exc) Interpretation/Discussion Berther of Gara Robbry of Stone from between (91) + (90). Hotelan Kand Finds (tick): None [1] Pot [1] Bone [1] Flint [1] Stone [1] Burnt stone [1] Glass [1] Metal [1] Small Finds Samples Date 17. 04. 08	Slide No.	Cuts:	3. finish of stones 4.
Description (See check lists): 1. Loose 2. Mard Mid Brown Snady SIRATIGRAPHIC MATRIX This context is 105 This	Neg No.	Fill of: 103	coursing/bond 5. form 6. faces 7. bond 8. dimensions as found
Loose 2 mind Mid Born Sondy This context is 105 Sift + Morter With occ SR Comestine 103 Loone + jreg grand < 15m 103 Will Vaid < 0.26 m deep × < 0.26 mEu × 1.10 m NS (are exc). Bentyle of (Bet Robbing of Stone from between (91) + [90]. Worter Word Wood [] Leather [] Stone [] Burnt stone [] Glass [] Metal [] Small Finds Recorder of Date 12.04.08	Matrix location	Relationships uncertain	
CBM[] Wood[] Leather[] A Small Finds Recorder JT Date 22 - 04 - 08	Interpretation/Discussion	.26 m deap x < 0.26 m EW x 1.10 m NS (an e	
Small Finds Recorder Date 22 - 04 - 08			ss[] Metal[]
Samples Date 12.04.08			Recorder M
Living 10 A			
	^		Initials Au

Oxford Archaeology	CONTEXT RECORD	Context No.
SITE OXICAMOS	ADDITIONAL SHEETS: \(\sqrt{1.7} \)	TYPEDEP
Trench	Context Type: Deposit / Cut / Structure	Check Lists:
Site sub-div	Overlain by: 2	DEPOSIT:
Structure No.	Abutted by:	compaction 2. colour composition 4. inclusion
Plan No.	Cut by: 103	5 thickness 6. extent 7. comments 8. method & conditions
Section No.	Same as:	CUT:
	Part of:	1. shape in plan 2. base/sides/top profile
Co-Ordinates	Consists of:	3. dimension and depth 4. sketch 5. truncation 6. fill
· .	Overlies: 67	nos 7. other comments >
Level	Butts:	MASONRY:
Slide No. F:4 SA:30 -32		1. materials 2. size of bricks etc 3. finish of stones 4.
Nég No.	Fill of:	coursing/bond 5. form 6. faces 7. bond 8. dimensions as found
Matrix location Description (See check lists):	Relationships uncertain STRATIGRAPHIC MATRIX	9. other comments
1.6 m E-W 8. Hand exc Interpretation/Discussion	Cong Born Sandy Silt this context is Limestone 150-250mm epulorly Shaped Enginested. * Slopes to north. * I. Im N.S (in exc) × 100-150mm the Arb. northern limit	nide
Russle &	deport num BARTH RARRET (09)	
· ·		
Finds (tick): None [CBM [] Wood []] Pot[] Bone[] Flint[] Stone[] Burnt stone[] Leather[]	Glass [] Metal []
] Glass [] Metal [] Recorder J
CBM[] Wood[]		

Oxford Archaeology	CONTEXT RECORD ADDITIONAL SHEET	Context No.
SITE CODEOXFCAMOS	SITE NAME OUTORD CASTLE MENND.	SHEET NO. 1
	· · · · · · · · · · · · · · · · · · ·	
,	·	•
		·
		· .
	· · · · · · · · · · · · · · · · · · ·	
St. L.		
♦ Ske.ka	(a)	→ ~
	40 DO (06)	
[90]	91)	
	- · · · · · · · · · · · · · · · · · · ·	<u></u> +\

		·
Oxford Archaeology	CONTEXT RECORD	Context No.
SITE OXTGANIOS	ADDITIONAL SHEETS:	TYPE Diffusor.
Trench	Context Type: Deposit / Cut / Structure	Check Lists:
Site sub-div	Overlain by: (ල යි	DEPOSIT:
Structure No.	Abutted by:	1. compaction 2. colour 3. composition 4. inclusion
Plan No. 4.	Cut by: 103 - 108 Filled by:	5. thickness 6. extent 7. comments 8. method & conditions
Section No.	Same as: Part of:	CUT: 1. shape in plan 2. base/sides/top profile
Co-Ordinates	Consists of: Overlies:	3. dimension and depth 4. sketch 5. truncation 6. fill nch 7. other comments
Level	Butts: 90	MASONRY: 1. materials 2. size of bricks etc
Slide No.	Cuts:	3. finish of stones 4.
Neg No. Matrix location	Fill of: Relationships uncertain	coursing/bond 5. form 6. faces 7. bond 8. dimensions as found 9. other comments
Rower CIRCULAR TO ENG STONE TOWNER. 91) em DOOR/Contraven B1 [103] DURING THE	THE MATERIAL WAS AGAINST PROBLEM OF STORE OF STO	s cure Amon in 18°
Durana Tue C	CW CUR LARGE BY (18 thrownson as for	Stirm of Towk
Finds (tick): None [] CBM [] Wood [] L	Pot[] Bone[] Flint[] Stone[] Burnt stone[] Gla eather[]	ss [] Metal []
\triangle Small Finds 3		Recorder
Samples		Date
A Building Materia	ls	Initials Jam

	CONTEXT RECORD	Context No.	
Oxford Archaeology	CONTEXT RECORD	108	
SITE OXFCAMO8	ADDITIONAL SHEETS:	TYPE CWT	
Trench	Context Type: Deposit / Gut / Structure	Check Lists:	
Site sub-div	Overlain by:	DEPOSIT:	
Structure No.	Abutted by:	1.compaction 2.colqur 3.composition 4.inclusion	
Plan No.	Cut by:	5.thickness 6.extent 7.comments 8.method &	
4,5	Filled by: 109	conditions	
Section No.	Same as:	CUT: 1. shape in plan	
. 7	Part of:	2. base/sides/top profile	
Co-Ordinates	Consists of:	3. dimension and depth 4. sketch 5. truncation 6. fill	
	Overlies:	nos 7. other comments	
Level	Butts:	MASONRY: 1. materials 2. size of bricks etc	
Slide No.	Cuts: 107	3. finish of stones 4.	
Neg No. Matrix location	Fill of: Relationships uncertain	coursing/bond 5.form 6.faces 7.bond 8.dimensions as found 9.other comments	
Description (See Affect lists): A (purposite light light charge Bloom Sury Sury Sury Sury Sury Sury Sury Sury			
SE come			
Interpretation/Discussion TREG POOT HOLE 4	~ Top of mous from win mons was not	meateries	
	•	6 THE 19305.	
	·		
	· · · · · · · · · · · · · · · · · · ·		
Finds (tick): None[] CBM[] Wood[] Lo	Pot[] Bone[] Flint[] Stone[] Burnt stone[] Glameather[]	ss[] Metal[]	
		Recorder	
Samples		Date	
Building Material		Initials Lan	

Oxford Archaeology	CONTEXT RECORD	Context No.
SITE Oxflamos	ADDITIONAL SHEETS:	TYPE FILL
Trench	Context Type: Deposit <u>/ Cut / Structure</u>	Check Lists:
Site sub-div	Overlain by:	DEPOSIT:
Structure No.	Abutted by:	1. compaction 2. colour 3. composition 4. inclusion
Plan No.	Cut by:	5. thickness 6. extent 7. comments 8. method &
4.5	Filled by:	conditions
Section No.	Same as:	CUT:
- 4	Part of:	1. shape in plan 2. base/sides/top profile
Co-Ordinates	Consists of:	3. dimension and depth 4. sketch 5. truncation 6. fill
: 	Overlies:	nos 7. other comments
Level	Butts:	MASONRY:
Slide No.	Cuts:	1. materials 2. size of bricks etc 3. finish of stories 4.
Neg No.	Fill of: 108	coursing/bond 5. form 6. faces 7. bond 8. dimensions as found
Matrix location	Relationships uncertain	9 ther comments
Interpretation/Discussion		
•	in the Rest molt.	
		
		· · · · · · · · · · · · · · · · · · ·
·	·	
,		
-		
] Pot [v] Bone [] Flint [] Stone [] Burnt stone [] Gl Leather []	ass [] Metal []
		Recorder
Samples		Date
. •		

Oxford Archaeology	CONTEXT RECORD	Context No.
SITEOXICAM08	ADDITIONAL SHEETS:	TYPE LAYER
Trench	Context Type: Deposit / Cut / Structure	Check Lists:
Site sub-div	Overlain by: 167	DEPOSIT:
Structure No.	Abutted by:	1. compaction 2. colour 3. composition 4. inclusion
Plan No.	Cut by: 108	5.thickness 6. extent 7.comments 8. method &
4	Filled by:	conditions
Section No.	Same as:	CUT:
4	Part of:	1. shape in plan 2. base/sides/top profile
Co-Ordinates	Consists of:	3. dimersion and depth 4. sletch 5. truncation 6. fill
	Overlies: 111 112_	pos 7. other comments
Level	Butts:	MASONRY:
Slide No.	Cuts:	1. materials 2. size of bricks 6 3. finish of stones 4.
Neg No.	Fill of:	coursing bond 5. form 6. fac 7. bond 8. dimensions as fou
Matrix location	Relationships uncertain	9. other comments
	MAD BEEN TRUMENTER BY TREE-ROOTS	
		3
e (for Rubbert of		· · · · · · · · · · · · · · · · · · ·
e (194 Rubbert of	CAM. ONLY OBSPENSON IN I'M X I'M BOX SECTION	
e (184 Ruskerne of Interpretation/Discussion Poss S'ulfare	OR TERMINE LANGE RELOW (To GARTH RAMP.	
e (184 Ruskerne of Interpretation/Discussion Poss S'ulfare	CAM. ONLY OBSPENSON IN I'M X I'M BOX SECTION	
e (184 Russere of nterpretation/Discussion foss Sulface	OR TERMINE LANGE RELOW (To GARTH RAMP.	
e (Pr Rubburk of Interpretation/Discussion Poss Sulface	OR TERMINE LANGE RELOW (To GARTH RAMP.	
e (Pr Rubburg of Interpretation/Discussion Poss Sufface	OR TERMINE LANGE RELOW (To GARTH RAMP.	
e (Pr Rubbure of Interpretation/Discussion Poss S'ulface	OR TERMINE LANGE RELOW (To GARTH RAMP.	
Interpretation/Discussion	OR TERMINE LANGE RELOW (To GARTH RAMP.	
e (84 Rubbure of Interpretation/Discussion Poss S'ulface	OR TERMINE LANGE RELOW (To GARTH RAMP.	
e (84 Rubburn of Interpretation/Discussion Poss Sulface of Been The	En Pot [4] Bone [4] Flint [] Stone [] Burnt stone [] Gl	sart, sus and
Interpretation/Discussion Poss Stufface of Been THE	En Pot [4] Bone [4] Flint [] Stone [] Burnt stone [] Gl	sart, sus and
Interpretation/Discussion POSS S'WHALE OF BEEN THE FINDS (tick): None CBM[] Wood[]	En Pot [4] Bone [4] Flint [] Stone [] Burnt stone [] Gl	ass[] Metal[]

Oxford Archaeology	CONTEXT RECORD	Context No.	
SITE OXFCHMO8	ADDITIONAL SHEETS:	TYPE LAYGE	
Trench	Context Type: Deposit / Cut / Structure	Check Lists:	
Site sub-div	Overlain by: NO	DEPOSIT:	
Structure No.	Abutted by:	1. compaction 2. colour 3. composition 4. inclusion	
Plan No.	Cut by:	5. thickness 6. extent	
·	Filled by:	7. comments 8. method & conditions	
Section No.	Same as:	CUT:	
4	Part of:	1. shape in plan 2. base/side/rtop profile	
Co-Ordinates	Consists of:	3. dimension and depth 4. sketch 5. truncation 6. fill	
	Overlies: 112	nos 7. other comments	
Level	Butts:	MASONRY:	
Slide No.	Cuts:	1. materials 2. size of bricks etc 3. finish of stones 4.	
Neg No.	Fill of:	coursing/bond 5. form 6. faces 7. bond 8. dimensions as found	
Matrix location Description (See check lists):	Relationships uncertain	9. other comments	
FURLY SAND WITH CHANGE (14) LIMPSTONE FRACE (14) HIT TAPPELED FROM 0-10m TO 0-24m THICKERSS HUMI FROM WALL (SE)			
OULY OBSELVED IN IMXIM REX SECTION .			
Interpretation/Discussion BEPOSIT OF MATERIAL ALMAST INSTOL CLAUSE TOUR ESTIBLE MARGING UP			
LIVEL FOR SCREAKE (110).			
Finds (tick): None [v] Pot [] Bone [] Flint [] Stone [] Burnt stone [] Glass [] Metal [] CBM [] Wood [] Leather []			
		Recorder	
Samples		Date	
Building Material	S	Initials .	

Oxford Archaeology	CONTEXT RECORD	Context No.	
SITE OXFRAMOS	ADDITIONAL SHEETS:	TYPE LAYER	
Trench	Context Type: Deposit / Cut / Structure	Check Lists:	
Site sub-div		DEPOSIT:	
Structure No.	Abutted by:	I. compaction 2. colour 3. composition 4. inclusion	
Plan No.	Cut by:	5. thickness 6. extent 7. comments 8. method &	
		conditions	
Section No.		CUT:	
4	Part or:	i.shape in plan 2.base/sides/top profile	
Co-Ordinates	Consists of	3. dimension and depth 1. sketch 5. truncation 6. fill	
<u> </u>	Overlies: 114, 115.	nos 7. other comments	
Level	Butts:	MASONRY:	
Slide No.		I. materials 2. size of bricks etc 3. finish of stones 4.	
Neg No.	Fill of:	coursing/bond 5. form 6. faces 7. bong 8. dimensions as found	
Matrix location		o other comments	
(H), (HALLUSE (IX), LIMITION FRANKS CO	withern Dhanks when the wall		
Finds (tick): None[] CBM[] Wood[] Lo	Pot [Bone Flint [] Stone [] Burnt stone [] Glass eather []	[] Metal[]	
Small Finds		Recorder	
Samples		Date	
Building Materials Initials		Initials Ann	

Oxford Archaeology	CONTEXT RECORD	Context No.
SITE OXFCIAMOS	ADDITIONAL SHEETS:	TYPE CW7
Trench	Context Type: Deposit / Cut / Structure	Check Lists:
Site sub-div	Overlain by:	DEPOSIT:
Structure No.		1. compaction 2. colour 3. composition 4. inclusion
Plan No.	Cut by:	5. thickness 6. extent 7. comments 8. method &
ر.		conditions
Section No.	, =	СИТ:
4		1. shape in plan 2. base/sides/top profile
Co-Ordinates	Consists of:	3. dimension and depth 4. sketch 5. truncation 6. fill
		nos 7. other comments
Level	1 · · · · ·	MASONRY:
Slide No.		1. materials 2. size of bricks etc 3. finish of stopes 4.
Neg No.	Fill of:	coursing/bond 5. form 6. faces 7. bond 8. dimensions as found
Matrix location		9. other comments
Description (See check lists): A (LUT ALONG INDIES FACE OF LIPLE GO) LASS A STREEP SLOPING SIDE WHEN APTER O.IOM IS NOW UPPTICAL BASE NOT EXPOSED ONLY [ABOTH FECTIVATION RATION WATER FACE OF THE OPTO INSTANCES (III) Interpretation/Discussion CONSTRUCTION CUT ON INSIDE OF MAIN FOR ITS CONSTRUCTION SIMILAR TO TO GONTHUCTON CUT ON INSIDE OF MAIN FOR ITS CONSTRUCTION SIMILAR TO TO LOWER COALSES OF MAIN BEFORE SWEARCES (III) & MAINE TO GO INSTANCES (III) COULD BE RULED ALLANST WALL		
Finds (tick): None [] CBM [] Wood [] L Small Finds Samples	Pot[] Bone[] Flint[] Stone[] Burnt stone[] Glass eather[]	Recorder Date
Building Materials Initials		Initials Du

Oxford Archaeology	CONTEXT RECORD	Context No.
SITE OXOPCIAM 08	ADDITIONAL SHEETS:	TYPE FILL
Trench	Context Type: Deposit / Gut / Structure	Check Lists:
Site sub-div	Overlain by: 1/12	DEPOSIT:
Structure No.	Abutted by:	1.compaction 2.colour 3.composition 4.inclusion
Plan No.	Cut by:	5. thickness 6. extent 7. comments 8. method &
·	Filled by: .	conditions
Section No.	Same as:	CUT:
4	Part of:	1. shape in plan 2. base/sides/top profile
Co-Ordinates	Consists of:	3. dimension and depth 4. sketch 5. truncation 6. fill
	Overlies:	nos 7. other comments
Level	Butts:	MASONRY:
Slide No.	Cuts:	1. materials 2. size of bricks etc 3. finish of stones 4.
Neg No.	Fill of: (17)	coursing/bond 5. form 6. faces 7. bond 8. dimensions as found
Matrix location	Relationships uncertain .	9. other comments
•		
Interpretation/Discussion		•••
BATTAL WIPER	BALLEY OF CLUT [113]	
	. 5	
	,	
Finds (tick): None [] CBM [] Wood [] L	Pot [] Bone [] Flint [] Stone [] Burnt stone [] C	Glass [] Metal []
↑ Small Finds		Recorder
Samples	- <u></u>	Date
•		Initials Jan
Building Material	IS	I'''''' A/M

Oxford Archaeology	CONTEXT RECORD		
SITE GXPCAMOS	ADDITIONAL SHEETS:	TYPE LAYER	
Trench	Context Type: Deposit / Cut / Structure	Check Lists:	
Site sub-div	Overlain by: 12	DEPOSIT:	
Structure No.	Abutted by:	1. compaction 2. colour 3. composition 4. inclusion	
Plan No.		5. thickness 6. extent 7. comments 8. method &	
5	Filled by:	conditions	
Section No.	Same as:	CUT:	
· .	Part of:	1. shape in plan 2. base/sides/top profile	
Co-Ordinates	Consists of:	3. dimension and depth 4. sketch 5. truncation 6. fill	
	Overlies:	no 7. other comments	
Level	Butts:	MASONRY: 1. materials 2. size of bricks etc	
Slide No.	Cuts:	3. finish of stones 4.	
Neg No.	Fill of:	coursing/bond 5. form 6. faces 7, bond 8. dimensions as found	
Matrix location Description (See check lists):	Relationships uncertain STRATIGRAPHIC MATRIX	9. other comments	
(25%) morrar si	CON(IK) PATCHES of CALY (IA) this context is 113		
Interpretation/Discussion DEFUSIT, WHILL ON PLEASE WAS COL	et the top was Exposed it was in mours cappain	KTURE OF CREATER	
	<u> </u>		
Finds (tick): None [ず CBM [] Wood [] Lo	Pot [] Bone [] Flint [] Stone [] Burnt stone [] Glaseather []	ss[] Metal[]	
		Recorder	
		Date	
☐ Building Materials Initials		Initials	

· ·

Oxford Archaeology	CONTEXT RECORD	Context No.
SITE OXFRAMOS	ADDITIONAL SHEETS:	TYPE RIL
Trench	Context Type: Deposit / Cut / Structure	Check Lists:
Site sub-div	Overlain by: [.L	DEPOSIT:
Structure No.	Abutted by:	1. compaction 2. colour 3. composition 4. inclusion
Plan No.	Cut by:	5. thickness 6. extent 7. comments 8. method &
ð	Filled by:	conditions
Section No.	Same as:	·CUT:
4	Part of:	1. shape in plan 2. base/sides/top profile
Co-Ordinates	Consists of:	. 3. dimension and depth 4. sketch 5. truncation 6. fill
	Overlies:	nos 7. other comments
Level	Butts:	MASONRY:
Slide No.	Cuts:	1. materials 2. size of bricks etc 3. finish of stopes 4.
Neg No.	Fill of: 1(3	coursing/bond 5. form 6. faces 7. bond 8. dimensions as found
Matrix location	Relationships uncertain	9. other comments
	· · · · · · · · · · · · · · · · · · ·	••
Interpretation/Discussion	For of cut [113] Amount	
-		
Finds (tick): None (CBM [] Wood []	Pot[] Bone[] Flint[] Stone[] Burnt stone[] Leather[]	Glass [] Metal []
Small Finds		Recorder
Samples	a a	Date
Building Materi	-1-	Initials AMA

Oxford Archaeology	CONTEXT RECORD	
SITE OXFCAMOS	ADDITIONAL SHEETS:	TYPE CUT
Trench	Context Type: Deposit / Cut / Structure	Check Lists:
Site sub-div	Overlain by:	DEPOSIT:
Structure No.	Abutted by:	1. compaction 2. colour 3. composition 4. inclusion
Plan No.	Cut by:	5. thickness 6. extent 7. comments 8. method &
4	Filled by: 7	conditions
Section No.	Same as:	CUT:
	Part of: 103.	1. shape in plan2. base/sides/top profile
Co-Ordinates	Consists of:	3. dimension and depth 4. sketch 5. truncation 6. fill
	Overlies:	nos 7. other comments
Level	Butts:	MASONRY:
Slide No.	Cuts:	1. materials 2. size of bricks etc 3. finish of stones 4.
Neg No.	Fill of:	coursing/bond 5. form 6. faces 7. bond 8. dimensions as found
Matrix location	Relationships uncertain	9. other comments
Interpretation/Discussion Rent Change in Breatite of Robber transact from LALLE TREE ROOT, where was free in the rent transact from LALLE TREE ROOT, where was free in the rent in the ren		
Finds (tick): None [] CBM [] Wood [] Le	Pot[] Bone[] Flint[] Stone[] Burnt stone[] Glaseather[]	ss[] Metal[]
△ Small Finds Recorder		Recorder Jum
Samples		Date
Building Materials		Initials

Oxford Archaeology	CONTEXT RECORD	
SITE OX FCAMØ8	ADDITIONAL SHEETS: TYPE File	
Trench	Context Type: Deposit / Cut / Structure	Check Lists:
Site sub-div	Overlain by: (7)	DEPOSIT:
Structure No.	Abutted by:	1. compaction 2. colour 3. composition 4. inclusion
Plan No.	Cut by:	5. thickness 6. extent 7. comments 8. method &
	Filled by:	conditions
Section No.	Same as:	CUT:
	Part of: .	1. shape in plan 2. base/sides/top profile
Co-Ordinates	Consists of:	3. dimension and depth 4. sketch 5. truncation 6. fill
	Overlies:	nos 7. other comments
Level -	Butts:	MASONRY:
Slide No.	Cuts:	1. materials 2. size of bricks etc 3. finish of stones 4.
Neg No.	Fill of: 163	coursing/bond 5. form 6. faces 7. bond 8. dimensions as found
Matrix location	Relationships uncertain	9. other comments
5 one, Pot + 6. Runs c. 2. 7. — Interpretation/Discussion	Dt Redid Born this context is III clay-pipe Son E-W 1001-0.15m thick, 0.4-0.8m 8. Trowel, overcost, rainy. 9 robby cut (03). Probably origina 102)	N-5 in cut.
CBM [] Wood [] L	Pot[] Bone[] Flint[] Stone[] Burnt stone[] Gla .eather[]	Recorder JT
<u> </u>		Date 13-06-08
Building Materia	ls	Initials

Oxford Archaeology	CONTEXT RECORD	Context No.	
SITE OXFCIAMOS	ADDITIONAL SHEETS:	TYPE LAYER	
Trench	Context Type: Deposit / Cut / Structure	Check Lists:	
Site sub-div	Overlain by: 102	DEPOSIT:	
Structure No.	Abutted by:	1. compaction 2. colour 3. composition 4. inclusion	
Plan No.	Cut by: 107	5. thickness 6. extent 7. comments 8. method &	
4		conditions	
Section No.	Same as:	CUT:	
	rateor;	1. shape in plan 2. base/sides/top profile	
Co-Ordinates	Consists of:	3. dimension and depth 4. sketch 5. truncation 6. fill	
	Overlies: 8	nos 7. other comments	
Level	Butts:	MASONRY:	
Slide No.		1. materials 2. size of bricks etc 3. finish of stones 4.	
Neg No.	Fill of:	coursing/bond 5. form 6. faces 7. bond 8. dimensions as found	
Matrix location	Relationships uncertain	9. other comments	
	· · · · · · · · · · · · · · · · · · ·		
Interpretation/Discussion A (18) LAWNSCHAIN	the Diffusit Similar to (101) e (100)		
_			
,			
Finds (tick): None [] CBM [] Wood [] Le	Pot [V Bone [V Flint [] Stone [] Burnt stone [] Glaseather []	s [] Metal []	
Small Finds	·	Recorder	
Samples		Date	
Building Materials	S	Initials	

CONTEXT RECORD Context No.		10.0
SITEOXFCAM	ADDITIONAL SHEETS:	TYPE COUT
Trench	Context Type: Deposit / Cut / Structure	Check Lists:
Site sub-div	Overlain by:	DEPOSIT:
Structure No.	Abutted by:	· 1. compaction 2. colour 3. composition 4. inclusion
Plan No.	Cut by:	5. thickness 6. extent
1,4.7	Filled by: 92,91,124	7. comments 8. method & . conditions
Section No.	Same as:	CUT:
7	Part of:	1. shape in plan 2. base/sides/top profile
Co-Ordinates	Consists of:	3. dimension and depth
	Overlies:	4. sketch 5. truncation 6. fill nos 7. other comments
Level	Butts:	MASONRY:
Slide No.	Cuts: 90	1. materials 2. size of bricks etc 3. finish of stones 4.
Neg No.	Fill of:	coursing/bond 5.form 6.faces
Matrix location	Relationships uncertain *	7 ond 8. dimensions as found 9. other comments
BROWNE CAS ORS CLONE FLOOR Interpretation/Discussion CLUT THROWAN 0.7 (2FT) TO WATH CHAVE IN	ER ON GACH SIDE. A DOPTH OF 0.35m INTO CES 91 e 92 FILLING & IN. A 0.7 m CM INTO FRUGO, BUT HARRY TO DEFINE PLE TO INTOR ROS APPROX 0.8m From Cloums SURFACE OUTSIDE TOBER WALL FOR A LATER INSERTION OF EMBRARM HILL FLOW FACE META LOSPING for MODEL? GLOOR OF TERROR SEPART (10) with in RAIN CASH STOWENE CHECGET, ROSS LINIMA OF EMBRASHER METH WOLKED STOWENE	GR 12 Room Fold LE WITH A GERMANNELLEVEL SELL THE OFFSET
	surper 6 celus?	<u> </u>
-	- Variable Company	75
Finds (tick): None [CBM [] Wood []] Pot [] Bone [] Flint [] Stone [] Burnt stone [] Gla Leather []	ss[] Metal[]
	3	Recorder
Samples		Date .
Building Materia	als .	Initials

Oxford Archaeology	CONTEXT RECORD	Context No.	
SITE OXFRAMOS	ADDITIONAL SHEETS:	TYPE STRUCTURE	
Trench	Context Type: Deposit / Cut / Structure	Check Lists:	
Site sub-div	Overlain by: 92	DEPOSIT:	
Structure No.	Abutted by:	1. compaction 2. colour 3. composition 4 inclusion	
Plan No.	Cut by:	5. thickness 6. extent 7. comments 8. method &	
	Filled by:	conditions	
Section No.	Same as:	CUT:	
6,7.		1. shape in plan 2. base/sides/top profile	
Co-Ordinates		3. dimension and depth 4. sketch 5. truncation 6. fill	
		nos 7. other comments	
Level	Butts:	MASONRY:	
Slide No.	Curs:	1. materials 2. size of bricks etc 3. finish of stones 4.	
Neg No.	Fill of: (20	coursing/bond 5. form 6. faces 7. bond 8. dimensions as found	
Matrix location	Relationships uncertain .	9. other comments	
OWER A LIGHT LAND	whater wearer was cover charee Offset that obstance on the		
	ive certi of the top of mous. O'3m thick be	fore Bowsing	
LEITH THE FACE OF	WAR [90] COM.	*	
LAYER 16 RAN UP ALMINST 17 & CITCR 17.			
		-	
Interpretation/Discussion LATER LOWER IN MALL FALE.	FALINE OF WOIL, AFTER INSCRIPTION OF L	undow fugginet	
	· · · · · · · · · · · · · · · · · · ·		
	•		
Finds (tick): None[] CBM[] Wood[] Le	Pot[] Bone[] Flint[] Stone[] Burnt stone[] Glaseather[]	s[] Metal[]	
		Recorder	
Samples		Date	
Ruilding Materials		Initials	

. .*(

3

Oxford Archaeology CONTEXT RECORD		Context No.	
SITEOXFCAM 08	ADDITIONAL SHEETS: TYPE CW		
Trench	Context Type: Deposit / Cut / Structure	Check Lists:	
Site sub-div	Overlain by:	DEPOSIT:	
Structure No.	Abutted by:	1. compaction 2 colour 3. composition 4. inclusion	
Plan No.	Cut by:	5. thickness 6. extent 7. comments 8. method & conditions	
Section No.	Same as: 113.	CUT: 1. shape in plan	
Co-Ordinates	Consists of:	2. base/sides/top profile 3. dimension and depth 4. sketch 5. truncation 6. fill nos 7. other comments	
11	,	MASONRY:	
Level Slide No.		1. materials 2. size of bricks etc	
Neg No.	Fill of:	3. finish of stones 4. coursing/box 25. form 6. faces	
Matrix location		7. bond 9. dimensions as found 9. other comments	
Description (See check lists): A CLUT BESSEVED IN MELLOW SECTION PRONT OF MAN (30) A G. O'UM MONEY SECTION ALMINST MAN FACE, DEPTH LINGTHOUND CLUTS TOP CLAY (AP AF MOUNT) HAD RESIDEN Blown COMBE SAMO & CLASH NETH MORRAN (2014) INFILLING (SETTLEM CLIT & CLASH CLIT & STORE TOWER CONSTRUCTION) Interpretation/Discussion (ON STRUCTION CLIT ALMINETT FOR TEXTS STORE TOWER CONSTRUCTION) INTER THEIR BULLT MAN (30) ALLANT IT			
CBM[] Wood[] Le	Pot[] Bone[] Flint[] Stone[] Burnt stone[] Glaseather[]		
△ Small Finds Record		Recorder	
		Date	
		Initials	

OXFORD CASTLE MOUND Phase1 OXFCAMOS

Box1 FILES

B. SURVEY REPORTS

OXFORD ARCHAEOLOGY, JANUS HOUSE, OSNEY MEAD, OXFORD, OX2 DES

PART I FILMING INSTRUCTIONS Submitter: OA No. of Diazo Copies: 3		
PART 2 TITLE/HEADINGS Site Information:		
Line 1: [OA] County: OXFORDSHIRE Site: OXFORD Castle Mound	Parish:[OxfoR	, i
Site identifier/accession code may be included 0.2. Line 2: Fieldworker/Excavator's Name [D.DODD :	CFCAMØ8/OZCA	15:2008.19]
Classification of Material:		
		Tick if Present
Index to Archive		
Introduction		
A: Final Report		-
A: Publication Report		
B: Site Data - Text: Diary/Daybook/Fieldnotes	 	
B: Site Data - Text: General Summaries		
B: Site Data - Text: Primary Context Records		
B: Site Data - Text: Synthesised Context Records		
B: Site Data – Text: Survey Reports		· //
B: Site Data - Text: Catalogue of Drawings		
B: Site Data - Text: Primary Drawings		
B: Site Data - Text: Synthesised Drawings		-
C: Finds Data - Text: Primary Finds Data		
C: Finds Data - Text: Synthesised Finds Data		
C: Finds Data - Text: Specialist Reports		
C: Finds Data – Text: Box/Bag List		
D: Catalogue of Photos/Slides/Videos/X-rays		
E: Environmental/Ecofact Data: Primary Records		
E: Environmental/Ecofact Data: Synthesised Records		
E: Environmental/Ecofact Data: Specialist Reports		
F: Documentary		· · · · · ·
F: Press and Publicity		
G: Correspondence		
H: Miscellaneous		

STRATASCAN

Geophysical Survey Report

Oxford Castle Mound

For

Oxford Archaeology

May 2009

Job ref: J2592



Claire Graham BA (Hons)



Document Title:

Geophysical Survey Report

Oxford Castle Mound

Client:

Oxford Archaeology

Stratascan Job No:

J2592

Techniques:

Detailed Magnetometry, Resistivity, Ground Probing Radar

National Grid Ref:

SP 509 061




Plate 1: Showing the gradiometer survey over the mound

Field Team:

Bryony Marsh BA (Hons), John Cook BSc (Hons), Davis Elks MA

& Simon Stowe BSc (Hons)

Project Manager:

Simon Stowe BSc. (Hons)

Report written by:

Claire Graham BA (Hons)

CAD illustration by: Simon Haddrell BEng (Hons) AMBCS PIFA & Claire Graham

BA (Hons)

Checked by:

Peter Barker C.Eng MICE MCIWEM MIFA

Stratascan Ltd.

Vineyard House Upper Hook Road Upton upon Severn WR8 0SA

Tel: 01684 592266 Fax: 01684 594142

Email: ppb@stratascan.co.uk

www.stratascan.co.uk

1	SUI	SUMMARY OF RESULTS4		
2 INTRODUCTION				
	2.1	Background synopsis		
		Site location		
		Description of site		
2.4 Site history and archaeological potential		Site history and archaeological potential		
2.5 Survey objectives		Survey objectives5		
	2.6	Survey methods		
3	ME	THODOLOGY5		
	3.1	Date of fieldwork		
	3.2	Grid locations		
	3.3	Description of techniques and equipment configurations		
	3.4	Sampling interval, depth of scan, resolution and data capture		
	3.5	Processing, presentation of results and interpretation		
4	4 RESULTS			
5	CONCLUSION			
6	RE	REFERENCES		
	APPENDIX A – Basic principles of magnetic survey			
	APPE	NDIX B – Glossary of magnetic anomalies18		

Figure 1	1:25 000	Location plan of survey area
Figure 2	1:1000 1:300	Site plan showing location of grids and referencing
Figure 3	1:300 1:500	Plot of gradiometer data and interpretations
Figure 4	1:300	Plot of earth resistance data and interpretations
Figure 5	1:300	Timeslice plot for depths between 0-1m - 400MHz
Figure 6	1:300	Timeslice plot for depths between 1-2m - 400MHz
Figure 7	1:300	3D Representation of 400MHz timeslices
Figure 8	1:150	Plot of GPR timeslice interpretation
Figure 9	1:150	Abstraction and Interpretation of GPR data – 400MHz
Figure 10	1:150	Abstraction and Interpretation of GPR data – 200MHz
Figure 11	1:150	Combined abstraction and interpretation of GPR data
Figure 12	1:300	Combined interpretation of magnetometer & resistivity & GPR anomalies

1 SUMMARY OF RESULTS

A geophysical survey was conducted over approximately $625m^2$ on the top of Oxford Castle mound. The data from the gradiometer survey was very magnetically noisy but may have detected a strong feature associated with the known well chamber. The resistance survey identified distinct areas of low and high resistance, the latter of which may be caused by the foundations of the medieval tower wall. The GPR survey was conducted using both 200MHz and 400MHz antennas. These data sets highlighted a number of features which are likely to be caused by structural remains of archaeological origin.

2 INTRODUCTION

2.1 Background synopsis

Stratascan were commissioned to undertake a geophysical survey over Oxford Castle Mound. This survey forms part of an archaeological investigation being undertaken by Oxford Archaeology.

2.2 Site location

The site is located Oxford Castle Mound, Oxford at OS NGR ref. SP 509 061.

2.3 Description of site

The site consists of the top of Oxford Castle motte, so the natural base geology of the area is not likely to be a factor in the geophysical survey. The soils over the area are unsurveyed due to the urban nature of the site (Soil Survey of England and Wales, Sheet 6 South East England). The survey area covers approximately 625m^2 .



Plate 1: Showing the GPR survey with the 200MHz antenna

2.4 Site history and archaeological potential

The site lies within Oxford Castle, a Scheduled Monument (no. 21701- Oxford Castle and earlier settlement remains). A wooden tower originally stood on the motte, but this was later replaced by a ten sided stone keep - the foundations of which can still be seen today and is reported to have surrounded an internal keep. During the English civil war the tower was demolished and infilled with an earthen rampart. In the 18th century it is thought that further removal of the stone tower foundations took place during the expansions of Oxford prison in the late 18th century. The motte also contains a Grade 1 listed 13th Century well chamber. As a result the archaeological potential of the site is deemed to be high.

2.5 Survey objectives

The objective of the survey was to locate any anomalies that may be of archaeological significance prior to trenching. In addition to defining and characterising archaeological remains associated with civil war defences the geophysical survey may characterise any remaining Norman features beneath subsequent structures.

2.6 Survey methods

Due to the high archaeological potential of the site it was thought that use of the multiple techniques of GPR, magnetic gradiometry and earth resistance would be appropriate. Each offer benefits that compliment the other techniques.

Two of the main advantages of GPR are its ability to give information of depth as well as work through a variety of surfaces. It is particularly suited to locating and characterising buried structures such as foundations and voids, and may give information on features buried beneath known remains. Both detailed gradiometry and resistance survey offer reasonably quick, cost effective methods for the detection of archaeological anomalies. Detailed gradiometry is useful for the detection of cut features such as ditches, and resistance survey is particularly suited to the detection of solid remains such as foundations.

More information regarding these techniques is included in the Methodology section below.

3 METHODOLOGY

3.1 Date of fieldwork

The fieldwork was carried out over two days on 20th and 24th April 2009 when the weather was fine and sunny.

3.2 Grid locations

The location of the survey grids and traverses has been plotted in Figure 1 together with the referencing information. Grids were set out using a Leica Smart Rover RTK GPS.

An RTK GPS (Real-time Kinematic Global Positioning System) can locate a point on the ground to a far greater accuracy than a standard GPS unit. A standard GPS suffers from errors created by satellite orbit errors, clock errors and atmospheric interference, resulting in an accuracy of 5m-10m. An RTK system uses a single base station receiver and a number of mobile units. The base station re-broadcasts the phase of the carrier it measured, and the mobile units compare their own phase measurements with those they received from the base station. A SmartNet RTK GPS uses Ordnance Survey's network of over 100 fixed base stations to give an accuracy of around 0.01m.

3.3 <u>Description of techniques and equipment configurations</u>

Gradiometer

Although the changes in the magnetic field resulting from differing features in the soil are usually weak, changes as small as 0.2 nanoTesla (nT) in an overall field strength of 48,000nT, can be accurately detected using an appropriate instrument.

The mapping of the anomaly in a systematic manner will allow an estimate of the type of material present beneath the surface. Strong magnetic anomalies will be generated by buried iron-based objects or by kilns or hearths. More subtle anomalies such as pits and ditches can be seen if they contain more humic material which is normally rich in magnetic iron oxides when compared with the subsoil.

To illustrate this point, the cutting and subsequent silting or backfilling of a ditch may result in a larger volume of weakly magnetic material being accumulated in the trench compared to the undisturbed subsoil. A weak magnetic anomaly should therefore appear in plan along the line of the ditch.

The magnetic survey was carried out using a dual sensor Grad601-2 Magnetic Gradiometer manufactured by Bartington Instruments Ltd. The instrument consists of two fluxgates very accurately aligned to nullify the effects of the Earth's magnetic field. Readings relate to the difference in localised magnetic anomalies compared with the general magnetic background. The Grad601-2 consists of two high stability fluxgate gradiometers suspended on a single frame. Each gradiometer has a 1m separation between the sensing elements so enhancing the response to weak anomalies.

Earth resistance

This method relies on the relative inability of soils (and objects within the soil) to conduct an electrical current which is passed through them. As resistivity is linked to moisture content, and therefore porosity, hard dense features such as rock will give a relatively high resistivity response, while features such as a ditch which retains moisture give a relatively low response

The resistance meter used was an RM15 manufactured by Geoscan Research incorporating a mobile Twin Probe Array. The Twin Probes are separated by 0.5m and the associated remote probes were positioned approximately 15m outside the grid. The instrument uses an automatic data logger which permits the data to be recorded as the survey progresses for later downloading to a computer for processing and presentation.

Though the values being logged are actually resistances in ohms they are directly proportional to resistivity (ohm-metres) as the same probe configuration was used through-out.

Radar

Two of the main advantages of radar are its ability to give information of depth as well as work through a variety of surfaces, even in cluttered environments which normally prevent other geophysical techniques being used.

A short pulse of energy is emitted into the ground and echoes are returned from the interfaces between different materials in the ground. The amplitude of these returns depends on the change in velocity of the radar wave as it crosses these interfaces. A measure of these velocities is given by the dielectric constant of that material. The travel times are recorded for each return on the radargram and an approximate conversion made to depth by calculating or assuming an average dielectric constant (see below).

Drier materials such as sand, gravel and rocks, i.e. materials which are less conductive (or more resistant), will permit the survey of deeper sections than wetter materials such as clays which are more conductive (or less resistant). Penetration can be increased by using longer wavelengths (lower frequencies) but at the expense of resolution (see 3.4.2 below).

As the antennae emit a "cone" shaped pulse of energy an offset target showing a perpendicular face to the radar wave will be "seen" before the antenna passes over it. A resultant characteristic diffraction pattern is thus built up in the shape of a hyperbola. A classic target generating such a diffraction is a pipeline when the antenna is travelling across the line of the pipe. However it should be pointed out that if the interface between the target and its surrounds does not result in a marked change in velocity then only a weak hyperbola will be seen, if at all.

The Ground Probing Impulse Radar used was an IDS multi-frequency radar system manufactured by Ingegneria Dei Sistemi (IDS).

The radar survey was carried out with 200MHz and 400MHz antennas manufactured by GSSI. This combination of frequencies offers a good combination of depth of penetration and resolution.

3.4 Sampling interval, depth of scan, resolution and data capture

3.4.1 Sampling interval

Gradiometer

Readings were taken at 0.25m centres along traverses 1m apart. This equates to 3600 sampling points in a full 30m x 30m grid. All traverses were surveyed in a "zigzag" mode.

Earth resistance

Readings were taken at 1.0m centres along traverses 1.0m apart. This equates to 400 sampling points in a full 20m x 20 grid. All traverses were surveyed in a "zigzag" mode.

Radar

Radar scans were carried out along traverses 1m apart on a parallel grid as shown in Figure 3. Data was collected at 60scans/metre. A measuring wheel was used to put markers into the recorded radargram at 1m centres.

3.4.2 Depth of scan and resolution

Gradiometer

The Grad 601 has a typical depth of penetration of 0.5m to 1.0m. This would be increased if strongly magnetic objects have been buried in the site. The collection of data at 0.5m centres provides an optimum methodology for the task balancing cost and time with resolution.

Earth Resistance

The 0.5m probe spacing of a twin probe array has a typical depth of penetration of 0.5m to 1.0m. The collection of data at 0.5m centres with a 0.5m probe spacing provides an optimum resolution for the task.

Radar

The average velocity of the radar pulse is calculated to be 0.1/nsec which is typical for the type of sub-soils on the site. With a range setting of 60nsec this equates to a maximum depth of scan of 2.70m with the 400MHz antenna and with a range setting of 200nsec this equates to a maximum depth of scan of 9.0m with the 200MHz antenna, although clear data can only be seen to a depth of about 4.5m. It must also be remembered that the depth measurements could vary by \pm 10% or more. A further point worth making is that very shallow features are lost in the strong surface response experienced with this technique.

Under ideal circumstances the minimum size of a vertical feature seen by a 200MHz (relatively low frequency) antenna in a damp soil would be 0.1m (i.e. this antenna has a wavelength in damp soil of about 0.4m and the vertical resolution is one quarter of this wavelength). It is interesting to compare this with the 400MHz antenna, which has a wavelength in the same material of 0.2m giving a theoretical resolution of 0.05m. A 900MHz antenna would give 0.09m and 0.02m respectively.

3.4.3 Data capture

Gradiometer

The readings are logged consecutively into the data logger which in turn is daily down-loaded into a portable computer whilst on site. At the end of each job, data is transferred to the office for processing and presentation.

Earth resistance

The readings are logged consecutively into the data logger which in turn is daily down-loaded into a portable computer whilst on site. At the end of each job, data is transferred to the office for processing and presentation.

Radar

Data is displayed on a monitor as well as being recorded onto an internal hard disk. The data is later downloaded into a computer for processing.

3.5 Processing, presentation of results and interpretation

3.5.1 Processing

Gradiometer

Processing is performed using specialist software known as *Geoplot 3*. This can emphasise various aspects contained within the data but which are often not easily seen in the raw data. Basic processing of the magnetic data involves 'flattening' the background levels with respect to adjacent traverses and adjacent grids.

The following schedule shows the basic processing carried out on all processed magnetometer data used in this report:

1. Despike

(useful for display and allows further processing functions to be carried out more effectively by removing extreme data values)

Geoplot parameters:

X radius = 1, y radius = 1, threshold = 3 std. dev. Spike replacement = mean

Zero mean grid

(sets the background mean of each grid to zero and is useful for removing grid edge discontinuities)

Geoplot parameters: Threshold = 0.25 std. dev.

3. Zero mean traverse

(sets the background mean of each traverse within a grid to zero and is useful for removing striping effects)

Geoplot parameters:

Least mean square fit = off

Earth resistance

The processing was carried out using specialist software known as *Geoplot 3* and involved the 'despiking' of high contact resistance readings and the passing of the data though a high pass filter. This has the effect of removing the larger variations in the data

often associated with geological features. The nett effect is aimed at enhancing the archaeological or man-made anomalies contained in the data.

The following schedule shows the processing carried out on the processed resistance plots.

Despike X radius = 1

Y radius = 1

Spike replacement

High pass filter X radius = 10

Y radius = 10

Weighting = Gaussian

Low pass filter X radius = 10

Y radius = 1

Weighting = Gaussian

Radar

The radar data collected on site was processed and abstracted using *IDS Gred* software. *IDS* "Full Standard" processing was undertaken on the data. This involves a series of filters to reduce background noise.

3.5.2 Presentation of results and interpretation

Gradiometer

The presentation of the data for the survey involves a print-out of the raw data both as grey scale and trace plots, together with a grey scale plot of the processed data and the abstraction and interpretation of magnetic anomalies (Figure 3).

Earth resistance

The presentation of the data for the site involves a print-out of the raw data as a grey scale plot, together with a grey scale plot of the processed data and the abstraction and interpretation of anomalies drawings (Figure 4).

Radar !

Manual abstraction

Each radargram has been studied and those anomalies thought to be significant were noted and classified as detailed below. Inevitably some simplification has been made to classify the diversity of responses found in radargrams.

i. Strong and weak discrete reflector.

These may be a mix of different types of reflectors but their limits can be clearly defined. Their inclusion as a separate category has been considered justified in order to

emphasise anomalous returns which may be from archaeological targets and would not otherwise be highlighted in the analysis.

ii. Complex reflectors.

These would generally indicate a confused or complex structure to the subsurface. An occurrence of such returns, particularly where the natural soils or rocks are homogeneous, would suggest artificial disturbances. These are subdivided into both strong and weak giving an indication of the extent of change of velocity across the interface, which in turn may be associated with a marked change in material or moisture content.

iii. Point diffractions.

These may be formed by a discrete object such as a stone or a linear feature such as a small diameter pipeline being crossed by the radar traverse (see also the second sentence in iv. below).

iv. Convex reflectors and broad crested diffractions.

A convex reflector can be formed by a convex shaped buried interface such as a vault or very large diameter pipeline or culvert. A broad crested diffraction as opposed to a point diffraction can be formed by (for example) a large diameter pipe or a narrow wall generating a hybrid of a point diffraction and convex reflector where the central section is a reflection off the top of the target and the edges/sides forming diffractions.

v. Planar returns.

These may be formed by a floor or some other interface parallel with the surface. These are subdivided into both strong and weak giving an indication of the extent of change of velocity across the interface which in turn may be associated with a marked change in material or moisture content.

vi. Inclined events.

These may be a planar feature but not parallel with the survey surface. However, similar responses can be caused by extraneous reflections. For example, an "air-wave" caused by a strong reflection from an above ground object would produce a linear dipping anomaly and does not relate to any sub-surface feature. Normally this is not a problem as the antennae used are shielded, but under some circumstances these effects can become noticeable.


vii. Conductive surface.

The radiowave transmitted from the antenna has its waveform modulated by the ground surface. If this ground surface or layers close to the surface are particularly conductive a 'ground coupled wavetrain' is generated which can produce a complex wave pattern affecting part or all of the scan and so can obscure the weaker returns from targets lower down in the ground.

viii. A category for "focused ringing" has been included as this type of anomaly can indicate the presence of an air void. This is created by the signal resonating within the void, but with a characteristic domed shape due to the "velocity pull-up effect".

Timeslice plots

In addition to a manual abstraction from the radargrams, a computer analysis was also carried out. The radar data is interrogated for areas of high activity and the results presented in a plan format known as timeslice plots (Figures 5-7). In this way it is easy to see if the high activity areas form recognisable patterns.



The GPR data is compiled to create a 3D file. This 3D file can be manipulated to view the data from any angle and at any depth within a range. The 3D file can be sampled to produce activity plots at various depths. As the radar is actually measuring the time for each of the reflections found, these are called "time slice windows". Plots for various time slices have been included in the report. Based on an average velocity calculations have been made to show the equivalent depth into the ground.

The weaker reflections in the time slice windows are shown as dark colours namely blues and greens. The stronger reflections are represented by brighter colours such as light green, yellow, orange, red and white (see key provided in Figures 5-7).

Reflections within the radar image are generated by a change in velocity of the radar from one medium to another. It is not unreasonable to assume that the higher activity anomalies are related to marked changes in materials within the ground such as foundations or surfaces within the soil matrix.

4 RESULTS

Gradiometer

The gradiometer data is very magnetically noisy. In the south east and north west of the site areas of strong magnetic disturbance are observed which are likely to be associated with wire mesh reinforcing. In the centre of the site a very strong discrete positive anomaly with an associated negative response is noted which corresponds with the centre of the well chamber. An area of magnetic disturbance is seen towards the centre of the site; this is of unknown origin but may be associated with either modern activity or possibly industrial activity from the civil war period. Discrete areas if positive and negative response are observed across the area. Positive anomalies are caused by in filled cut features such as ditches or pits and may be of archaeological origin. Negative area anomalies have been interpreted as earthwork features and may also be of archaeological origin.

Earth Resistance

The earth resistance survey clearly defines areas of high resistance around much of the perimeter of the mound and this is likely to be associated with the medieval tower wall which surrounded the site. A discrete area of high resistance is observed towards the north of the site. This is of unknown origin and does not correspond with any other discrete features in the other data sets. Three areas of low and moderately low resistance are seen in the centre of the site, these may be caused by cut features or areas of moisture retention, again there is no clear correlation between these anomalies and those highlighted in the gradiometer and GPR surveys.


GPR

The GPR survey was carried out with both 400MHz and 200MHz antennas. There is fairly limited correlation between these surveys. The 200MHz antenna has a deeper penetration but a lower resolution which means that more discrete features which are clear in the 400MHz data may not be seen in with the 200MHz.

400MH₂

The survey conducted with the 400MHz antenna has been abstracted from both the timeslice data and manually. The timelsice data shows an area of high energy response (1) in the western and eastern perimeters of the site which is likely to be caused by the foundations of the tower wall. An area of null response (2) is observed in the east of the site this may be associated with a backfilled construction trench for the tower wall. Further areas of high energy response are observed at various depths and these may be caused by archaeological remains of unknown origin. Two linear anomalies are observed which may be of modern or archaeological origin.


The manual abstraction has detected most of the features seen in the timeslice data with the addition of a few isolated discrete and broad crested responses at depths between 0.45m-0.65m which may relate to fragmented structural remains. A strong linear response (3) is seen on a roughly north west to south east orientation (*Example Radargram 1*) and this may be caused by structural remains of archaeological origin.



Example Radargram 1: Showing discrete and broad crested anomalies which may be associated with the foundations of the tower wall and broad crested anomalies which are of uncertain origin.

200MHz

The data collected with the 200MHz antenna is not of such high quality as that collected with the 400MHz antenna; however several isolated areas of broad crested response are evident. The most notable of which is seen towards the north west of the site (4) (Example Radargram 2), this may be related to the roof of the known well chamber. An area of weak complex response seen in the north and broad crested response noted in the south of the site may be caused by the tower wall.



Example Radargram 2: Showing broad crested anomalies which may be associated with archaeological remains

5 CONCLUSION

The geophysical survey conducted at Oxford Castle Mound has been successful in identifying a number of features which are likely to be caused by archaeological remains. The masonry foundations of the medieval tower wall are clear in both the resistance and GPR surveys. The GPR survey has also identified a number of anomalies which may be indicative of further structural remains of possible archaeological origin.

The gradiometer data identified a strong anomaly which may be associated with the 13th century well chamber and an area of strong disturbance which may be caused by industrial activity of modern or archaeological origin. A significant level of magnetic disturbance related to modern features is evident around the perimeter of the site. This interference may have masked weaker anomalies associated with archaeological activity.

6 REFERENCES

Oxford Archaeology, 2008. Castle Mound, Oxford, Oxfordshire: Archaeological excavation report.

Soil Survey of England and Wales, 1983. Soils of England and Wales, Sheet 6 South East England.

<u>APPENDIX A - Basic principles of magnetic survey</u>

Detailed magnetic survey can be used to effectively define areas of past human activity by mapping spatial variation and contrast in the magnetic properties of soil, subsoil and bedrock.

Weakly magnetic iron minerals are always present within the soil and areas of enhancement relate to increases in *magnetic susceptibility* and permanently magnetised *thermoremnant* material.

Magnetic susceptibility relates to the induced magnetism of a material when in the presence of a magnetic field. This magnetism can be considered as effectively permanent as it exists within the Earth's magnetic field. Magnetic susceptibility can become enhanced due to burning and complex biological or fermentation processes.

Thermoremnance is a permanent magnetism acquired by iron minerals that, after heating to a specific temperature known as the Curie Point, are effectively demagnetised followed by re-magnetisation by the Earth's magnetic field on cooling. Thermoremnant archaeological features can include hearths and kilns and material such as brick and tile may be magnetised through the same process.

Silting and deliberate infilling of ditches and pits with magnetically enhanced soil creates a relative contrast against the much lower levels of magnetism within the subsoil into which the feature is cut. Systematic mapping of magnetic anomalies will produce linear and discrete areas of enhancement allowing assessment and characterisation of subsurface features. Material such as subsoil and non-magnetic bedrock used to create former earthworks and walls may be mapped as areas of lower enhancement compared to surrounding soils.


Magnetic survey is carried out using a fluxgate gradiometer which is a passive instrument consisting of two sensors mounted vertically either 0.5 or 1m apart. The

Stratascan Job ref: J2592 instrument is carried about 30cm above the ground surface and the top sensor measures the Earth's magnetic field whilst the lower sensor measures the same field but is also more affected by any localised buried field. The difference between the two sensors will relate to the strength of a magnetic field created by a buried feature, if no field is present the difference will be close to zero as the magnetic field measured by both sensors will be the same.

Factors affecting the magnetic survey may include soil type, local geology, previous human activity, disturbance from modern services etc.


APPENDIX B - Glossary of magnetic anomalies

Bipolar



A bipolar anomaly is one that is composed of both a positive response and a negative response. It can be made up of any number of positive responses and negative responses. For example a pipeline consisting of alternating positive and negative anomalies is said to be bipolar. See also dipolar which has only one area of each polarity. The interpretation of the anomaly will depend on the magnitude of the magnetic field strength. A weak response may be caused by a clay field drain while a strong response will probably be caused by a metallic service.

Dipolar




This consists of a single positive anomaly with an associated negative response. There should be no separation between the two polarities of response. These responses will be created by a single feature. The interpretation of the anomaly will depend on the magnitude of the magnetic measurements. A very strong anomaly is likely to be caused by a ferrous object.

Positive anomaly with associated negative response


See bipolar and dipolar.

Positive linear



A linear response which is entirely positive in polarity. These are usually related to infilled cut features where the fill material is magnetically enhanced compared to the surrounding matrix. They can be caused by ditches of an archaeological origin, but also former field boundaries, ploughing activity and some may even have a natural origin.

Positive linear anomaly with associated negative response




A positive linear anomaly which has a negative anomaly located adjacently. This will be caused by a single feature. In the example shown this is likely to be a single length of wire/cable probably relating to a modern service. Magnetically weaker responses may relate to earthwork style features and field boundaries.

Positive point/area




These are generally spatially small responses, perhaps covering just 3 or 4 reading nodes. They are entirely positive in polarity. Similar to positive linear anomalies they are generally caused by infilled cut features. These include pits of an archaeological origin, possible tree bowls or other naturally occurring depressions in the ground.

Magnetic debris




Magnetic debris consists of numerous dipolar responses spread over an area. If the amplitude of response is low (+/-3nT) then the origin is likely to represent general ground disturbance with no clear cause, it may be related to something as simple as an area of dug or mixed earth. A stronger anomaly (+/-250nT) is more indicative of a spread of ferrous debris. Moderately strong anomalies may be the result of a spread of thermoremnant material such as bricks or ash.

Magnetic disturbance



Magnetic disturbance is high amplitude and can be composed of either a bipolar anomaly, or a single polarity response. It is essentially associated with magnetic interference from modern ferrous structures such as fencing, vehicles or buildings, and as a result is commonly found around the perimeter of a site near to boundary fences.

Negative linear




A linear response which is entirely negative in polarity. These are generally caused by earthen banks where material with a lower magnetic magnitude relative the background top soil is built up. See also ploughing activity.

Negative point/area

Opposite to positive point anomalies these responses may be caused by raised areas or earthen banks. These could be of an archaeological origin or may have a natural origin.

Ploughing activity



Ploughing activity can often be visualised by a series of parallel linear anomalies. These can be of either positive polarity or negative polarity depending on site specifics. It can be difficult to distinguish between ancient ploughing and more modern ploughing, clues such as the separation of each linear, straightness, strength of response and cross cutting relationships can be used to aid this, although none of these can be guaranteed to differentiate between different phases of activity.

Polarity

Term used to describe the measurement of the magnetic response. An anomaly can have a positive polarity (values above 0nT) and/or a negative polarity (values below 0nT).


Strength of response

The amplitude of a magnetic response is an important factor in assigning an interpretation to a particular anomaly. For example a positive anomaly covering a 10m^2 area may have values up to around 3000nT, in which case it is likely to be caused by modern magnetic interference. However, the same size and shaped anomaly but with values up to only 4nT may have a natural origin. Trace plots are used to show the amplitude of response.

Thermoremnant response

A feature which has been subject to heat may result in it acquiring a magnetic field. This can be anything up to approximately +/-100 nT in value. These features include clay fired drains, brick, bonfires, kilns, hearths and even pottery. If the heat application has occurred insitu (e.g. a kiln) then the response is likely to be bipolar compared to if the heated objects have been disturbed and moved relative to each other, in which case they are more likely to take an irregular form and may display a debris style response (e.g. ash).


Weak background variations



Weakly magnetic wide scale variations within the data can sometimes be seen within sites. These usually have no specific structure but can often appear curvy and sinuous in form. They are likely to be the result of natural features, such as soil creep, dried up (or seasonal) streams. They can also be caused by changes in the underlying geology or soil type which may contain unpredictable distributions of magnetic minerals, and are usually apparent in several locations across a site.

Reproduced from Ordnance Survey's 1:25 000 map of 1998 with the permission of the controller of Her Majesty's Stationery Office. Crown Copyright reserved. Licence No: AL 50125A Licencee: Stratascan Ltd. Vineyard House Upper Hook Road Upton Upon Severn WR8 0SA

OS 100km square = SP





Job No. 2592

OXFORD CASTLE MOUND

Subject

LOCATION PLAN OF SURVEY AREA


GEOPHYSICS FOR ARCHAEOLOGY AND ENGINEERING VINEYARD HOUSE


UPPER HOOK ROAD UPTON UPON SEVERN


WR8 0SA


T: +44 (0)1684 592266 F: +44 (0)1684 594142 E: info@stratascan.co.uk


wv	vw.stratascar	n.co.uk
Scale 1:25000	0m	500 1000m
Plot A3	Checked by PPB	Issue No.
Survey date APRIL 09	Drawn by CG	Figure No.


























111	RADAR INTERPRETATION KEY	BROAD CRESTED RESPONSE OF POSSIBLE ARCHAEOLOGICAL ORIGIN - 400MHz	Amendments
Φ	AREA OF COMPLEX RESPONSE AT DEPTH POSSIBLY	AREA OF BROAD CRESTED AND COMPLEX - POSSIBLE STRUCTURAL REMAINS OF POSSIBLE ARCHAEOLOGICAL	Issue No. Date Description
	ASSOCIATED WITH MEDIEVAL TOWER WALL - 200MHz BROAD CRESTED RESPONSE OF POSSIBLE	ORIGIN - 400MHz DISCRETE RESPONSE - POSSIBLE STRUCTURAL REMAINS	
(5.77)	ARCHAEOLOGICAL ORIGIN - 200MHz BROAD CRESTED RESPONSE POSSIBLY ASSOCIATED	OF POSSIBLE ARCHAEOLOGICAL ORIGIN - 400MHz	
1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	WITH TOWER WALL FOUNDATIONS - 200MHz & 400MHz	(0.25) DEPTH TO TOP OF FEATURE (m)	
3	LINEAR ANOMLY - POSSIBLE ARCHAEOLOGICAL ORIGIN OR ASSOCIATED WITH EXCAVATIONS -400MHz	2 FEATURE ID NUMBER	
	AREA OF COMPLEX RESPONSE POSSIBLY ASSOCIATED WITH MEDIEVAL TOWER WALL - 400MHz	EXAMPLE RADARGRAM	
10,000			
ER 2			
(67)			
		N N	
1 7		(1)	* 1
	SIIIIIII		1 1 1 1 A
	// (W), 4 Ca Street 1		
	(remains)		
		EARTH RESISTANCE KEY	
	\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	Discrete low resistance anomaly - possible cut feature or area of moisture retention	
		Area of moderately low resistance - possible cut	Client OVECDE ARCHAEOLOGY
		feature or area of moisture retention High resistance feature - possible structural	OXFORD ARCHAEOLOGY
The state of the s		remains Area of high resistance - possibly associated with	Project Title Job No. 2592 GEOPHYSICAL SURVEY -
		medieval tower wall	OXFORD CASTLE MOUND
			Subject
		1899	INTERPRETATIONS FROM GPR, EARTH RESISTANCE &
			MAGNETOMETRY
			C'TO ATTACCAM
		The second secon	GEOPHYSICS FOR ARCHAEOLOGY
			AND ENGINEERING VINEYARD HOUSE
			UPPER HOOK ROAD & (IFA)
	GRADIOMETRY KEY	Local William Holder	O.C.
	Area of magnetic disturbance of an unknown		WR8 0SA T: +44 (0)1684 592266
	origin Area of magnetic disturbance associated with		F: +44 (0)1684 594142 E: info@stratascan.co.uk
	wire mesh reinforcing		www.stratascan.co.uk
	Strong discrete positive anomaly with negative return - possibely related to centre of well chamber		Scale 1:300 0m 2 4 6 8 10m
	Positive area anomaly - cut feature of possible archaeological origin		Plot Checked by Issue No. PPB 01
	Negative area anomaly - bank/earthwork feature of possible archaeological origin		Survey date Drawn by Figure No.
	W//// or possible dictiaeological origin		APRIL 09 SDH/CG 12


OXFORD CASTLE MOUND Phase 1

OXFCAMO8


Box1 FILE4


BOSYNTHESISED CONTEXT RECORDS

OXFORD ARCHAEOLOGY, JANUS HOUSE, OSNEY MEAD, OXFORD	O, OX2 0ES
PART I FILMING INSTRUCTIONS Submitter: OA	
No. of Diazo Copies: 3	
PART 2 TITLE/HEADINGS	
Site Information:	
Time 1: [OA]	20
Site: [OXFORD Castle Mound Parish: [OXFOR	
Site identifier/accession code may be included a recovery	J
Line 2: Fieldworker/Excavator's Name [D. DODD	15:2008-59
Line 3:	
Classification of Material:	
	Tial-if
	Tick if
	Present
Index to Archive	
Introduction	
A: Final Report	
A. Publication Report	
B: Site Data - Text: Diary/Daybook/Fieldnotes	
B: Site Data - Text: General Summanes	
B: Site Data - Text: Primary Context Records	
B: Site Data - Text: Synthesised Context Records	
B: Site Data – Text: Survey Reports	
B: Site Data - Text: Catalogue of Drawings	
B: Site Data - Text: Primary Drawings	
B: Site Data - Text: Synthesised Drawings	
C: Finds Data - Text: Primary Finds Data	
C: Finds Data - Text: Synthesised Finds Data	
C: Finds Data - Text: Specialist Reports	
C: Finds Data - Text: Box/Bag List	
D: Catalogue of Photos/Slides/Videos/X-rays	
E: Environmental/Ecofact Data: Primary Records	
E: Environmental/Ecofact Data: Synthesised Records	
E: Environmental/Ecofact Data: Specialist Reports	
F: Documentary	
F: Press and Publicity	-
G: Correspondence	
H: Miscellaneous	









OXFC-AMOS

OXFORD CASTLE MOUND Phase 1

Box1 FILE 6

BOCATALOGUE OF DRAWINGS

6

OXFORD ARCHAEOLOGY, JANUS HOUSE, OSNEY MEAD, OXFORD, OX2 0ES

PART 1 FILMING INSTRUCTIONS Submitter: OA No. of Diazo Copies: 3	
PART 2 TITLE/HEADINGS Site Information:	
Line 1: [OA] County: [OXFORDSHIRE] Parish: [OXFORD Castle Mound	20 j
Site identifier/accession code may be included oxfcAM68/oxcM Line 2: Fieldworker/Excavator's Name [D.DODD	15:2008-1]
Classification of Material:	
	Tick if Present
Index to Archive	
Introduction	
A: Final Report	
A: Publication Report	·. · · · · ·
B: Site Data - Text: Diary/Daybook/Fieldnotes	
B: Site Data - Text: General Summanes	
B: Site Data - Text: Primary Context Records	
B: Site Data - Text: Synthesised Context Records	
B: Site Data - Text: Survey Reports	
B: Site Data - Text: Catalogue of Drawings	
B: Site Data - Text: Primary Drawings	-
B: Site Data - Text: Synthesised Drawings	
C: Finds Data – Text: Primary Finds Data	
C: Finds Data - Text: Synthesised Finds Data	
C: Finds Data - Text: Specialist Reports	
C: Finds Data - Text: Box/Bag List	
D: Catalogue of Photos/Slides/Videos/X-rays	
E: Environmental/Ecofact Data: Primary Records	
E: Environmental/Ecofact Data: Synthesised Records	
E: Environmental/Ecofact Data: Specialist Reports	
F: Documentary	
F: Press and Publicity	
G: Correspondence	
H: Miscellaneous	

Attention Extension:


Oxford Archaeology	

PLAN RECORD SHEET

SITE CODEOXFLAMOS	SITE NAME	CASTLE Mound	Oxford
DITE CODEONFORMOS	Sile IV/IVIE		, Old O 4

SITI	co	DEOXICAMOS SITE NAME CASTLE MOUND, CAFORD			
Pla num	i l	Context(s)	Scale	Drawn by	Size (A1, A4, etc.)
nun	i i			Бу	Α-, ετε.)
1	-	WALL (90)	1:20	77	A١
. 2	_	OVERLAND OF PLAN 1, SHOWING CUT [95]	1:20	37	, A4
3	-	PLANOR LOE 21-04-08 + SHOWING PROPOSED EXTENTION TO TRONCH	,l:50	JT	A4
4		90 mules in execution. + Robber Cot [03],	1:20	JT:	AI.
5		OUBRUM PLAN SHOWING CUT [113] & LAMER (15)	1120	Jour	A4.
6		Plan of extension to trench Plan of Steps limit on 13-06-08	1:20	JT	A AN
7		Plan of Steps limit on 13-06-08	1:20	JT	H@1
	<u> </u>			•	
	!				
	-				•
	W BILLIAND				,
-	i	· · · · · · · · · · · · · · · · · · ·			
	1		_		
	!				
	-				
-		,			<u> </u>
			·		
	1				
				<u>.</u>	


					٠.
	1				
1	<u> </u>				
; ;	<u> </u>				
1 1 2	•				
	•				
	; •				
	<u> </u>	· · · · · · · · · · · · · · · · · · ·			
	<u>.</u>				



SECTION RECORD SHEET

SITE CODE OFCIAMOS SITE NAME CASTLE MOUND, O'NFORD

Section number Context(s) Context(s) Scale Drawn Size (A1, Planumber by A4, etc.) (Sh no by A1 1:20 A1 LIST FACING SECTION DOWN SLOPE. GAST FACING SECTION BELOSS CALL. LIST FACING SECTION BELOSS CALL. LIST FACING SECTION ATTACHES TO TOP (SOUTH) of S.3. 1:20 JT A4 4 GALLON FROM REGULAR TO MAKE FACION ATTACHES TO TOP (SOUTH) of S.3. 1:20 JT A4 7 GALLON SHOWARD CUT INTO MAKE FACTOR A120 JT A44 7
1 NORTH FALLING SECTION AT TOP OF MOUS. 2 LIGST FALING SECTION DOWN SLOPE. 3 GAST FACING SECTION DOWN SLOPE. 4 THEST FACING SECTION BERKS WAL. 5 FATT FACING SECTION BERKS WAL. 6 SECTION FROM PROOF (SOUTH) OF S.3. 1:20 JT A4 4
2 WGST FACING SECTION DOWN SLOPE. 1:20 A1 3 GAST FACING SECTION DOWN SLOPE. 1:20 A1 4 TWEST FACING SECTION BERESS WALL. 1:20 DOWN A44 H 5 EAST FACING SECTION ATTACHES TO FOR (SOUTH) OF S.3. 1:20 JT A4 4 6 SECTION FROM PROUR (9) TO WILL FACE OF WALL (9) IND JOM HUP TH
3 GAST FACING SECTION DOWN SLOPE. 1:20 A1 4 TWEST FACING SECTION BERKS WALL. 1:20 DOWN RHY H 5 EAST FACING SECTION ATTACHES TOTTOP (SOUTH) OF S.3. 1:20 JT A4 4 6 SECTION FROM PROUZED TO COMEN FACE OF MAN (PD) 1/20 DOWN HLP TH
4 TWEST FACING SECTION BERGS WALL. 5 EAST FACING SECTION ATTACHES TOTEOP (SOUTH) OF S.3. 1:20 JT A4 4 6 SECTION FROM FROM FROM FOR TO COMEN FACE OF MAN (PD) 1/20 JOHN 1849 TH
4 TWEST FACING SECTION BREWS WALL. 5 EAST FACING SECTION ATTACHES TOTOP (SOUTH) OF S.3 1:20 JT A4 4 6 SECTION FROM PROOF (9) TO CHIM FACE OF WALL (9) IND JOM HEF TH
6 SECTION FROM REGION TO COME FACE OF MAN (9) INO John HER TH
6 SECTION FROM REGION TO ONTHE FACE OF MAN (90) INO JOHN HEP TH
to make the state of the state




OXFORD CASTLE MOUND Phasel

Box1 FILE 7

B. PRIMARY DRAWINGS NOS


OTHER THE PROPERTY OF THE PROP	D, OX2 0ES
PART 1 FILMING INSTRUCTIONS	
Submitter: OA	
No. of Diazo Copies: 3	
PART 2 TITLE/HEADINGS	
Site Information:	
Line 1: [OA] County: $OXFORDSHIRE$ Parish: $OXFO$	20 I
Site: Oxford Castle Mound	•
Site identifier/accession code may be included oxfcAM68/oxc	-45 200 1
Line 2. Tieldworker/excavator's Name D.D.O.O.	<i>Jug 12008.</i> /
Line 3:	
Classification of Material:	
	Tick if
	Present
Today to A. 1	
Index to Archive Introduction	
A: Final Report	
A: Publication Report	
B: Site Data - Text: Diary/Daybook/Fieldnotes B: Site Data - Text: General Summaries	
B: Site Data - Text: Primary Context Records	
B: Site Data - Text: Finnary Context Records B: Site Data - Text: Synthesised Context Records	
B: Site Data - Text: Survey Reports	
B: Site Data - Text: Catalogue of Drawings	
B: Site Data - Text: Primary Drawings	
B: Site Data - Text: Synthesised Drawings	
C: Finds Data – Text: Primary Finds Data	
C: Finds Data - Text: Synthesised Finds Data	-
C: Finds Data - Text: Specialist Reports	
C: Finds Data - Text: Box/Bag List	
D: Catalogue of Photos/Slides/Videos/X-rays	
E: Environmental/Ecofact Data: Primary Records	
E: Environmental/Ecofact Data: Synthesised Records	
E: Environmental/Ecofact Data: Specialist Reports	
F: Documentary	
F: Press and Publicity	*
G: Correspondence	+
H: Miscellaneous	+




1-201+3rd booket. Joan dem. Uncorred nothing but backfull from the Stope of current works. 270 Extreme flamabolity of new hill noted who it caught fine during installation of level 4. i 30 NO12198 219m JO 9548 20 302 महस्य ८६ 95:1 70 ms OXFCHW 0'8 +3d of 2nd book of bodefill for email. ENV7&

OXFCAMOR
SCALEIRO
PLAN 5.

JDM,





OXFCAMOS


P. 6
1:20 ° 02m
JT
12-06-08


```
REDUCED LEVELS IN METRES O.D.
1) 75.20
                 11) 74.92
                12) 74-23
2) 75.34
                    74.99
3) 75.30
                14) 75.27
  75.27
                    75.14
5) 75.03
                    75.13
6) 75.04
                17) 74.97
7) 75.32
                18) 74.84
  75.02
9) 75.01
```


10) 75.06

OXFORD CASTLE MOUND
Phase 1


1:20










OXFCAMOS SECTION 4 SEALE 1:20 JDM







OxFRAM 08 SCALE 1120 SECTION 7 JDM.



Void 34) (SA 18)

OXF CAM 08 S. 1 1:20 Im JT 07-04-08

(SA13)


4-10 4 (7) Barrist + 000 (B) Yellow grand (25)


75.200 m

Nen Nhns

PLAN 12 SCHEG 1:20 TEGERTZ. 1:20


0xFCAM 09







OXF CAM 08
SECTION 2
WEST PACING SECTION
OF THE CASTLE MOUND,
LOWER HALF. 10-04-08 UM, UT.



OXFORD CASTLE MOUND SECTION 3 TOP PART Scale Phase -1-OXFCAMO8 1:20 1:20



OXFORD CASTLE MOUND Phase1 OXFCAMO8

Box1 FILE 8

COPRIMARY FINDS DATA



OXFORD ARCHAEOLOGY, JANUS HOUSE, OSNEY MEAD, OXFORD, OX2 0ES

PART 1 Submitter: OA No. of Diazo Copies:	FILMING INSTRUCTIONS 3		
PART 2 Site Information:	TITLE/HEADINGS		
Line 1: [OA] Site: Oxfo	County: OXFORDSHIRE RD Castle Mound	Parish:[<i>o∞fo)</i>	
Site identifie	er/accession code may be include r/Excavator's Name [D.D.O.D.	doxFCAMB8/oxc	ys:2008.1
Line 3:			J
Classification of Mate	erial:		
			Tick if
			Present
			r resent
Index to Archive			T
Introduction		-	
A: Final Report			
A: Publication Report			
B: Site Data – Text: I	Diary/Daybook/Fieldnotes		
B: Site Data – Text: C	General Summaries		
B: Site Data - Text: P	Primary Context Records		1
B: Site Data - Text: S	ynthesised Context Records		
B: Site Data - Text: S			
B: Site Data - Text: C	atalogue of Drawings		
B: Site Data - Text: P	rimary Drawings		
B: Site Data - Text: S	ynthesised Drawings		
C: Finds Data - Text:			
C: Finds Data - Text:	Synthesised Finds Data		
C: Finds Data - Text:	Specialist Reports		
C: Finds Data – Text:			
D: Catalogue of Photo	os/Slides/Videos/X-rays	i i	
E: Environmental/Eco	ofact Data: Primary Records		
E: Environmental/Eco	fact Data: Synthesised Records		
E: Environmental/Eco	fact Data: Specialist Reports		
F: Documentary			
F: Press and Publicity			* * .
G: Correspondence			<u> </u>
H: Miscellaneous			

9 (
Oxford Arc	haeology

SITE CODE O'XFLAMUS

SITE NAME CASTLE MOUND, OXFORD

LISTED BY) Mumbers

	BULK FINDS				SMALL FINDS			
Context	Number of bags	Date	ln	Small find number	Date	ln	*//	
41	1	14/08	1					
		· · · · · · · · · · · · · · · · · · ·	:					
			•					
- -		·						
					44.	· ·		
					序	· .		
		<u> </u>			-			
	<u> </u>	·		<u> </u>				
	<u> </u>							
}: 								
·						·		
				-				
					-			

9	
Oxford Arch	naeology

SITE CODE OXFRAMOS

SITE NAME OXFORD CASTLE MOUND

LISTED BY JT

	BULK FINDS			SMALL FINDS			
Context	Number of bags	Date	ln	Small find number	Date	. In	*//
93	HH	18/04/08	litt				
2	1		İ				
6	11		1				CU SSSSSS CUFI
7	1		1 .				
1	1		1				
41	1 -			2			BONE
*	* .						
5	j	V	l				
94	1	4	İ			·	
							
							.,
				·			
			/				
					•		



SITE CODEOXFCAMØ8

SITE NAME CASTLEMOUND, OXFORD.

LISTED BY **J**て

	BULK FINDS				SMALI	. FINDS	·
Context	Number of bags	Date	in	Small find number	Date	ln -	*/_/
6	2	01-05-08	11				
2	3		111			. ·	
99	1.		ı			<u>, </u>	
100	ĺ		1				
5	1		i			· · · · · · · · · · · · · · · · · · ·	
101	1		i				
104	(1		·		
4	-1		1				
107	2 ·)	3			workes Bone
109	1	·	1				
1	1		j				
3	(1-				
5	1"		i			· ·	,
110	1		1				
112)		ŧ				
115	١	4	i		_		
			<i>'</i>				
					<u> </u>		
					<u>.</u> .	_	
					<u>_</u>		

Checked by:

Oxford Archaeology	

SITE CODE OXFLAMOS SITE NAME CASTLE MOUND, OXFORD

LISTED BY & Municipal

	BULK	FINDS		SMALL FINDS			
Context	Number of bags	Date	In	Small find number	Date	In	*//
7		1716/08	}				
109	1	17/6/68)				
16	-	17/1/08	<u> </u>	·		· · !	
						<u> </u>	
						· .	
			<u> </u>	\$		• ,	
					: :	<u>.</u>	
	_						
						_	
	, , , , , , , , , , , , , , , , , , ,		3			·	
			-				
		:					
		\$7 5.4 T			······································	· · ·	
			/ .				
			· · · · · · · · · · · · · · · · · · ·				
			· ·				
			4 <u>,</u>				

Oxford Archaeology	

SITE CODE () XFC AM 08

SITENAME (MSTLK MOUND) OXFORD

LISTED BY MUNICOPE

	BULK	FINDS			SMALI	FINDS	
Context	Number of bags	Date	In	Small find number	Date	In	*/_/
118	}	17/6/08)		-		
13	(J				
12	1		ı			-	
6)				÷
2	(·	1				
	1		1				
8	1	7		4			
8	١	17/6/08		5			
			-				
				`			
					rigin.		7 ~ 4
					* * * * * * * * * * * * * * * * * * *		
	,				•		
		· ·	·			<u>-</u>	
		•					
	·						

9	
Oxford Arc	haeology

SITE CODE OXFLAMOS SITE NAME CASTLE MOUND, OXFUNDS

LISTED BY JANUARORD

	BULK	FINDS		SMALL FINDS								
Context	Number of bags	Date	. In	Small find number		ln	*//					
16	i \	20/6/08 20/6/08	11		©	-	*// Pb wind the FRAME FRA					
92	1	20/6/08										
					,							
			- 1									
	-											
				-								
						_						
	-											
·r												
			_		<u></u>							
				-								
		. ,		-								
·												
		_			-							
							-					



SMALL FINDS RECORD SHEET

SITE NAME: CASTU	5 1101 (D. 0	~600		SITE CODE: OXFC	·
Number	Context	Object	Material	Grid reference	Level
	6	Cuff Link.	Cu Auoy		
2	4]	TIP?	BONE.		
3	107	MANDLE	BONE.		
4	8	MORKED STONE	Linessonse		-
5	8		Sumbstone.		
	160	WORKED STONE			
6	10	WINDOW PRAME FRAL	CENTO	 	
			: 		
					·
				-	<u> </u>
	· · · · · · · · · · · · · · · · · · ·				. <u>.</u>
					,
			-		
				<u> </u>	
				-	
					· · · · · · · · · · · · · · · · · · ·
			·		
				-	
			· · · · · · · · · · · · · · · · · · ·		
/ \l		!		1	

OXFORD CASTLE MOUND Phase1 OXFCAMO8

Box 1 FILE 9

COSYNTHESISED FINDS DATA

OXFORD ARCHAEOLOGY, JANUS HOUSE, OSNEY MEAD, OXFORD, OX2 DES

PART 1 FILMING INSTRUCTIONS Submitter: OA No. of Diazo Copies: 3	
PART 2 TITLE/HEADINGS Site Information: Line 1: [OA] County: [OXFORDSHIRE Parish: [OXFORDSHIRE]]	RD 1
Site: Oxford Castle Mound	1
Site identifier/accession code may be included oxfcAM68/oxc	M5:2008.1
Line 2: Fieldworker/Excavator's Name [D.DODD :]
Classification of Material:	
	ant a rei
	Tick if
	Present
Index to Archive	
Introduction	
A: Final Report	
A: Publication Report	
B: Site Data - Text: Diary/Daybook/Fieldnotes	7.
B: Site Data – Text: General Summaries	+
B: Site Data - Text: Primary Context Records	+
B: Site Data – Text: Synthesised Context Records	
B: Site Data – Text: Survey Reports	
B: Site Data – Text: Catalogue of Drawings	
B: Site Data – Text: Primary Drawings	1
B: Site Data – Text: Synthesised Drawings	+
C: Finds Data – Text: Primary Finds Data	
C: Finds Data - Text: Synthesised Finds Data	+
C: Finds Data - Text: Specialist Reports	1-
C: Finds Data - Text: Box/Bag List	
D: Catalogue of Photos/Slides/Videos/X-rays	
E: Environmental/Ecofact Data: Primary Records	
E: Environmental/Ecofact Data: Synthesised Records	
E: Environmental/Ecofact Data: Specialist Reports	
F: Documentary	
F: Press and Publicity	
G: Correspondence	1
H: Miscellaneous	

								011	uss 										OXCMS:2008.
						_			-										
	OXFCAM 10	Oxford Castle Mound	1					1		1					vessel	body	bottle	green	Household
	OXFCAM 11	Oxford Castle Mound	1					-1		1					vessel	body/neck	?bottle	pale green	Household
																	medicine		`
	OXFCAM 12	Oxford Castle Mound	1	And the size of the second				1		1	34				vessel	base	bottle	brown	Household
		Oxford Castle Mound		Committee control of the committee control of							The second secon				The second secon				
The state of the s	OXFCAM 13	Oxford Castle Mound			The second secon		The second of th	1	The state of the s	1	77	93		The second of th	vessel	body	wine bottle	?green===	Household-
	OXECAM 14	Oxford Castle Mound	2					1		1			-		vessel	body	bottle	?pale green	Household -
						,										body/snould			
	OXFCAM 15	Oxford Castle Mound	2					1 1		1	1	ļ			vessel	er	bottle	pale green	Household
	OXFCAM 16	Oxford Castle Mound	2					_1		1					vessel	body	bottle .	green	Household
	OVECAM 17	Oxford Castle Mound	2					1		1	40	64			vessel	body/snould er	?bottle	green	Household
	OAFCAW 17	Oxford Castle Modific			Transfer of the second	The state of the s			The second secon				And the second of the second o					green 	
	OVEOVALVO	Oxford Castle Mound									-	70		The state of the s					Household
And produced of the Production is an investment of the Production	OYECAM:18	Oxford Castle Mound		The second			- Terminal (1995) (Control of Association (1995) (Control of A	1	ger jahren in der vir der der der der der der der der der de	() ====================================	95	1.0	Secretary of the secret	And the second s	vessel ==	bodyneck	wine bottle		Household
	OAFCAW 19	Oxford Castle Mound	+ -				-	<u> </u>		' 	 	 			VC33C1	TICCK	Wille Dottie	gicen	r louseriola .
	OXFCAM 20	Oxford Castle Mound	5					6		6					vessel	body	bottle	green	Household
	OXFCAM 21	Oxford Castle Mound	5					1		1			-		vessel	uncertain	?	pale blue	Query
					1.		<u> </u>												
		Oxford Castle Mound	5		<u> </u>			1 1		1	ļ	ļ			vessel	body	?		Household
	OXECAM 23	Oxford Castle Mound	5					1 1		1	 				vessel	base	wine bottle	dark green	nouseriola
	OXFCAM 24	Oxford Castle Mound	6					1		1					vessel	body	wine bottle	dark green	Household
	0750444.05																Owine bette	Onala araan	t la vachald
		Oxford Castle Mound Oxford Castle Mound	6		 -			1 1		2	 	 		<u> </u>	vessel	body	?wine bottle wine bottle	?pale green dark green	Household
		Oxford Castle Mound	93	l				2		2		<u> </u>		!	vessel	body	bottle	pale green	
	OXI OXIVI 20	Oxioid Gastie Medita	- 33					 	-		 				100001			Jan 9. 0017	
	OXFCAM 30	Oxford Castle Mound	112					1 1		1					vessel	body	?bottle	green	Household
															Andread and a second				
	OXFCAM 27	Oxford Castle Mound	7			,		1		4				1	window	flat		olive green	
	OXFCAM 29	Oxford Castle Mound	94					1		1				1.5	window	flat	window	colourless	Window
								30	3	6	-								

					
		fragment from shhoulder of modern wine			
		bottle. Slightly weathered. 20th century or		1.	0.4
	wine bottle	later		gl	GL 1
		sherd from shoulder/neck of possible bottle		· .	0.4
	bottle .	sherd. Iridescent weathering. Uncertain date.		gl	GL 1
		medicine or tonic bottle of falt octagonal			1
		section. Sherd comprising half of base.			
		Emobossed numbers on base. Machine		1.	
	medicine bott	tlemoulded. 19th century or later sherd		gl	GL 1
		Body sherd from a cylindrical wine bottle of			
		later 18th or 19th-century date. Heavily			A CONTROL OF THE CONT
	wine_bottle :=	weathered, colour uncertain.		gl	GE1
		small body sherd probbly from a bottle.			
	bottle	Uncertain date. Weathered.		gt	GL 1
		sherd from ?shoulder of cylindrical bottle.			
	bottle	Weathered.		gl	GL 1 .
		body sherd from ?cylindrical bottle			
	bottle	Uncertain date.	•	gl	GL 1
		Sherd from ?shoulder of cylindrical bottle.			
_	bottle	Weathered on inner surface		gl	GL 1
		Sherd from lower wall of cylindrical wine			
		bottle: Heavily weathered surfaces: Colour.			
	wine bottle	uncertain. Late 18th or 19th-century date.			GL1
	wine bottle	small sherd from neck of wine bottle		gl	GL 1
		6 small body sherds, from different pale		 	
	?bottles	green to green bottles. Weathered. Undated.		gl	GL 1
		flat sherd, wedge-shaped in section, pale		<u> </u>	
	flat sherd	blue in colour. Slightly weathered. Undated.		gl	GL 1
		body sherd, very heavily weathered.			
	vessel	Uncertain date.		gl	GL 1
	wine bottle	small base sherd, newly broken. Undated.	<u> </u>	gl	GL 1
	THIS DOLLIC	small body sherd. Possibly modern wine		13.	
	wine bottle	bottle.		gl	GL 1
	Time bottle	2 body sherds, heavily weathered, colour	 	-la.	
	?wine bottle	uncertain. Uncertain date.		gi	GL 1
	wine bottle	body sherd. Modern?	 		GL 1
			ļ	gl	GL 1
	bottle	2 body sherds, no join, bottle? Weathered.	<u> </u>	gl	GL I
	L -441	small thick body sherd, badly weathered.		1.	CL 4
	bottle	Uncertain date.		gl	GL 1
		small thin fragments of window glass. Very			
		flat and regular but many apparent bubbles.		1.	01.4
	window	Date uncertain, but not modern float glass.		gl	GL 1
	window	small thin colourless. Modern float glass.		gl	GL 1
<u>.</u>			L		

Glass OXFCAM08
OXCMS:2008.19

Metals

ID No	Cat No	Code	Trench	Context	SF No	Sample	Phase	Eval/Excav	Count	Fragt Count	Length	Breadth	Fı	unction	Sub-Function	Identification	Comments	Draw	X-ray ref	Metal	Box No	
		OXFCAM 08		2				1	1	1	52	2	Nail		r	nail	Nail, small or eroded head.	-		fe	FE 01	
		OXFCAM 08	· ·	5		1		1	1	1	60		Nail		i i	nail	Type 1, almost complete			fe	FE 01	
		OXFCAM 08		5					1	1	50)	Nail	·	ļ ļ	nail	Nail, small head, complete			fe	FE 01	
	<u> </u>	OXFCAM 08		7					1	1	40)	Nail		ľ	nail	Type 1, complete		·	fe	FE 01	<u> </u>
		OXFCAM 08		109					1	1	48	3	Nail			nail	Nail, ? T-shaped head, almost complete			fe	FE 01	
		OXFCAM 08		5					1	1	22	2 4	Query			curved fragment	fragment, regular curve, part of a circular object? Cross-section appears variable, rectangular at one end, plano-convex at the other. Possibly part of a circular buckle frame.			ca	FE 01	
	,	OXFCAM 08		1					1	1			Persona	nal	Dress c	cufflinks	One form a pair of cufflinks. Comprised 2 slightly dished oval plates with small cast loops, and linked by a single oval loop. The faces of both links are decorated with floral motifs with leaves and flowers within a and key-pattem border	-		?	FE 01	

OXFORD CASTLE MOUND Phase 1
OXFCAMOS

Box1 FILE 10

C. T-INDS SPECIALIST REPORT

OXFORD ARCHAEOLOGY, JANUS HOUSE, OSNEY MEAD, OXFORD, OX2 0ES

PART I FILMING INSTRUCTIONS		
Submitter: OA		
No. of Diazo Copies: 3	•	
DADEO		
PART 2 TITLE/HEADINGS		
Site Information:		
Line 1: [OA] County: [OXFORDSHIRE Parish: [OA]	CFOR	20 j
Sile: OLFORD COSTLE MOUND	200	
Site identifier/accession code may be included oxfcAM68/6	2204	15 12 00 R 16
2 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	-22.0%) 1
Line 3:		
Classification of Material:		
		Tick if
		Present
	2	Tresent
Index to Archive	•	
Introduction	,	
A: Final Report		
A: Publication Report		
B: Site Data - Text: Diary/Daybook/Fieldnotes	·	
B: Site Data - Text: General Summaries	- 1 - 1	
B: Site Data - Text: Primary Context Records	- : :	
B: Site Data - Text: Synthesised Context Records		
B: Site Data - Text: Survey Reports		
B: Site Data - Text: Catalogue of Drawings		
B: Site Data - Text: Primary Drawings		
B: Site Data - Text: Synthesised Drawings	-	
C: Finds Data - Text: Primary Finds Data		
C: Finds Data - Text: Synthesised Finds Data		
C: Finds Data - Text: Specialist Reports		
C: Finds Data - Text: Box/Bag List		
D: Catalogue of Photos/Slides/Videos/X-rays		
E: Environmental/Ecofact Data: Primary Records	-	
E: Environmental/Ecofact Data: Synthesised Records		
E: Environmental/Ecofact Data: Specialist Reports		
F: Documentary		
F: Press and Publicity		
G: Correspondence		
H: Miscellaneous		

Pottery from Oxford Castle Mound (Site OXFCAM08)

Paul Blinkhorn

The pottery assemblage comprised 277 sherds with a total weight of 4469 g. The estimated vessel equivalent (EVE), by summation of surviving rimsherd circumference was 0.52. It comprised mainly post-medieval wares, especially assemblages of 18th century date, but medieval wares were also present, along with a single sherd of early/middle Saxon material and two late Saxon sherds. Residuality was high in the 18th century assemblages, and it seems there was something of an hiatus in activity at the site from the 14th – 16th centuries.

Analytical Methodology

The pottery was initially bulk-sorted and recorded on a computer using DBase IV software. The material from each context was recorded by number and weight of sherds per fabric type, with featureless body sherds of the same fabric counted, weighed and recorded as one database entry. Feature sherds such as rims, bases and lugs were individually recorded, with individual codes used for the various types. Decorated sherds were similarly treated. In the case of the rimsherds, the form, diameter in mm and the percentage remaining of the original complete circumference was all recorded. This figure was summed for each fabric type to obtain the estimated vessel equivalent (EVE).

The terminology used is that defined by the Medieval Pottery Research Group's Guide to the Classification of Medieval Ceramic Forms (MPRG 1998) and to the minimum standards laid out in the Minimum Standards for the Processing, Recording, Analysis and Publication of post-roman Ceramics (MPRG2001). All the statistical analyses were carried out using a Dbase package written by the author, which interrogated the original or subsidiary databases, with some of the final calculations made with an electronic calculator. Any statistical analyses were carried out to the minimum standards suggested by Orton (1998-9, 135-7).

Fabric

The pottery was recorded utilizing the coding system and chronology of the Oxfordshire County type-series (Mellor 1984; 1994), as follows:

```
F100: OXR: St. Neots Ware type T1(1), AD850-1100. 2 sherds, 20 g, EVE = 0.09.
```

F200: OXAC: Cotswold-type ware, AD975-1350. 21 sherds, 264 g, EVE = 0.17.

F202: OXBF: North-East Wiltshire Ware, AD1050 – 1400. 1 sherd, 18 g, EVE = 0.

F300: OXY: Medieval Oxford ware, AD1075 – 1350. 51 sherds, 702 g, EVE = 0.26.

F352: OXAM: Brill/Boarstall ware, AD1200 - 1600. 24 sherds, 319 g, EVE = 0.

F404: OXCL: Cistercian ware, 1475-1700. 8 sherds, 32 g, EVE = 0.

F405: OXST: Rhenish Stoneware, AD1480 – 1700. 9 sherds, 125 g, EVE = 0.

F410: OXCE: Tin-glazed Earthenware, 1613 – 1800. 14 sherds, 85 g.

F412: OXRESWL: Polychrome Slipware, 17thC. 9 sherds, 285 g.

F413: OXST: Westerwald stoneware. c. 1590-1800. 2 sherds, 6 g.

F414: OXBEW: Staffordshire manganese wares. c. 1700-1800. 2 sherds, 62 g.

F416: OXBESWL: Staffordshire slip-trailed earthenware, 1650 – 1750. 4 sherds, 61 g.

F418: CRM: Creamware, mid 18th - early 19th C. 24 sherds, 100 g.

F425: OXDR: Red Earthenwares, 1550+. 80 sherds, 2166 g.

F430: OXFI: Chinese Porcelain, c1650+. 1 sherd, 8 g.

F438: OXEST: London stoneware. c. 1680 plus. 2 sherds, 51 g.

F443: OXFM: Staffordshire White-glazed English Stoneware, 1730-1800. 17 sherds, 129 g.

F451: OXFH: Border wares, 1550 - 1700. 4 sherds, 25 g, .

F1000: WHEW: Mass-produced white earthenwares, 19th - 20th C. 1 sherd, 6 g.

The following, not included in the Oxford type-series, were also noted:

F2: Early-middle Saxon handmade wares, AD450 - 850. Sandy fabric with raree shell fragments up to 2mm. 1 sherd, 5 g, EVE = 0.

The pottery occurrence by number and weight of sherds per context by fabric type is shown in Table 1. Each date should be regarded as a *terminus post quem*. The range of fabric types is typical of contemporary sites in Oxford. The single sherd of early/middle Saxon pottery is worthy of comment as a fairly large (for Oxford) assemblage of 23 sherds (301 g, EVE = 0.30) was noted at large-scale excavations at Oxford Castle from 2002 (Blinkhorn in print).

Chronology and Pottery Occurrence

All the pottery assemblages were given dates based on the range of ware and vessel types present. On this basis, they were then was given a seriated ceramic phase date. as shown in Table X1, along with the pottery occurrence per ceramic phase. It shows that, other than phases were the assemblages were quite small, the mean sherd size is on the small side, and the assemblage generally secondary in nature, with most vessels represented by single sherds.

Table X1: Ceramic Phase Chronology and Defining Wares

Phase	Date	Defining Fabric	No Sherds	Wt. Sherds	Mean Sherd Wt
CP I	AD1000 - 1070	OXAC	2	84	42.0g
CP 2	AD1070 - 1200	OXY, OXBF	43	278	6.5g
CP 3	13^{th} C $-$ late 15^{th} C	OXAM	8	89	11.1g
CP 4	$L 15^{th} - M16^{th}$	OXCL, OXST	0	0	0
CP 5	$M16^{th} - 17^{th} C$	OXDR, OXFH	7	75	10.7g
CP 6	$17^{th} - M 17^{th} C$	OXREWSL, OXCE	2	23 .	11.5g
CP 7	$M - L 17^{th} C$	OXBEWSL	0	0	0
CP 8	$L 17^{th} C - E 18^{th} C$	OXBEW, OXEST	8	• 91	11.4g
CP 9	$E - M 18^{th} C$	OXFM	32	894	. 27.9g
CP10	$M - L 18^{th} C$	CRM	160	2797	17.5g
MOD	19 th C +	WHEW	15	138	9.2g
			277	4469	

The pottery occurrence per ceramic phase by major fabric type is shown in Table X2. It indicates that there was activity at the site from the Saxo-Norman period onwards. Perhaps the most interesting aspect is the gap in medieval activity from some time in

the 13th century to the mid – 16th century, and then the low levels of activity in the post-medieval period until the 17th century. This is perhaps due to severe disturbance of the site in the 18th century, although later medieval pottery types of the 14th – 16th century, such as Surrey Whiteware, 'Tudor Green', later OXAM fabrics and Cistercian ware, were either absent or extremely rare even as residual material, despite earlier medieval wares being present in such contexts (see Table X2). A similar pattern was noted in the pottery occurrence in the much larger assemblage from the main phase of excavations at Oxford Castle (Blinkhorn in print). There, the amount of pottery from the period CP4 – CP5 (14th – late 15th century) was considerably smaller than those from 13th century and late 15th – 16th century ceramic phases.

Table X2: Pottery occurrence per ceramic phase by fabric type, expressed as a percentage of the phase assemblage, by weight in g

	00:	000		r				γ			
Phase	CP1	CP2	CP3	CP4	CP5	CP6	CP7	CP8	CP9	CP10	MOD
OXR	19.0%	0	0 .	0	0	0	0	0	0	0.1	0
OXAC	81.0	13.7	65.2	0	2.7	0	0	4.4	1.3	2.9	.0
OXBF	-	0	0	0	0	0	0	0	0	. 0	13.0-
OXY	-	84.5	11.2	0	0	0	0	0	0	16.3	0.7
OXAM	-	-	23.6	0	16.0	0	0	3.3	6.4	7.8	5.1
OXCL	-	-	-	-	0	0	0	7.7	0.7	0.7	0
OXST		_	-	-	22.7	0	0	4.4	1.8	2.8	10.9
OXDR	<u> </u>	-	-	-	58.7	65.2	0	12.1	76.4	48.4	43.5
OXFH	-	<u>-</u>	-	-	0	· 0	0	0	1.2	0.5	- 0
OXRESWL	-	-	-	-	-	34.8	0	0	9.4	6.9	0
OXCE	-	-	-	-	-	0	0	5.5	1.9	2.0	5.8
OXBEWSL			-	-	_ ·		0	0	0	2.2	0
OXBEW	ı	1	-	-	-	-		62.6	0	0.2	. 0
OXEST	-	-	-	-	-	_	-	0	0	1.8	0
. OXFM	-	-	-	-	-	-	-	-	0.9	3.8	11.6
CRM	-	-	-	-	-	-		-	-	3.3	5.1
WHEW		-	-	~	-	-	-	-	-	-	4.3
Total Wt	84	278	89	0	75	23	0	91	894	2797	138

Shaded cells = residual

The data in Table X2 shows that residuality is quite high in the later phase of the site, particularly CP9 – CP10 (18th century). A total of 20.8% (by weight) of the pottery from CP9 is residual, with the figure rising to 38.2% for CP10. This figure entirely excludes Red Earthenwares (fabric OXDR), at least some of which are very likely to be residual, which given their high representation in each phase, means the amount of residual pottery is probably somewhat higher than the given figure. Most of the residual pottery in these phases is medieval, and as noted above, the commoner later medieval types are all but entirely absent, suggesting that there was very little activity at the site between the 14th and 16th centuries. It is unlikely that the lack of later pottery is due to the physical removal of soils from the site, as earlier medieval wares are present in residual contexts.

Discussion

Generally, the range of fabric and vessel types is exactly what would be expected from a site in Oxford, other than the apparent gap in activity between the 14th and 16th centuries. The earliest context appears to be [41]., which produced two large, well-preserved rimsherds, one from an OXR jar and the other from an OXAC. There seems little doubt from the pottery that this feature dates to before the Norman Conquest.

The earlier medieval vessels are mainly jars, apart from a few sherds of OXY glazed tripod pitchers, the OXAM vessels are largely decorated jugs typical of the $13^{th} - 14^{th}$ centuries, and the post-medieval wares a range of utilitarian earthenwares and fine tablewares.

Two sherds are worthy of further comment. The first, a large fragment of a Red Earthenware (fabric OXDR) colander (Fig CM1) is worthy of illustration, as such vessels while not unknown, are rarely found other than as small individual sherds. The second is a fragment of Creamware (fabric CRM) which has a fragment of an inscription in blue lettering under the glaze. Just two letters remain, "..d C.." (Fig. CM2). The original inscription is likely to refer to ownership of the vessel, be it a person, an inn or an educational establishment. An assemblage of Creamware plates with personal names in underglaze blue were noted at St. Ebbe's (Mellor 1984, 207 and 217). Those which could be identified were largely the property of inn- and coffee-house keepers in the city, and possibly college servants, in the later 18th century. None of the St. Ebbe's vessels had a name which could be related to the tankard from this site, but it is almost certainly contemporary with the St. Ebbe's vessels. Mellor (ibid. 218) noted that 'chinamen', who were likely to have acted as agents for the producers of Creamware in the Potteries region, were working in Oxford by 1769.

Illustrations

Fig CM1: Context 93, OXDR. Large fragment of a colander. Orange-red fabric with a bright orange glaze on the inner surface.

Fig. CM2: Context 7, CRM. Rim from a mug or tankard. White fabric with pale cream-colorured glaze on both surfaces, blue lettering.

Bibliography

Blinkhorn, PW, in print Anglo-Saxon and later pottery from Oxford Castle Oxford Archaeology

Mellor, M, 1984 A summary of the key assemblages. A study of pottery, clay pipes, glass and other finds from fourteen pits, dating from the 16th to the 19th century in TG Hassall et al, Excavations at St Ebbe's Oxoniensia 49, 181-219.

Mellor, M, 1994 Oxford Pottery: A Synthesis of middle and late Saxon, medieval and early post-medieval pottery in the Oxford Region Oxoniensia 59, 17-217

MPRG, 2001 Minimum Standards for the Processing, Recording, Analysis and Publication of postroman Ceramics Medieval Pottery Res Group Occ Paper 2

Guide to the Classification of Medieval Ceramic Forms MPRG Occasional Paper 1 MPRG, 1998

Myres, JNL, 1977 A Corpus of Anglo-Saxon Pottery of the Pagan Period 2 vols, Cambridge

Orton, C, 1998-99 135-8

Minimum Standards in Statistics and Sampling Medieval Ceramics 22-23.

Table 1: Pottery occurrence by number and weight (in g) of sherds per context by fabric type

	Fl	00	F2	200	F2	202	F.	300	F.	352	F4	04	F4	405	F4	10	F4	112	F4	13	F4	114 .	F4	16 ·	ĮF4	418	F	425	F4	30	F4	38	F4	143	F4	51	
Intxt	No	Wt	No	Wt	No	Wt	No	Wt	No	Wt	No	Wt	No	Wt	No	Wt	No	Wt	No	Wt	No	Wt	No	Wt	No	Wt	No	Wt	No	Wt	No	Wt	No	Wt	No	Wt	Date
1			2	32			_1	23			2	11-	i	19			2	53	1	2			ľ	31	ı	3	10	135	T	8	1	13			T	14	M18th(
2			2	30		<u></u>	10	418	12	173					5	17	2 .	126							4	30	23	466	Ī -		I	38	5	16			M18th(
4			3	58		<u> </u>	2	10	2	15																							İ				13thC
_5						<u> </u>	2	15	i	10	ı	4	1	27			. 1	7					1	9	1	2	5	60									M18th(
6			1	7			L	L	ī	4	I	4	1 -	7	1	23							1	20	12	39	14	389					2	62			M18th(
_7	. 1	4	1	13		L			2	32			1	24	2	15	1	7			1	5	1	l	4	19	6	303	,								M18thC
12		_				<u> </u>		ļ		<u> </u>							1	69															1	6			E18thC
16						<u> </u>	3	17																													L11thC
41	i	16	1	68																																	11thC
92							1	5		<u> </u>			<u> </u>		<u></u>																						L11thC
93		·- <u>·</u> -	2	12		<u> </u>			2	57	3	6	3	16	2	17	1	15									13	683							3	11.	E18thC
94									<u> </u>	<u> </u>			1	17													2	33									M16th(
100				İ						6	ļ																										13thC
104			1	2		<u> </u>			1	12				· _		<u></u> .											2	11									M16thC
107														L			1	8									1 -	15									l 7thC
109			<u> </u>	4					1	3	1	7			2	5			1	4	1	57					-1	11									Li7thC
110		-		· .		L	1	15						<u> </u>																<u> </u>							LIIthC
112			6	30		<u> </u>	19	124																													LilthC
115			1	8		<u> </u>	11	74																													LilthC
118					1	18	<u>'</u>	1	1	7			1 .	15	2	8									2	7	3	60					3	16			19thC
[otal	2	20	21	264		18	51	702	24	319		32	9	125	14	85	9	285	2	6	2	62	4	61	24	100	80	2166	1	8	2	51	П	100	4	25	
		N	NB - 7	A sing	le sh	erd of	f F2 ((5 g) (occuri	red in	conte	xt 16	i. and	a sin	ele sh	erd o	f WE	IEW (69	occur	red in	n con	text l	18		_		·									

Introduction

The excavation produced a total of 104 fragments of clay tobacco pipes. The assemblage was recovered from dumped deposits abutting a medieval wall at the top of the Oxford castle motte.

Methodology

All fragments were examined for evidence of markings, decoration and name stamps. Unmarked bowls have been dated by reference to Oswald's general typology (Oswald 1975). No attempt has been made to consider the bowl shape in terms of regional variations. Plain stems have been counted, but due to number of well dated bowls no attempt has been made at stem bore analysis.

Results

The results of the assessment are tabulated below by context (Table 1).

Of the total 104 fragments of clay tobacco pipes 91 are stem fragments, and no decoration, makers marks or stamps were observed. The 13 bowl fragments are in general whole or partially whole, and seven can be closely dated. Six bowls are dated to the mid-17th century, and are generally comparable to London types 5G and 17G (dating from 1640-60 and 1640-70). One bowl from context 5 is most similar to a London type 16G (1610-40), although it is slightly larger than is typical and may be a transitional type.

A highly burnished Dutch bowl, with very fine milling around the lip of the bowl, was recovered from context 109. The bowl had a makers mark stamped on the heel; a crossbow within a beaded border. The mark is recorded as being registered to various Gouda makers from 1679 onwards, and the pipe can probably be dated to c1680-1700 (David Higgins pers. comm.). Three vertical grooves were evident on a stem fragment from context 6; possibly part of a maker's mark.

Discussion

The clay pipes were probably deposited during the refortification and occupation of the castle during the English Civil War. Although the date ranges given are for London types it can be assumed that examples from Oxford will have been made at a similar time. However, the Dutch pipe has a later date and it may be that the assemblage post-dates the occupation of the castle.

Table 1: Incidence of clay pipe stems and diagnostic fragments by context

C Printer and the Co.				
Context:	Stem	Bowls_	Heel/Spur	Comments
1	7	1	s	1 x type 17G 1640-70 very bulbous, long spur
2	30	2	s/h	1 x type 17G 1640-70; 1 x type 5G 1640-60 (in two parts); 1 x stem shows signs of burning
5	5	4	1 x s; 3 x ?	1 x type 16G 1610-40 - ?transition bowl, slightly bigger than a 16G; 2 x fragment bowls (early-mid 17thC); 1 x unid. bowl frag; spur on end of 1 stem
6	12	. 1	h	1 x type 5G 1640-60; 1 x stem has three scored vertical lines
7	12	1	s	1 x type 17G 1640-70 very bulbous, long spur
13	1			
93	10			
.94	1			·
99	1			burnt stem
101	I			
109	9	3	s; h ; ?	1 x type 17G 1640-70; 1 x ?Dutch or ?French 17th century bowl, high quality burnish, very fine milling, merchants stamp on the base - very fine detail; 1 x I x unid. bowl fragment
118	2	1	?	1 x bowl fragment

Bibliography

Oswald A 1975 Clay Pipes for the Archaeologist, B.A.R. (Brit. Series) 14

Note on the worked stone objects (not including the architectural stone) from Oxford Castle Mound (OXFCAM 08)

Ruth Shaffrey

A total of 14 pieces of stone were recovered from the site 12 of, which are unworked. The remaining 2 fragments may be from roof stones (context 16); one has the remains of a perforation at one edge. Both pieces are made of fine-grained slightly sandy Jurassic limestone of a type that is commonly occurring in Oxford.

Oxford Castle Mound (OXFCAM 08)

Glass

By Ian Scott

The glass assemblage comprised 36 sherds including 5 sherds of window glass. The bulk of the glass comprises 21 sherds from bottles or probable bottles and 8 sherds from wine bottles or probable wine bottles. Two small sherds were not identifiable to form or function. All the bottle glass was of 19th- or early 20th-century date, with the exception of two large weathered sherds from cylindrical wine bottles that might be late 18th or 19th century in date (context 1 and 2).

The window glass comprises 1 small fragment of modern thin float glass (context 94) and 4 small sherds of very thin olive green glass with some possible bubbles in the metal (context 7). The latter is not closely dateable.

Context	Vessel	Window	Total
ì	9		. 9
2	5		5
4	1	-	1
5	9		9
6	3		3
7 ·	1	4	5
93	2		2
94		1	1.
112	1		1
Total	31	5	36

Metal

By Ian Scott

The metal assemblage comprises 5 nails, 1 curved copper alloy fragment possibly from a circular buckle, and a single cufflink. The latter has two oval plates engraved with floral motifs and a Greek key pattern border.

Context	Nail	Personal	Query	Total
1		1		ı
2	1			1
5	2		1	3
7	1			1
109	1			1
Total	5	1	1	7

OXFORD CASTLE MOUND PHASE 1 OXFCAMOS

Box1 FILE 11

Co FINDS BOX/BAGLISTS

OXFORD ARCHAEOLOGY, JANUS HOUSE, OSNEY MEAD, OXFORD, OX2 0ES

PART 1 FILMING INSTRUCTIONS		
Submitter: OA		
No. of Diazo Copies: 3		
PART 2 TITLE/HEADINGS Site Information:		
Line 1: [OA] County:[OXFORDSHIRE Site:[OXFORD Castle Mound	Panish:[0xf0]	20 j
]
Site identifier/accession code may be included 02 Line 2: Fieldworker/Excavator's Name 170 2000	FCAMOS/OXCM	5:2008-1
Line 2: Fieldworker/Excavator's Name [D. DoDD -]
Classification of Material:		
Ciassification of Matchai.		
		Tick if
		Present
Index to Archive		
Introduction		
A: Final Report	<u> </u>	
A: Publication Report		
B: Site Data - Text: Diary/Daybook/Fieldnotes		
B: Site Data - Text: General Summaries		
B: Site Data - Text: Primary Context Records		
B: Site Data - Text: Synthesised Context Records		
B: Site Data - Text: Survey Reports		
B: Site Data - Text: Catalogue of Drawings		
B: Site Data - Text: Catalogue of Drawings B: Site Data - Text: Primary Drawings		
B: Site Data - Text: Synthesised Drawings		
C: Finds Data – Text: Primary Finds Data		
C: Finds Data - Text: Frinary Finds Data C: Finds Data - Text: Synthesised Finds Data		· · · · · · · · · · · · · · · · · · ·
C: Finds Data - Text: Specialist Reports		
C: Finds Data - Text: Box/Bag List		
D: Catalogue of Photos/Slides/Videos/X-rays		
E: Environmental/Ecofact Data: Primary Records		
E: Environmental/Ecofact Data: Synthesised Records		<u> 34 - 144 - 1</u>
E: Environmental/Ecofact Data: Specialist Reports		
F: Documentary		
F: Press and Publicity		
G: Correspondence		· 、.
H. Miscellaneous		

Finds Compendium

Site Code	Invoice Code	Site Name	Accession No	OAU No
OXFCAM 08	OXFCAMWB	Oxford Castle Mound		/339

Material	No of Boxes	No Of Contexts	No Of Sherds	Total Weight (g)	Box Sizes	Box Numbers
Animal Bone	ı	17	247	3058	1 x Size 2	B.01
Burnt Flint, Unwork	ed	I	1	37		MISC.01 - mixed box
СВМ	1	17	180	4670	1 x Size 2	BM.01
Clay Pipe	1	12	104	471	1 x Size 4	CP.01
Copper Alloy		2	2	0		. FE.01
Glass	. 1	.10	75	684	1 x Size 4	GL.01
Iron	· · · · · · · · · · · · · · · · · · ·	4	5	0		FE.01
Mortar		2	1	575		MISC.01 - mixed box
Pottery	1	16	176	2435	1 x Size 2	P.01
Shell		. 8	13	233		MISC.01 - mixed box
Stone	3	8	16	1434	1 x Size 4 2 x Unboxed	ST.01, ST.02, ST.03

Totals:

820

13,597 g

Total No of Boxes:

9 boxes +

1 miscellaneous boxes

Miscellaneous Box Sizes:

MISC.01

Siże 4

Weight

No of Material:

No of Number Bags Objects

Box Contents Sheets

Site Code	OXFCAM 08	Material:	Animal E	Bone	
Box Size	Size 2	Box No	B.01	Accession No	. ,

Context

Context	SF No	No of Bags	No o Obje	********	Weight (g)
1		4	20	Animal Bone	373
2		5	68	Animal Bone	754
4		1	8	Animal Bone	44
5	-1	2	13	Animal Bone	198
6 .		· 4	21	Animal Bone	232
7		7	14	Animal Bone	226
13		1	3	Animal Bone	91
16		<u>l</u>	11	Animal Bone	66
41	2	1	1	Animal Bone	9
93		2	32	Animal Bone	607
94		1	9	Animal Bone	90
107		1	Ī	Animal Bone	11
107	3	1	l	Animal Bone	. 19
109		1	9	Animal Bone	86
110		1	1	Animal Bone	2
112	•	. 1	6	Animal Bone	26
115		11	7	Animal Bone	17
118		1	22	Animal Bone	207
No of Co	ntexts:	18	Tot	al Bags:	36

Total Objects:

Total Weight:

Box (ode OX				Mater	ial: 4	СВМ	· · ·	·	<u>-</u>	
Box Si		e 2	. 00		Box N		BM.01	Acc	ession N		
Context	SF No	No of Bags	No o Obje		Weight (g)	Contex	t SF Number	No of Bags	No of Objects	Material:	Weight (g)
1		4	16	СВМ	571	·			•	 	
2		6	61	СВМ	2114	•					
3		1	1	СВМ	. 12	•	•		·		
4		1	1	СВМ	28						
5		2	. 5	СВМ	178			,		•	
6		4	34	СВМ	. 520				•		
7		3	18	СВМ	448						
12		1	2	СВМ	77		•				,
16		. 1	4	СВМ	23	•	·				
19		*. 1	5	СВМ	110	•			-		•
92	=	1	1	СВМ	.7			·			
93		1	.5	СВМ	31 .		•				•
94		i	2	СВМ	4						
104		1	2 ,	СВМ	82						
107		1	· 1	СВМ	14		•				
109		1	1	СВМ	60						•
- 109		. 1	1	СВМ	34						
118		1	17	СВМ	163						
118		. 1	3	СВМ	194		•				•

No of Contexts:

19 Total Bags:

33

Total Objects:

180 Total Weight:

Box Contents Sheets Site Code OXFCAM 08 Material: Clay Pipe **Box Size** Size 4 Box No **CP.01** Accession No Context SF No No of No of Weight Context Weight Material: SF No of Material: No of Bags Objects Number Bags Objects (g) Clay Pipe 1 3 8 50 2 4 33 142 Clay Pipe 5 2 Clay Pipe 48 6 4 Clay Pipe 51 7 3 13 Clay Pipe 71 13 1 1 Clay Pipe 3 Clay Pipe 93 1 10 35 94 1 4 Clay Pipe 99 1 1 6 Clay Pipe . 1 101 4 1 Clay Pipe 109 2 12 Clay Pipe 47 118 1 3 Clay Pipe 10

No of Contexts:

12 Total Bags:

24

Total Objects:

104 Total Weight:

7 Total Weight:

Box Contents Sheets

Site Co	ode OX	KFCAM	1 08	•	Mater	ial: C	opper Al	Iron			
Box Si	ze Pla	astic size	e 4		Box No	o F	E.01	Acc	ession N	No	
Context	SF No	No of Bags	No of Object		Weight (g)	Context	SF Number	No of Bags	No of Objects	Material:	Weight (g)
5		1	1	Copper Alloy Unidentified	0			`.			•
6	1	1		Copper Alloy Cufflink	0		-				
2		1	i	Iron Nail	0						
5	3	1	1	Iron Nail	0			-			
5		. 1	1	Iron Nail	0						· ·
7		1	1	Iron Nail	0						
109		1	1	Iron Nail	0	-		•			

.

Total Objects:

Box (Cont	ents	She	ets							
Site Co	ode OX	KFCAM	I 08		Mater	ial: G	lass				_
Box Si	ze Siz	ze 4	r		Box No	Acc	ession N	,			
Context	SF No	No of Bags	No of Object	1120001201	Weight (g)	Context	SF Number	No of Bags	No of Objects	Material:	Weight (g)
1		4	11	Glass	224			<u></u> -	-		
2		3	20	Glass	206			•			
4		1	1	Glass	6						
5		2.	9 .	Glass	35						
6		3	8	Glass	92			٠.			
7		3	13	Glass	40		-			• .	
93		. 1	2	Glass	13					•	
94		1	1	Glass	2			•	•		•
112		1	1	Glass	3					-	

No of Contexts:

10 Total Bags:

20

63

Total Objects:

118

75 Total Weight:

Glass

Material:

Weight (g)

Box Contents Sheets

Site Code	OXFCAM 08	Material:	Miscellaneo	us
Box Size	Size 4	Box No	MISC.01	Accession No

- Context

SF No of No of Number Bags Objects

Context	SF No	No of Bags	No of Object	1.700.00.00	Weight (g)
2	- 	1	1	Burnt Flint, Unworked	37
91 .		1	0	Mortar	365
93		1	1	Mortar	210
1		1	1	Shell	28
2		. 2	3	Shell	79
5	-	1	1	Shell	24
6		1	1	Shell	23
7		1	3 .	Shell	37
93		1	2	Shell	18
94		. 1	1	Shell	11
112	•	1	1.	Shell	13

No of Contexts:

11 Total Bags:

12

Total Objects:

15 Total Weight:

Material:

No of

Number Bags Objects

Weight

(g)

Box Contents Sheets

Site Code OXFCAM 08	Material:	Pottery	
Box Size Size 2	Box No	P.01	Accession No

Context

Context	SF No	No of Bags	No o Objec	1.20.40.2011	Weight (g)
1		2	21	Pottery	252
2		_4	31	Pottery	531
4 .		1	7	Pottery	81
5		2	13	Pottery	132
6		2	9	Pottery	124
7		2	5	Pottery	60
41		1	` 2	Pottery	84
93		3	30	Pottery	783
94		. 1	4	Pottery	56
100		1	. 1	Pottery	7
104		1	4	Pottery	25
107		1	3	Pottery	25
109	.	1	8	Pottery	33
110		1	1	Pottery	. 15
112		1	25	Pottery	146
115		1	12	Pottery	81

No of Contexts:

16 Total Bags:

25

Total Objects:

176 Total Weight:

Box Contents Sheets		
Site Code OXFCAM 08	Material:	Stone
Box Size Size 4	Box No	ST.01 Accession No

Context	SF No	No of Bags	No of Objec		Weight (g)	Context	SF Number	No of Bags		Material:	Weight (g)
i		1	1	Stone	16	<u> </u>		,			
2	_	3	5	Stone	234			•		,	
4		1	2	Stone	161		,		*		
6		1	1	Stone	19						
7		1	1	Stone	29						•
16		1	2	Stone	430						
93		2	2	Stone	545			•			
93	· ·	2	2	Stone	545						

No of Contexts:

7 Total Bags:

10

Total Objects:

14 Total Weight:

Box Contents Sheets

Site Co	de OX	(FCAM	08	Materi	al: St	one	-			
Box Size Unboxed				Box No	Box No ST.02			Accession No		
Context	SF No	No of Bags	No of Material: Objects	Weight (g)	Context	SF Number	No of Bags		Material:	Weight (g)
8	4	0	1 Stone	. 0						
No of Co	ntexts:	1	Total Bags:	0						
Total Ob	jects:	1	Total Weight:	0						

Box Contents Sheets

Site Co	de OX	KFCAM	I 08. ·	Mater	ial: St	one				
Box Si	ze Un	boxed		Box No	Box No ST.03			Accession No		
Context	SF No	No of Bags	No of Material: Objects	Weight (g)	Context	SF Number	No of Bags		Material:	Weight (g)
8	5	. 0	1 Stone	0						
No of Co	ontexts:	1	Total Bags:	0						
Total O	bjects:	ì	Total Weight:	0			~			

OXFORD CASTLE MOUND PHASE1 OXFCAMOS

Box1 FIE 12

DO CATALOGUE OF PHOTOGRAPHS

OXFORD ARCHAEOLOGY, JANUS HOUSE, OSNEY MEAD, OXFORD, OX2 0ES

PART 1 Submitter: OA	FILMING INSTRUCTIONS		
No. of Diazo Copies:			
140. 01 Diazo Copies:	3		
PART 2 Site Information:	TITLE/HEADINGS		
Line 1: [OA]	County OXFORDSHIRE	D- 115-2-606	30.
	RD Castle Mound	Parish:[$0 \times f \circ \mathcal{R}$	
Site identifie	er/accession code may be include	danca]
Line 2: Fieldworker	Excavator's Name [D. DOOL		15:2008.)
Line 3:			J
Classification of Mate	erial:		
			Tick if
			Present
			TICSCIII
Index to Archive			
Introduction			
A: Final Report			
A: Publication Report			
B: Site Data - Text: D	piary/Daybook/Fieldnotes		
B: Site Data - Text: G	ieneral Summaries		
B: Site Data - Text: P	rimary Context Records		
B: Site Data - Text: S	ynthesised Context Records		
B: Site Data - Text: S	urvey Reports		
B: Site Data - Text: C	atalogue of Drawings		
B: Site Data - Text: P	rimary Drawings		
B: Site Data - Text: S			
C: Finds Data – Text:	Primary Finds Data		
C: Finds Data - Text:	Synthesised Finds Data		
C: Finds Data - Text:	Specialist Reports		
C: Finds Data - Text:	Box/Bag List		
D: Catalogue of Photo	s/Slides/Videos/X-rays		
E: Environmental/Eco	fact Data: Primary Records		
E: Environmental/Eco	fact Data: Synthesised Records		
E: Environmental/Eco	fact Data: Specialist Reports		
F: Documentary	,		
F: Press and Publicity			
G: Correspondence			<u> </u>
H: Miscellaneous			<u> </u>

Oxford Arc	haeology	PI	IOTOGRAPHIC RECORD SHEET			
SITE CODE	OXFCAMOB	SITE N	AME OXFORD CASTLE Mound	FILM NO.) }	
Camera numl	ber	Lens nu	nber	Black & white/ co	olour	
Date	Negative number	View	Context(s)		Initials	
 -	0					
	1		ID SHOT		JM	
	2		WERENG SHOTS OF INTIA	L EXCAMMON		
	3 .		OF MOUND AT START OF	· · · · · · · · · · · · · · · · · · ·		
	4					
	5					
	6					
	7					
	8					
 	9					
	10					
	11					
	12	_	·		<u> </u>	
	13					
	14				 	
	15	_				
	16					
	17					
	18					
	19			·	 -	
	20					
	21				 	
 -	22				1	
	23					
	24				<u> </u>	
	25			,	1 1 -	
	26					
	27	<u>_</u>			<u> </u>	
	28	- <u></u>			 	
	29					
	30					
	31					
	32				1-1-	
	33					
	34					
	35					
	36		V			
	37				1	

No photo Record again)

1	Oxford Arch			OTOGRAPHIC RECORD SHEET					
Date Negative number Part Server	SITE CODE C	XFCAM08	SITENAME Oxford Castle Mound FILM NO. 2						
No No No No No No No No	Camera numb	er	Lens number Black & white c						
## Provided ## Pr	Date		View	Context(s)	Initials				
# 5 E # 4 E # 5 E # 6 E # 7 W # 8 S # 10 9 SE Vivey mand from road # 10 SE # 13 N # 13 N # 14 N # 15 IS SU Vive from from # 16 IS SU Vive from from # 18 N Vive from from # 10 NW		Ø.			•				
# 5 E # 4 E # 5 E # 6 E # 7 W # 8 S # 10 9 SE Vivey mand from road # 10 SE # 13 N # 13 N # 14 N # 15 IS SU Vive from from # 16 IS SU Vive from from # 18 N Vive from from # 10 NW		X.		ADMINES A					
# 5 E # 4 E # 5 E # 6 E # 7 W # 8 S # 10 9 SE Vivey mand from road # 10 SE # 13 N # 13 N # 14 N # 15 IS SU Vive from from # 16 IS SU Vive from from # 18 N Vive from from # 10 NW		21		Dachine exc of mound.	JM				
## E ## 5 E ## 5 E ## 7 W ## 8 5 ## 9 SE Viewy mand from road ## 12 NE ## 13 N ## 13 N ## 14 N ## 15 SV ## 16 SV ## 18 N ## 10 NV ## 18 N ## 10 NV ##		 	?	(11				
## 15 E ## 10 9 SE View mand from road ## 12 NE ## 13 N ## 15 SW View from road ## 16 SV ## 17 N View from road ## 10 19 N N View from road ## 10 19 N Machining ## 12 WE ## 22 W ## 25 W ## 25 W ## 25 W ## 25 W ## 25 W ## 26 NN ## 26 NN ## 27 NW ## 29 28 NW ## 20 19 NW ## 20 19 NW ## 20 19 NW ## 20 19 NW ## 20 19 NW ## 20 19 NW ## 20 20 NW ## 20 21 NW ## 20 21 NW ## 20 22 NW ## 20 23 NW ## 20 24 NW ## 20 24 NW ## 20 25 NW ## 20 26 NN ## 20 27 NW ## 20 28 NW ## 20 29 NW ## 20 28 NW ## 20 29 NW ## 20 28 NW ## 20 29 NW #		47 5	E		11				
6 E 6 7 W 8 5 10 9 SE View mand from road 10 10 SE 11 NE View from top 12 11 NE View from top 13 12 NE 14 13 N 15 14 N 16 15 SW View from top - de trusping top. 19 18 N 10 19 N Machining 10 20 NW 10 22 W 10 24 E View from road 10 25 W N 10 26 NW 10 27 NW 10 29 24 W N 10 29 28 NW 10 20 NW 20 20 NW 20 20 NW 20 20 NW 20 20 NW 20 20 NW 20 20 NW 20 20 NW 20 20 NW 20 20 NW 20 20 NW 20 20 NW 20 20 NW 20 20 NW			E						
\$ 5 S 10 9 SE View mand from road 11 10 SE 11 NE View from loop 13 12 NE 14 13 N 15 14 N 16 15 SN View from road 77 16 SN 19 18 N 10 19 N Maching 10 19 N Maching 10 22 N 10 24 E View from road 25 25 NN Machining 17 26 NN 27 27 NN 28 27 NN 29 28 NN 20 29 NN 20 29 NN 20 20 NN 20 21 NN 20 21 NN 20 21 NN 20 22 NN 20 23 NN 20 21 NN		1			 				
		 			~				
10 9 SE View mand from road 11 10 SE 12 11 NE View from top 13 12 NE 14 13 N 15 14 N 16 15 SW View from top or od 17 16 SU 19 18 N 10 19 N Maching 11 20 NM 12 21 W 13 22 W 14 25 W 15 24 E View from road 15 27 NW 16 27 NW 17 26 NW 18 27 NW 18 27 NW 18 27 NW 18 27 NW 18 27 NW 18 28 NW 18 29 NW 18 30 NW 18 30 NW 18 30 NW 18 30 NW 18 30 NW		 			++-				
1 10 SE 1 11 NE View from top 13 12 NE 14 13 N 15 14 N 16 15 SW View from top - de twoping top. 19 18 N View from top - de twoping top. 19 19 N Machining 10 12 NW 10 22 W 10 23 W 10 24 E View from road 10 XN Machining 10 XN Machining 10 XN Machining 10 XN Machining 10 XN Machining 10 XN Machining 10 XN Machining 10 XN Machining 10 XN Machining 10 XN Machining 10 XN Machining 10 XN Machining 10 XN Machining 10 XN Machining 11 XN Machining 12 XN MACHINING 13 XN MACHINING 14 XN Machining 15 XN MACHINING 16 XN MACHINING 17 XN MACHINING 18 XN MACHINING 18 XN MACHINING 19 XN MACHINING 10 XN MACHINING 10 XN MACHINING 10 XN MACHINING 11 XN MACHINING 11 XN MACHINING 12 XN MACHINING 13 XN MACHINING 14 XN MACHINING 15 XN MACHINING 16 XN MACHINING 17 XN MACHINING 18 XN MACHINI		1			+				
13 12 NE 14 13 N 15 14 N 16 15 SW View from road 17 16 SW 18 17 N View from top - de tructing top. 19 18 N 19 19 N Machining 10 20 NW 10 22 W 10 23 W 10 24 E View from road 10 25 NW, Machining 10 26 NW 10 28 NW 10 28 NW 10 28 NW 10 28 NW 10 28 NW 10 28 NW 10 28 NW 10 28 NW 10 28 NW 10 28 NW 10 28 NW 11 30 NW 12 33 W 13 32 W 14 33 W		 (2 17		Viewy mand from road					
13 12 NE 14 13 N 15 14 N 16 15 SW View from road 17 16 SW 18 17 N View from top - de truging top. 19 18 N 10 19 N Maching 10 NW 12 21 N 13 22 W 14 25 W 15 24 E View from road 15 27 NW 16 27 NW 17 26 NW 18 27 NW 18 28 NW 18 29 NW 18 29 NW 18 29 NW 18 29 NW 18 29 NW 18 29 NW 18 29 NW 18 29 NW 18 30 NW		$+$ \rightarrow			 				
15 14 N 16 15 SW View Jam road 17 16 SW 18 17 N View Jam top - de trusing lop. 19 18 N N 19 19 N Maching 10 20 NW 10 22 W 10 25 W 10 26 NW 10 27 NW 10 28 NW 10 29 NW 10 29 NW 10 20 NW 10 NW 10 NW 10 NW 10 NW 10 NW 10 NW 10 NW 10 NW 10 NW 10 N	,			View from top	+				
15 14 N 16 15 SN View from road 17 16 SN 18 17 N View from top - de hwyrig trep. 19 18 N 19 19 N Machining 120 NN 121 N 122 N 123 22 N 124 E View from road 125 24 E View from road 126 NN 127 26 NN 129 28 NN 130 27 NN 130 NN 133 32 143 33 V		1 (-7			 				
16 15 SW View Jam road 17 16 SW 18 17 N View pan top - de truring lape. 19 18 N N 20 19 N Maching 120 NW 121 W 125 W 125 W 126 NW 126 NW 127 NW 128 NW 129 24 E View pan road 120 NW 121 NW 122 NW 123 27 NW 124 28 NW 125 27 NW 126 NW 127 NW 128 NW 129 28 NW 129 28 NW 130 NW 131 30 NW 131 30 NW 131 30 NW 131 30 NW 131 30 NW		 - 2 			-				
17 (6 5 V V V V V V V V V V V V V V V V V V				V /a	 				
18 17 N View pan top - de huging top. 19 18 N N N Maching 120 NW S 21 21 W S 22 21 W S 23 22 W N N N Machining 27 26 NW Machining 28 27 NW N Machining 29 28 NW N N N N N N N N N N N N N N N N N N		 6\2		I for your	+ - +				
20 19 N Maching 21 20 NW 22 21 W 23 22 W 24 23 W 25 24 E View pm road 26 25 NW, Machining 27 26 NW 29 28 NW 29 28 NW 20 27 NW 21 30 NW 23 32 W 24 33 V		1 7 7 7		Vi ma top - do to coin lea					
20 19 N Maching 21 20 NW 22 21 W 23 22 W 24 23 W 25 24 E View pm road 26 25 NW, Machining 27 26 NW 29 28 NW 29 28 NW 20 27 NW 21 30 NW 23 32 W 24 33 V		X		View jour of the things					
22 21 W 23 22 W 24 23 W 25 24 E View ma road 26 25 NW. Machining 27 26 NW 29 28 NW 29 28 NW 30 29 NW 31 30 NW 32 31		 	\sim	Machai					
22 21 W 23 22 W 24 25 W 25 24 E View ma road 26 25 NW. Machining 27 26 NW 29 28 NW 30 29 NW 31 30 NW 32 31 33 32 34 33 V 35 34 NE		20 20	NW	1 mg					
23 22 W 24 E View from road 25 24 E View from road 25 25 NW, Machining 27 26 NW 29 25 NW 29 25 NW 20 27 NW 20 27 NW 21 30 NW 21 30 NW 22 31 V 23 32 V 24 33 V		22 21	W		1 1				
24 28 W View pan road 25 24 E View pan road 26 25 NW, Machining 27 26 NW 29 24 NW 30 27 NW 31 30 NW 32 31 33 32 34 33 V 35 34 NE	_	23 22	W						
25 24 E View por road 26 25 NW. Machining 27 26 NW 28 27 NW 29 28 NW 30 29 NW 31 30 NW 33 32 34 33 V 85 34 NE		24 23	ω	.\\					
25 25 NW. Machining 27 26 NW 29 28 NW 29 28 NW 30 27 NW 31 30 NW 33 32 34 33 V 35 34 NE	· · ·	25 24	E	· View from road					
23 27 NW 29 28 NW 30 29 NW 31 30 NW 32 31 33 32 34 33 V		25, 25	NW.	Machining					
28 27 NW 29 28 NW 30 29 NW 31 30 NW 33 32 34 33 V 84 33 V		27 26	NW	<u> </u>	1-1				
29 29 NW 30 29 NW 31 30 NW 33 32 34 33 V 35 34 NE		28 27	NW						
30 27 NW 31 30 NW 32 31 33 32 34 33 V		29 28	N~	\	1-				
31 30 NW \\ 32 31 \\ 33 32 \\ 34 33 \\ 35 34 \NE \		30 29		.	 				
33 32		31 30	\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\		+ -				
34 33 V V 35 34 N ∈ 1		31			\				
85 34 NE 1		33 32		- }					
1 AF 37 NE 1 1		34 33	¥_	.V	+-}-				
36 % 1		175	NE		 				
36 35 √ √ 37 36 E Dytence. V		997 35		7	+ +				

Oxford Arch	naeology	PH	HOTOGRAPHIC RECORD SHEET	
SITE CODE	3XFCAM08	SITE N	AME CASTLE MOUND, OXFORD FILM NO. 3	
Camera numb	er ,	Lens nui	mber Black & white / co	eur
- Date	Negative	View	Context(s)	Initials
	number ·		75 500	
		-> SE	SECTION I VIEW 2x I WB	JM
	+ 3	1	Section / View Zk i'm	1
	3	1-1-		- -
		1		
. 1		_>sw	Section 1 View 2-1n	
7 2				
34	***************************************			
5	3	4	See	
6	**	->€	SECT 2 TOP SECTION 2 x lm. WB	
7	189	 		
8			9	
9	₩	-		
10	1.3	ļ- ļ ⁻	 	
11	154			
12	1000	} _ ` _ 	which we come	1. A
13	16	<u>~>;∪</u>	SECTION 3 TOP SECTION, WB. 2×1m	490-
(4	100	 		
15	13	->€	SECTION 2 MID SECTION LIB 2x m	don
15	20	1	SECTION 2 LAND SECTION LAB 2x m	Jan
17	 _XX 	 		
(8		+ -		
19	23	E	Seetin 2 Levre Seeting, WB 2x/m	17
70	1- 360	1	Section 2 Leaver Section. WB 2x/m (Box of 87eps)	
2.1	23	1.	J. J.	
22	₹6	1		
23	<u> </u>	V		
24	28	W	Section 3, Lower section WB	JT
<u> </u>	26		Section 3, Lower seeting WR 2x1m scale	_/_
26	300			
76	330	1	¥ ·	/
	33			ļ
	│3 ₹	<u> </u>		<u> </u>
	337	-		
	 			
	37			
<u> </u>	5/			<u> </u>

14-4-2008

Oxford Archa	Leology	PH	IOTOGRAPHIC RECORD SHEET						
	SITE CODE OXFLAMOS		SITE NAME CASTLE MOUND, OXFORD FILM NO. 4						
Camera number		Lens number Black & white / col							
Date	Negative number	View	Context(s)	Initials					
	0		1D SHOT						
	1	-> N	WORKING SHOT	37					
	2								
	3								
	4	-76	STRUCTURE (10) WB						
	5	7	STANGENTS (90) WB	ST					
	6		WB	-					
	7	•	, wis						
	8	4	NB						
	9	J.Z	NB.						
	10	1	1						
-	11	4							
	12	E	Pit 95 2 x Im Scale WB	JT					
	13		NB	1 :					
	14		NB						
	ļ	SE	NB	1					
	16	1	NB						
	17	\$ W	Wg.						
٦	18	4	NB						
	19	3 1	NB	1					
	20	₹N	General Working Shots						
	21	• 1	d-adjaci Maran						
	22	1							
	23	SE	Shoring of Slump at mound have, east						
	24	1/	The state of the s	†					
	25	SE	PRE EXTENTION OF TERNICH						
	26	E							
	27	Ĭ.							
	28	NE	WORKING SHOTS-BASKET INSTALLATION						
	29	140	1 1						
· ·	30	NN	- FIRST ROW OF BASKERS.	†					
	31		THIS NOW OF DAIRELS.						
	32	5	(06) Rubble Tip ores (107) WB	JT					
· ·	33	ر ا	(06) Rubble Tip ores (107) WB 2×1 m Scale NB						
	34		1.						
	35	Y		*					
	36			<u> </u>					
	37								

**

Y, A

Oxford Archa	eology	Pŀ	IOTOGRAPHIC RECORD SHEET	
SITE CODEO	sfcamo8	SITE NA	AME CASAG MOUND, ONFONDO FILM NO. 5	
Camera numbe	r	Lens nur	mber Black & white / co	lour
Date	Negative number	View	Context(s)	Initials
	0		(a) S180T	•
	1.	~>@	Sig we In	98m
	2	f	l wb	1
	3		rus .	,
<u> </u>	4		lug.	<u> </u>
	5	4	4 NB	
	6	→N	can have at (20)	
	7	. •	t t	₩
01-05-08	8	ړس	BASKET INSTALLATION, 4th ROW.	UT.
	9		WORKING SHOTS	
	10	V	¥	14
	11	~	<u> </u>	
· .	12	<i>V</i>	<u> </u>	
	13	MM		
· · ·	14	CVA	V V	V_
	15	2 AA	Coners Onets fan home og Nuppeld	<u> </u>
	16		College	· ·
	17 18	 	 	
	19			 -
	20			
		\ <u>\</u>		1 ~
1	21		SHANNING CONTRACT	1
	23	E	66 1404 5 - 6 56 600 4 00 48 47 20164	
	24	sE	GENERUL SMOTS OF CHABION MORRES AT RASTOFM	<u> </u>
	25	SE		
<u> </u>	26	E		
	27	Ē		
	28	E		
	29	E	(FROM ROPAD)	
	30	sw.		
	31	SW	N 4	
	32	5~		
	33	E	Projile of lower gasions	
	34	ϵ	Jan Jan Jan Jan Jan Jan Jan Jan Jan Jan	
<u> </u>	35		Misspine	
	36			
	37		V	

			<u> </u>					Lorent		
Oxford Ar	chaeology	PI	HOTOGR							
SITE CODE	OXFCAMO8	SITE N	AME CASA	C-mount	D, Oxfor	vs		FILM NO. 6		
Camera num	nber	Lens number Black & white / col								
Date	Negative number	View	iew Context(s)							tials
	0									
	1			1D SV	toT					
	2		working	4 SHOTS					<u> </u>	
	3				_				<u> </u>	
	_		<u> </u>		·			· <u>·</u>	ļ.,	1 20 73
	5		—	•			.*	· · · · · · · · · · · · · · · · · · ·		
	6	->w	NEW EAST	EXTENSION	of LAL	1 90]	wß	<u> </u>	01	
	7	→w			1		NB		17	
	8	→ W	1	<u> </u>	•		NB		117	
	9	→F	 				WB		0	
•	10		-				NB		17	
	11	•	+ - +	- 4		<u> </u>		 	07	
· ·	12	-> ₩	Cigaugo	AREA EXPO	sing mo	RE STONE	ord	wß	117	
	13	-	 					NB	1	
	14	* '→>6	1		<u> </u>	<u> </u>		NB	177	
	15 16	76	-					WB		<u> </u>
	17		1			<u> </u>		NB	ائن 18	
	18	→ <u></u>	4	6.0		, <u>, , , , , , , , , , , , , , , , , , </u>		NB	1	
-	19	1	LAYGAS	(B) = ((B)	BUMUST	in (907	<u></u>	-	92	
	20			1		 				
	21	4				1	, n			
	22	- ⇒ ω	 	- 	, ,	†	<u> </u>		1 1	
' 	23	1					<u>~</u>			
•	24						n4			
,	25	4		4	7		NO			,
	26	> 5	SF 4	-e 5 1~	Situ.	inB	· <u>-</u>			
	27	-3 5			<u> </u>	n ß	 :			
	28	-75E				r 0				
	29		47		L	NO				
	30	Ø								
	31									
	32									
	33									
	34									
	35				٤	:				
	36					·	-			
	37					· .		4,		

. 24/6/08

Oxford Arc	haeology	PF	IOTOGR	APHIC R	ECORD	SHEET			
SITE CODE	9XFCAMO8	SITE NA	SITE NAME CASTLE MOUND, OXFORD						
Camera numl	ber	Lens nur	mber				Black	ي / white & white	Hour
Date	Negative number	View		• '	Context(s)		· ·	Initials
	.0 ,				<u> </u>	<u></u>			<u> </u>
	1			1D SHOT					
	2	> ς	SECTION	N 7	wiß		· · ·		
	3	1		1	NB	·			
	4				NB		٠		- '
	5	4		•	NB				
	6	-> ~	SEUTION	, 6	w.B				
·	7	1			NB				
	8				NB .				
	9	b			NB				
, <u></u>	10	<u>-></u> w	WALL	90 FlowT	Ex 80567	WB			<u> </u>
	11				<u> </u>	NB			
	12					NB			
	13	₩	4		<u> </u>	ms			
	14	→ 6	. \						
	15								
	16			100					
	17	1	1		<u></u>		Z		
	18	> S_	Ewr (120) non facir	~ [121) -	e carrons (91) 2 (92) wß	ļ
· · ·	19							148	
	20	<u> </u>	 	<u>-</u>				na	
	21	 	→		`4		ь_	NB	
	22	- <u>-</u> >5\u	wan h	teing of wat	u (90)	WB			_
-	23	igwedge		1		MR			
:	24	+		1		NB			
	25	 	ļ	 		NB			
<u> </u>	26	<u></u> ₩	•	<u> </u>	φ	NB			1.
	27	1							
	28							 . <u>-</u>	
	29	ļ					. <u>-</u>	-	-
· · · · ·	30	 		 					
	31		ļ						-
	32	 -	<u> </u>						1
	33	<u> </u>							
	34	 					-		ļ.,
	35	 	ļ		. .	 			V
	36				<u> </u>	· · · · · ·			
	37		1	f					1

24/6/08

Oxford Arc				IIC RECORD SH			**		
SITE CODE OX FCAMOB		SITE NAME Oxford Costle Mound FILM NO.							
Camera/numl	ber	Lens number Black & white /(co							
Date	Negative number	View		Context(s)			Initial		
	0						1		
	1		ID She	, +					
	2	W	General	pre-ex	7				
	3	W	General	Pre-ex	Sh	~4·c			
_	4	2		Pre-ex		<u> </u>			
	5	NW	General						
	6								
	7								
	8	. 4,							
	9								
	10								
	11								
1	12						_		
	13								
	14								
	15				·				
	16	_	_	•					
	17		-						
	18	-							
	19								
	20		10	tails.			_		
	21	3 6		9 5					
	22		71	iji ey	hot	- (
	23		817175	2 2					
	24		∞	chaque de la chaqu		,			
	25			email: customer-service@fujilab.co.uk arvices please remember to enclose a che					
	26	÷	i di	to end					
	27	.		servici smber					
	28			De reme					
	29		gr.	pleas					
	30		327.3 327.3 K L	Irvices					
	31		MIC AND A	onal se					
	32		Fuji Processing Laboratory 8171 PO BOX 3278 WARWICK ENGLAND CV34 6YJ	NOTICE: For additional services please remember to enclose a chaque or credit card details.					
	33		「よると思る事	For					
	34		a 2	OJICE					
	35		<u> </u>	Ž					
	36								
	37		4	7			_		

Oxford Arci	haeology	Pł L_	IOTOGRAPHIC RECORD SI	HEET						
SITE CODE OX FCAMOB		SITE N	AMEOXFORD COSTIE Moun	d FILM NO.)					
Camera _, numb	oer	Lens nu	Lens number Black & white /col							
Date	Negative number	View	. Context(s)		Initial					
	0			·	_					
	1		ID Shot							
_	2	W	General pre-ex	4						
	3	W	General Pre-ex	Shots						
	4	N	General Pre-ex							
-	5	NW	General Pre-ex							
	6		,							
	. 7									
	8									
	9									
	10									
	11									
	12									
	13									
	14									
	15				<u> </u>					
	16			<u> </u>						
	17									
W.:	18				- 					
	19									
		l I	<u> </u>							
	_	į	working {							
- 1	4	_	Work Ines S	1 10	+					
	BUAGIODS		110 (1/ 00	hots						
	y one film per envelope		working S working							
	ase complete ons 1 & 2 on se reverse	itoes If	1	· · · - · · - · · · · · · · · · · ·	-					
				· · · · · · · · · · · · · · · · · · ·	- 					
i	TNATRO	IWI								
 :		; •								
1		<i>,-</i>			<u> </u>					
 i				-						
		1		<u> </u>						
 i										
<u> </u>	•	•								
1	ور ا	<u> </u>								
	36 37									

Somani AO no snoinnear.

Site Code is:

181 Or . - JA 1

Mr. Jim No Photo Records

					2000 ·	<u> </u>	·
Oxford Arch	aeology	PI	HOTOGRA	IEET			
SITE CODE OX FCA Mo8 Camera number		SITE N	AME Oxford	h	FILM NO. 2		
		Lens nu	mber	N.	-	Black & white //c	olour
Date	Negative number	View		Context(s)		<u> </u>	Initials
·	0				:		
	1		TD	3 hot	·		
	2			1	1	•	
	3						
	4	•					
	5			•.			
	6						
	7						
	8						
	9		<u>. </u>				
	10		-/				
	11 12					· · · · · · · · · · · · · · · · · · ·	
	13			- 4)	_		
	14						- ·
	15			6			+ -
	16			9			
	17			5			+
	18			10			
"	19			<u> </u>			
	20						
	21			1 6			
	22	လ္ဆ	I detail	3			
	23	78	1537 lit carc				
	24	817186	26 33 5 or cred				
	25	∞	ii: 019: ik Jeque				
	26		ENGLAND CV34 6YJ 2 DATE POSTED Retain this slip in case of query. Customer service tol: 01926 335537 Retain this slip in case of query. Customer service tol: 01926 335537 Retain this slip in case of query. Customer service tol: 01926 335537 NOTICE: For additional services please remember to enclose a cheque or credit card details.				
	27	tory	er ser extujila	U			
	28	ora	ustom rvice@ nber to				
	29	Lab	nery. C mer-se remen				
	30	ing ~	e of quecustor				
	31	ess 3278 K	In cas				
	32	Fuji Processing Laboratory PO BOX 3278 WA EWICK	ENGLAND CV34 6YJ E POSTED Retain this slip in For additional servi				
	33	1 P	ENGLA CV34 6' 2 DATE POSTED Retain this s	13 mm			
	34		FINE SEE	The State St			
	35 36	6	2 D/ IOTICE				+
	37		z				+— $-$
L	3/				<u> </u>		

Please label as described in the instructions on OA intranet;

Oxford Arc	haeology	PH	OTOGRAPHIC RECORD SHEET	
SITE CODE OXFCAMOS		SITE NA	MECASTLE MOUND, OXFORD FILM NO. 3	
Camera numl		Lens nur	nber . Black & white / co	olour
Date	Negative number	View	Context(s)	Initials
	1 0		ID SHOT.	+
	2	-> %	SECTION 1 NEW 2x1 m col	
	3 2	1	1	
	4.3			
	2.2	,		
,	6 \$	-> Sω		
	7 5	1		
 _	8 3			
• :	94,	1	1	
	119	<i>→</i> >€	SECTION 2 TOP SECTION 2x1 m LAS	2000
	12 10	1	1	,
<u> </u>	13,27			
. *.*	14.02	1		~
	15 13		1	-5.
	1/6 1/4			
	 'Y-		77777777777777777	
· · · · · ·	17 16	D800	444004000000000000000000000000000000000	<u></u>
	1 7	→W	Section 3 top section 2x1 was	<u> </u>
	18 17	<u> </u>		<u> </u>
	1 44	4		· · · · ·
-	20.19	-> €	SECTION 2 LOWER SECTION WB. 2x1 m.	<u> </u>
	21.20	-		
	2.2.2			
	25 202	4	si isi	
	24 23	E	in WB 2x/m	JT
	25 24		T spe de de se de de de de de de de de de de de de de	
<u></u>	26 25	·	817169 81	
<u> </u>	2726		∞ 15 × 15 × 15 × 15 × 15 × 15 × 15 × 15	
	28 27	_ ↓	ab cose a co	$\downarrow \downarrow$
	29 28	W	Fuji Processing Laboratory 8171 WARWICK ENGLAND CV34 6YJ E POSTED Retain this slip in case of query. Customer service tel: 01926 335537 Retain this slip in case of query. Customer service fel: 01926 335537 email: customer-service@fujilab.co.uk or additional services please remember to enclose a cheque or credit ca	JT
	30 29	1	oral research	1
	31 30		A N B N S N S N S N S N S N S N S N S N S	
	32.31	1	10 of du material and a second	11
	32		SSI SSI SSI SSI SSI SSI SSI SSI SSI SSI	
	3-3	·		1
	34	:	RWI STEP TO ST	
» ·	35	i.	Fuji Processii PO BOX 3278 WARWICK ENGLAND CV34 6YJ E POSTED For additional services permit: For additional services permit:	
	36			
	37			+

Oxford Arch	aeology	PF	IOTOG	RAPHIC	RECOF	RD SHE	ET		
SITE CODE	XFCAMO8	SITE NA	WE CAS	TLE MOU	.vD, OXF	ન્ય		FILM NO.	3
Camera numb		Lens nur	nber				· · ·	Black & white	≠ colour
Date	Negative number	View	,		Conte	ext(s)	<u> </u>		Initia
•	1 👂		ID	SHOT.					
	2	-> %		2 1 NB	جدا-	2×1 m	чВ		
	3 🕏	1		,		· .			
	43							·	
	2	ł					•	· · · · · · · · · · · · · · · · · · ·	
· .	6 5	-> Su	,					·	
-	7.5			<u> </u>				•	
	8 7						·		
	94,	4	+		4			·	
	11 9	->€	Section	2 TOP	NOFTO	ZXI.	with	<u>. </u>	
<u>.</u>	12 10	1		<u> </u>					
	13474		•	<i>:</i>			-		
	1472						3,		
	1513					<i>;</i>	-		استانگرام
	16 14								;
	mer	78 N	STONE OF THE STONE		Str		N.		$\overline{}$
· <u>-</u>	17.16	->W	Section	43 TOP	26c.Tw.A.	2 × 1	<i>س</i> .۵.		
	18 10%	1	1		1	i	,	· .	
,	19 18		1			. ,	,	prit	;
	20,19	-> €	SKALDI	v 2 Louis	A SECTION	~ W	Š.	2×1 m.	
	21.20	j	1		İ	1		1	
.=	22.20								
<u> </u>	1 (1)	 		·					
			5.2	Lower.	Sephia L	<u></u> JB		2x1m	17
<u> </u>		_	7	Lower. Base of	5/2000 \ /			1	
	adojavi	ia .		9					
	one film per nvelope	vinO •		•					
	NS 1 & 2 ON	secno			- 1			√	
	no S& f and	• Pleas	5.3	1 00 -1				WB	17
•	TNATRO	dWI	3.3	Lowe Rx (m	Scale				- 0'
		· · ·		LZIM	Jera			NB	- -
			 					1	
		t.							- -
! .			<u> </u>					·	
			 		•				
-								<u> </u>	
							<u> </u>		

Oxford Arc	haeology	PF	IOTOGRAPHIC RECORD SHEET	
ITE CODE	OXKAMOŠ	SITE NA	ME CASTLE MOUND, OXFORD FILM NO. 4	F .
amera num	-	Lens nur	nber B lack & White / co	olour .
Date	Negative number	View	Context(s)	Initials
,	0		(DSHOT.	
	1	> ∾	working shors	JT
	2			
	3			
	4	4	ļ	77
<u> </u>	5	<i>-></i> €_	STRUCTURE (90) WB	· ·
	6	1	hvB	· · ·
	7	 	no.	<u> </u>
 	8	•	h NB	
	9	->W	<u> </u>	
	10		NO 1	
	11	 	DIT 95 2 XIM Scale WB	JT
	12	E		J .
	13		NB	+ +
	14	SE		- - -
	16	7		+
	17	W W	₩ _S	+ -
	18	1	NB	
	19			+ +
	20	7	C 1 2-4: S 4	
	21	1	Comenu Working Shots	
	22	-	— • • • • • • • • • • • • • • • • • • •	1
	23	SE	STUMP AT FAST OF MOUNT BAJE	10
	24	1	V V V V V V V V V V V V V V V V V V V	11 1
	25	SE	PRE-EX SHOT OF TRENCH EXTENTION	
	26	SE		
	27	T	→	
	28	NE	WORKING SHOTS - BASTET INSTALLATION	
	29	L		
	30	NW	- FREST ROW OF RAIREDS	
	31	L		
	32	5	(106) - Rubble tip 2x Im Scale	リナ
	33		2× Im Scale	J7 -
	34	V		
	35			
	36			
	37		· · · · · · · · · · · · · · · · · · ·	

Oxford Archa	neology '	Pŀ	юто	GRA	PHIC RI	ECORD	SHEET		-	7
SITE CODE O	XFCAMO-8	SITE N	AME CA	sae.	ا اهدیه	onfoli	>	FILM NO. 5		
Camera numbe	er	Lens nu	mber					Black & White / co	olour	
Date	Negative number	View				Context(s	5)		Initial	ls
	0	<u> </u>		12	SHET		· · · · · · · · · · · · · · · · · · ·		†	_
·	1	- >€	SA				us lun		Jon	<u> </u>
•	2	1					MB		į į	<u> </u>
	3				*		ivis			•
	. 4	•			,		NB.			•
	5	*	. /	5			NB			
	6	→∼	cusi	L Pa	LE 012	(40)	•			
	7	4			•				4	
	8	5W	WORK	ING	SHOIS -	BARKET	INSTAULAT	row, 4th Row	JT	
01-05-08	9			1			Ĺ	· · · · · · · · · · · · · · · · · · ·	1	
.	10	V				•	u		V	
V	11	ZW								
•	12	1								
, 1% 3	13	NW				٠	1		$\prod I$	
	₩ ~	7	5	\checkmark	\ \ \	~	√	~~~	W	
	14 18	SUEV	Crene	Ł1_	shots !	Am.	* hower a	y Nuffield		
	(5 166)	1	Con	leer	1		•			
	16			0						
+ .	17									
	18 18		<u></u>							
	19 20			etails.		<u></u> .				
	20 20	26		17 card d	<u> </u>					
	21 23	6.5		3355. credit	. vs.					
	2220	785926		01926 ue or						
	23 24	7		e tel: :o.uk a cheq	<u>/</u>		·		<u> </u>	
	24 25	<u>~</u>		in case of query. Customer service tel: email: customer-service@fujilab.co.uk ervices please remember to enclose a cher	MOTS OF	CABion	work @ B	lift of mond.	ļ <u> </u>	
	26	ato		te@fu r to en	1			_		
,	27 ¹	bor		. Cust -servin			***		<u> </u>	
	28) La		query tomer					1	
	29	sing '8		ase of il: cust s plea:				-		
	30	327 327	9-	p in ca emai ervice						
	31	Į Š Š Š	LAN 19	his sili						
	32	Fuji Processing Laboratory PO BOX 3278	ENGLAND CV34 6YJ	Retain this slip in case of query. Customer service tel: 01926 335537 email: customer-service@fujilab.co.uk						
	33		ПО	. .				· -		
	34		6	NOTIC						
	35	-	1		!					
	36								·	
	37								-	

Oxford Arch	aeology	PI	OTOGRAPHI	C RECORD SHEET		1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
SITE CODE)XFCAMO8	SITE N	ME CASTIE MOU	O, CAROLD	FILM NO. 5	
Camera numb		Lens nu	nber		Black & White / co	olour
Date	Negative number	View		Context(s)		Initials
·	0		1284	eT .		†
	1	-> €	S.A	us In	^	Jon.
	2	1		MB		1 -
	3		N. A.	ing	-	
	4	**		nr.		
·	5	*	4	NB	· ·	11.
	6	→٧	wan Pack	of (40)		
	7	4		- A		4
	8	SW	WORKING SHOT	- BARKET INSTAUL	ATION, 4th Row	JT
01-05-03					<u> </u>	+
	10	V	· .	<i>V</i>		¥_
$\overline{\nu}$	11	NW				 -
	12	₩				+
· ;	13	NH				$\downarrow \downarrow \sim$
	₩ ✓	7				1
	14 18	SUEV	Crenely shot	fam Flower	og Nuffield	+
			College 1			1
	17 18	 				
	18 189	 				
	10 67					
_						
	^					1
add	olevnė				· · · · · · · · · · · · · · · · · · ·	
film per	• Only one	1				
& Z on erse	Please co Fections 1 Preveve		like the me But To	of Caption will @	RASE OF MOUNTS.	
i	[]		DENGIOSC 30-0 ES	W MADIGIO TOTIAL (G)	13474 01 47 0 0	
TNA1	raoqmi			·		
 ;						
1 ~						
					-	
	ا وو إ					
	36					
	37		·			

Oxford Archa	neology	PH	OTOG	Τ							
SITE CODEO		SITE NA	ME OXA	SED CA	srie.	mou	~e	· i.		FILM NO.)
Camera numbe	er .	Lens nun	nber							Black & white / o	colour
Date	Negative number	View				Cont	ext(s)			 	Initial
	0			-							
	1	→ 200	ween	Lina	5457						
-	2	-> NW	4		1						
	3	-> W		-							
	4	Tw	1		4	• 1					
	5	<i>→</i> >~	TREVEL	+ EXT	ension	د					
	6	> い	-								
	7	<u> </u>	-								
	8	→ E									
	9	→ €								<u> </u>	
	10	6	+	·	4						
	11	—> iu	more e	*10360	STOUR	wow	(12)	476	<u> </u>	· 	
	12	-, W				1				-	
	13	→ W		<u> </u>						<u></u> .	
	14	→ €						\perp			<u> </u>
	15	→ (-				<u> </u>					
	16	-> €	-			<u> </u>		•			
	17	~S₩	VIEW	of CV	48TLG	~ou	wo fr	0,	Nuf	FIEND	
	18	→ SM	<u> </u>			_			1		
	19	→ SW									_
	20	ے کی						_	_		
	21	→ Sw				ļ					
	22	<u> </u>	₩			<u> </u>		4-	d		
	23	<u>→</u> ω	LATER	<u>~</u> (6) -	<u>(8)</u>	Blus	MST (6	101			
	24	-> W				\dashv			 -		
·	25	→ ~					<u>-</u>			·	_
	26	<u>→</u> w							<u> </u>	·	-
	27	->€									-
	28	-> €									<u></u>
	29	→ €					•				_
	30	→ €	φ			<u> </u>					
	31	-> S	hom	BD 57	iones,	<u>/4</u> \	<u> </u>			- <u>-</u> -	
	32	<u>→ S</u>			-		-	<u>-</u>	· · · · · · · · · · · · · · · · · · ·		
-	33	-> SL1	1	_	-						
	34	→ SW					-		-		<u> </u>
	35	→2E	X		4		<u> </u>				
	36 37										

Oxford Archa	neology	Pŀ	ЮТОС	GRAPH	IC REC	ORD	SHEE	T		
SITE CODE O	XFCAM08	SITE NA	ME OX	FORD C	ASTLG	mou	ರಾ		FILM NO.	7
Camera numbe	er	Lens nur	nber					_	Black & white	e/ colour
Date	Negative number	View			(ontext(s	;)			Initials
	0						· · · · -			
	1		_ \	D Sito	7					
	2	- >S	SECT	10N 7						
	3	→> S								
	4	→ S				 				
	5	<u>ا</u>	4							
	6	W.E-	Secti	026				· · ·		
	7	-> W								
	8	→ W				_				
	9	-, W		7						`
	10	<u>~></u> ₩	SECTI	0~6 E	*7E~D	$\epsilon \mathfrak{D}$				
	11	→ W		· 						
	12	→ W								
	13	> W		k	4					
	14	-> > \$	Cur	[120] 9	بمد	L (12)]			
	15									
	16					<u> </u>				
	17	₩	4			-				
	18	-> ∈	Expo	m cas	ru Fr	ace o	4 walc	- 90		
	19	-> E						1	· · · · · ·	
	20	→ €						ļ		
	21	>€		<u> </u>		<u>de</u>		<u> </u>	<u> </u>	
	22	->W	\			1				
	23	→ w								
	24	->~		<u> </u>						
	25	->W	<u> </u>	b		+	<u> </u>			
	26	->S	Cus	120	· Au	[[2]]	? Fleor	SAY	(eves (91)	(42)
	27	-⇒ S		1				1	1	
	28	→> S			\			\perp		_
	29	→ S		P		7		4	4.	
	30	<u>-></u> ςω	WAU	L GACI	uh. of	907				
	31	- > Sω								
	32	-> Sω								
	33	→ SW	φ_		4.					
	34									
	35	 							<u> </u>	
	36							- <u>-</u>		-
	37									



OXFORD CASTLE MOUND PHASE 1 OXFCAM 08

BOX 1 FILE 13

EDDENVIPONMENTAL PRIMARY RECORDS

OXFORD ARCHAEOLOGY, JANUS HOUSE, OSNEY MEAD, OXFORD, OX2 0FS

- 12 Join 12 CE CON 11 COSE, OSINE 1 MEAD, OXFORD), OX2 0E
PART 1 FILMING INSTRUCTIONS	
Submitter: OA	
No. of Diazo Copies: 3	
PART 2 TITLE/HEADINGS	
Site Information:	
Line 1: [OA] County: [OXFORDSHIRE] Parish: [OXFOR	2 <i>D</i>]
Site: OXFORD Castle Mound]
Site identifier/accession code may be included oxfcAM68/oxce	15:2008-1
Line 2. I leidworker/Excavator's Ivame D. DODO]
Line 3:	
Classification of Material:	
	Tick if
	Present
Index to Archive	
Introduction	
A: Final Report	
A: Publication Report	ļ
B: Site Data - Text: Diary/Daybook/Fieldnotes	· · · · · · · · · · · · · · · · · · ·
B: Site Data - Text: General Summaries	
B: Site Data - Text: Primary Context Records	
B: Site Data - Text: Synthesised Context Records	
B: Site Data - Text: Survey Reports	
B: Site Data - Text: Catalogue of Drawings	-
B: Site Data - Text: Primary Drawings	
B: Site Data - Text: Synthesised Drawings	
C: Finds Data – Text: Primary Finds Data	
C: Finds Data - Text: Synthesised Finds Data	
C: Finds Data - Text: Specialist Reports	
C: Finds Data – Text: Box/Bag List	
D: Catalogue of Photos/Slides/Videos/X-rays	
E: Environmental/Ecofact Data: Primary Records	1
E: Environmental/Ecofact Data: Synthesised Records	
E: Environmental/Ecofact Data: Specialist Reports	
F: Documentary	
F: Press and Publicity	
G: Correspondence	
H: Miscellaneous	<i>,</i> :

Oxfor	d Archaeolog	gy	•	ENVI	RONI	MENT	AL SA	MPLI	E REGI	ISTEF	₹			SITE CODE OXFGAMOS
SITE NAI		ASTLE 1	mouro	. oxf	2000.				TYPE (excava	ation/evalu	ration, etc.)			SITE/PROJECT MANAGER る。 ついでもら
Sample	Context		Whole		Bull	Sample ta	aken for (please tic Monc	ck ONE on	nly) Seri	ries	Other	Feature type	Additional notes
number	number	of boxes or bags	of deposit	Charred remains	_	Cremated		Pollen	Soil Micro		Waterlgd	Dating Chemical etc.	Pit/ditch/ hearth, etc.	e.g. Subsamples to be taken, relative depth for monoliths
I	91	1	Y /(Ñ)		,			;				, ,	MORTAN SURFARCE	VIDATUAR SAMPLES
2		1	Y /(Ñ)										CASTIC MOULD.	of mound.
3		2	Y / (N)									·	ù	~ \
			Y / N				"							
,			Y / N											
			Y / N										·	

and the second of the second of the second

Oxfor	d Archaeolog	y		ENVI	RONI	MENT	AL SA	MPLI	E REG	ISTER	<u> </u>			SITE CODE OXFCAMOR
	ME OXT		CASTL	E Mo	UND.				TYPE (excav	/ation/evalu	ation, etc.)			SITE/PROJECT MANAGER
Sample	Context	Number			Bull	Sample t	aken for ((please tid	ck ONE or	nly) Seri	ies	Other	Feature type	Additional notes
number	number	of boxes or bags	of deposit	Charred remains	Waterlgd remains		Bones/ artefacts	Pollen	Soil Micro	Snails	Waterlgd	Dating Chemical etc.	Pit/ditch/ hearth, etc.	e.g. Subsamples to be taken, relative depth for monoliths
1	91	1	Y (N)										MORTAR SPREACE	MORTAR SAMPLE
			Y / N											
			Y / N											
			Y / N											
			Y/N											
			Y / N											

.



ENVIRONMENTAL TRANSFER RECORD

DATE 15/5/08

SITE NAME GASTLE MOUND, OXFORD SITE CODE OX FCAMOS.

DATE 15/5/08	SITE NAIVIE	70818199	SHE CODE OX 1-CAMOS.
Material transfered to		Material Zx mo	~ના ૧૪મને
Sample number	Context number	Number of boxes/bags	Notes
2		105	Im Monoisen at nowo.
3		20f2	2x.5m monorises of more.
· · ·		•	. ,
	<u> </u>		
·			
	·		
<u></u>		 	
· · · · · · · · · · · · · · · · · · ·			
		-	
)			
		-	
			4
		<u> </u>	
		<u> </u>	

OXFORD CASTLE MOUND PHASE1 OXFCAM 08

Box1 FILE14

EO ENVIRONMENTAL SYNTHESISED RECORDS

OXFORD ARCHAEOLOGY, JANUS HOUSE, OSNEY MEAD, OXFORD, OX2 0ES

PART 1 FILMING INSTRUCTIONS Submitter: OA		
No. of Diazo Copies: 3		
PART 2 TITLE/HEADINGS Site Information: Line 1: [OA] County: [OXFORDSHIRE] P	arish:[<i>o×foR</i>	ן סי
Sile: Oxford Castle Mound		ำ
Site identifier/accession code may be included oxf Line 2: Fieldworker/Excavator's Name [D.DODD : Line 3:	CAMB8/OXCM	15:2008.19]
Classification of Material:		
Classification of Malerial.		
		Tick if Present
Index to Archive		
Introduction		
A: Final Report		
A: Publication Report		-,
B: Site Data - Text: Diary/Daybook/Fieldnotes		14.4
B: Site Data – Text: General Summaries		
B: Site Data - Text: Primary Context Records		
B: Site Data - Text: Synthesised Context Records		
B: Site Data - Text: Survey Reports		
B: Site Data - Text: Catalogue of Drawings		
B: Site Data - Text: Primary Drawings		
B: Site Data - Text: Synthesised Drawings		
C: Finds Data – Text: Primary Finds Data		
C: Finds Data - Text: Synthesised Finds Data		
C: Finds Data - Text: Specialist Reports	i.	
C: Finds Data – Text: Box/Bag List		
D: Catalogue of Photos/Slides/Videos/X-rays		
E: Environmental/Ecofact Data: Primary Records		
E: Environmental/Ecofact Data: Synthesised Records		
E: Environmental/Ecofact Data: Specialist Reports F: Documentary		
F: Press and Publicity		
G: Correspondence		
H: Miscellaneous		
*** 1-110-c-itaticous		

03/12/2009

Dat No.	Date Phase Feature Type	Carta d Caral		Element	le:aal	74 7	2 72	77	75	76 7	7 7	0 00.		Dravima	Dieta	I Pathology	Butakani Bu	rnt Worko	ul Chaw	Eroch Brook	Articulated
Kei NO I	pate ranase reature stype:		OLarge mammal	indet	Side	$\overline{}$		24				0 0	ubien	e Eloximai	DISTA	i Raulology	Dutchery Du	0 D	Julaw		Articulateu
8			0 Cattle	Humerus	-			0 0	1	4	-					 	0	0 🗆			
9			OLarge mammal	rib	-	 -	0 0		0	0	_	0	<u> </u>				1	0 🗆			
10				Vertebra	-		0 0			0		υ		<u> </u>	<u> </u>	+		0 🗆			
			0 Large mammal 0 Cattle				0 0		<u> </u>				<u> </u>	-	-	 	2				
11				sacrum Radius	 		0 1	1 1	1	1				u			2	0 🗆	<u> </u>		
13	· ·		0 Sheep/goat	Tibia	-		0 1		1	4	—⊢				<u> </u>		2	0 🗆			
			0 Sheep/goat	Ulna			4 4		- <u> </u>	- -		t	<u> </u>	<u>u</u>			0	0 🗆			
14			0 Pig	tibia	 	0	0 0	1 1	1	- -	0			-i	£		0	0 🗆	<u> </u>		
15			0 chicken					7 0		_ :	-		<u> </u>	ļ. 	\$1		0	0 📙			
16			0 chicken	tibia .		-	0 0	1 1	0	0 1	0	0	_	<u> </u>			0	0 🗆			
17			0 chicken	tarsometatarsus	-						-				·	 - -	- U	0			
18	· ·		0 Sheep/goat	Ulna	r	0	0 0		0	0							0				<u> </u>
19			0 Large mammal	Rib		0	0 0	ט ע	0	0	-	0				<u> </u>	0	0 🗆			
20			0 Pig	Metacarpal 4	1	1	1 1	1 1	1	1 -		0			<u>u</u>		0				
21			0 deer	antler	-	0	0 0	1-1	!_			0					0	0 🔽			
22			0 goose	coracoid	 +	1	1 1	1	0	0		0					0	0 🗆	<u> </u>		
23			0 goose	tarsometatarsus			0 1	1 1	1	1		0				 	0	0 🗆			
24			0 rabbit	Tibia	r	0	0 0	-	_1	1					u		0	0 🗆			
25			0 chicken	carpometacarpus	ļl	0	0 0	-	0				<u> </u>			<u> </u>	0	0 🗆			
26			0 Medium mammal	Rib		0	0 0									<u> </u>	0	0 🗆			
27	•		0 Large mammal	Vertebra	<u> </u>		0 0									<u> </u>	0	0 🗆			
28			0 indet	indet	<u> </u>	0	0 0	0 (0	0	0						0	0 📙			
29			0 Cattle	Femur	r	. 0	0 0) 1	0	!_	<u> </u>						0	0 🗆			
30			0 Sheep/goat	Metatarsal		_1	1 1	1	_ 0					f			0	0 🗆			
31			0 Cattle	Femur	1	0	<u>1</u> 0	0 (_ 0								1	0			
32	·		0 Sheep/goat	Calcaneus	r		0 0	0	0				✓				0	0 🗆			
33		7	0 Large mammal	Vertebra	<u> </u>	0	0 0	0	0	0	0	0		u			0	0 🗆			
34		7	0 Large mammal	rib		0	0 0	0	_ 0	0	0	0			,,,_,		0	0 🗆	1		
35			0 indet	inder	ļ., <u></u> ļ	0.	0 0	0	0	0	0	0					0	0 🗆			
36		7	0 Medium mammal	rib		0	0 0	1 -	0	0	0	0					0	0 🗆			
37			0 Medium mammal	mandible		0	0 0	1	_ 0		0	0					0	0 🗆			
38		7	0 Medium mammal	vertebra		0	0 0	0	0	0	0	0					0	0 . 🗆			
39		7	0 Cattle	Radius	r	0	0 0	1	0								0	0 🗆			
40		7	0 Cattle	P1		0	0 0	0		0			✓			✓	0	0 🗆	1		
41		7	0 Sheep/goat	Radius		0	0 0	0	1	1	1	1					0	0 🗆	1		
42			0 Cattle	Skuil	ı	0	0 0	0	0	0	0	0			·		0	0 🗆			
43		93	0 Cattle	Skull		0	0 0	0	0	0	0						0	0 🗆			
44		93	0 Large mammal	rib		0	0 0	0	0	0	0						0	0 🗆			
45			0 Medium mammal	rib		0	0 0	0	0	0	0	0			,		0 ,	0 🗆		<u> </u>	
46			0 Medium mammal	Vertebra		0	0 0	1				0					0	0 🗆			
47			0 Sheep/goat	P1		0	0 0				0		V				0	0 🗆	1.		
48			0 Cattle	Sc		0	0 0		0	0	0						0	0 🗆			
49			0 Sheep/goat	Ulna	r		0 0			i	0			u			1	0 🗆			
50			0 Sheep/goat	Maxilla			0 0				0						0	0 🗆			
51			0 indet	indet		0					0			1			0	0 🗆			
52			0 Cattle	Scapula	 		0 0				0						O	0 🗆			
53			0 Cattle	Scapula	r		1 1	0									1	0 🗆			
54			0 Cattle	Humerus	r	—⊢	0 0	 	0		-				f		2	0 🗆			
55			0 Pig	Humerus			0 0	·		0	1	1					0	0 🗀	1		
56			0 Sheep/goat	Sc	r		0 1	1	0		0	0		 			0	0 🗆			
57			0 Cattle	Humerus	r		0 0	0			0			· .			0	0 🗇	1	- 	
58			0 Pig	Tibia	 	0		1		1		1		 	fusing		1	0 🗆			
		30	<u> </u>	i ibiu	<u> </u>	<u> </u>	υ	<u> </u>		1)	<u>'!</u>	•		1	. 431119		<u>'</u>	<u> </u>	1		

Table1

Condition Measured	୍ର ପ୍ରା	Glm	Rn F	54 ¢	รก/รด	nn	Other measurement	Sex	Tooth w	ear D	n4 F	24 M1	M2	M3	MWS 4	an/	Notes
2	0 0			0	0.00		<u>Other measurement</u>		1 1	Juis	VETE EL			U.O.	101.00.02	<u>.90.</u>	
3 🗆	0 0		:	0									† †				
2 □	0 0		1 1	0		-											
2 🗆	0 0	0		0	0	 							1:1	_			
2 🗆	0 0			0	. 0			<u> </u>									chopped
2 🗆	0 0	i	 	0								_	 				
2 🗆	0 0			0	0	1			П				† †	_			
3	0 0	-		0	0						_		† †				
2 \	0 0			ol	0						_			\neg			
3	0 0			0	0					_	-		\dagger	\dashv			
3 □	0 0			0	0		,			_	<u> </u>						
3 🗆	0 0	1		0	<u>-</u>			i			<u> </u>		 				
3 🗆	0 0	ļ		0	0		•	-		 			1				
2	0 0			0								_	1 1				
2 7	0 0		1	0	0		- ABI			 	-	_	+ +				antler tip, polished and smothed down to cylinder. Two holes opposite each other at the base.
4 7	0 0		 	0	0	!		 					1		-		1,1,1
3	0 0		<u> </u>	0	0	-		<u> </u>		_		\dashv	1-1	 .	.		juvenile
	0 0		 	0	0	 		-	<u> </u>		_		+ +	_			
4 🗆	0 0		1 1-	0		:						_	1 1				
4 7	0 0		 	0	0			 						1			
3	0 0		1	0	0		•	<u> </u>	<u> </u>								
4 1	0 0		<u> </u>	0									 				
4 7	0 0			0	0							1					,
4 7	0 0			0	0	·	· · · · · · · · · · · · · · · · · · ·	 		- -	-	-					
2 🗆	0 0		1	0	0			 			<u> </u> _		1.1				cut and chopped '
2 \	65.15 0	 		0	0	-		 			-						
3 7	00.10	<u> </u>		0	0	·		-				_					,
	0 0	0	+	<u> </u>	0			 									
2	0 0		1—1	0	0			 		_	_	_	† †				
2 🗆	0 0		!	0	0	·	···				-		-				The state of the s
2 🗆	0 0	. 0		0	0	f <u>!</u>							1.	\dashv		-	•
2 🗆	0 0			0	0						 						
3 🗆	0 0			0	0						-				-		
3 🗆	0 0			0	0											-	porous and extra bone growth
2	0 0			0	0								† †				
2 🗆	0 0		1	0	0			-							•	_	
2 🗆	0 0		·	0	0					-	\dashv		†			_	, , , , , , , , , , , , , , , , , , , ,
2 🗆	0 0		+	0	0							 	1		- -		
2 🗆	0 0			0	0								+ +				
2 □	0 0		 	0	0						_		-	\neg			` .
2 🗆	0 0		1	0	0						+	_				-	
3 🗇	0 0			0	0	1		-			_ -			_			
2 🗆	0 0			0	. 0			-					1	-			
2 . 🗆	0 0		0	0	0					- -	\top	-		_			maxillar with two very worn teeth
2 □	0 0		 	0	0	·					_			_		-	
2 🗆	0 0			0	0						\dashv		 				
2 🗆	0 0			0	0					 _			† †	-	•		
2 🗆	0 0			0	0	·——					\top						cut and chopped
2 □	0 0			0	0						-		† -	\dashv			
3 🗆	0 0			0	0						_			\dashv		_	
3 🗆	0 0			0	0						\top		†	_	-		
2 □	0 0			0	0	;				-	_	_	†	-			
<u> </u>	·							1			- 1						

Quantity	Weight (a)	Fraction Sieved	Mand I Mand C	Mand Pm Man	d M Mand M3	Max I	Max C Max	k M Ma	nd dec i Mand dec	c Ma	and dec pm Max dec i	Max dec c	Max dec pm Max	Pm Mand dec dp4	Incisor (indet)
1	10		T	0	0 0	0	0	0	0	0	0 0	0	0	0 (0
1	60		0 (0 0	0 0	0	0	0	0	0	0 0	0	0	0 (0
1	20		0 (0	0 0	0	0	0	0	0	. 0 0	0	0	0 (0
1	9		0 (0	0 0	0	0	0	0	0	0 0	0	0	0 (. 0
. 1	12		0 (0	0 0	0	0	0	0	0	0 0	0	0	0 (0
1	10		0 (0	0 0	0	0	0	0	0	0 0	0	0	0 (0
1	28		0 (0	0 0	0	. 0	0	0	0	0 0	0	. 0	0 (0
1	8		0 (0 0	0 0	0	0	0	0	0	0 0	0	0	0 0	0
1	1		0 0	0	0 0	0	0	0	0	0	0 0	0	0	0 0	0
1	0		0 (0	0 0	0	0	0	0	0	0 0	0	. 0	0 0	0
3			0 (0 0	0 0	0	0	0	0	0	0 0	0	0	0 0	0
1	0		0 (0 0	0 0	0	0	0	0 .	0	0 0	0	0	0 0	0
1	10		0 ~ 0	0	0 0	0	0	0	, 0	0	0 0	0	0	0 0	0
1	5	- [0 (0 . 0	0 0	0	0	0	0	0	0 0	0	0	0 0	0
1	9		0 (0	0 0	0	0	0	0	0	0 0	0	0	0 0	0
1	2		0 0	0	0 0	0	0	0	0	0	0 0	0	0	0 0	. 0
1	0		0 0	0	0 0	0	0	0	0	0	0 0		0	0 0	0
1	0		0 0	0	0 0	0	0	0	0	0	0 0	. 0	0	0 0	0
1	0		0 0	0	0 0	. 0	0	0	0	0	0 0	0	0'	0 0	0
1	2		0 0	0	0 0	0	0	0	0	0	0 0	0	0	0 0	0
1	14		0 0	0	0 0	0	0	0	0	0	0 0	0	0	0 0	0
3	10		0 0	0	0 0	0	0	0	0	0	0 0	0	0	0 0	. 0
1	23		0 0	0	0 0	0	0	0	0	0	0, 0	0	0	0 0	0
1	6		0 . (0	0 0	0	0	0	0	0	. 0 0	0	0,	0 0	0
1	63		0 (0	0 0	0	0	0	0	0	0 0	0	0	0 0	0
1	11		0 0	0	0 0	0	0	0	0	0	0 0	0	0	0 . 0	. 0
1	22		0 0	0	0 0	0	0	0	. 0	0	0 0	0	0	0 0	0
. 1	13		0 (0	0 0	0	0	0	0	0	0 0	0	0	. 0 0	0
1	0		0 0	0	0 0	0	0	0	0	0	0 0	0	0	0 0	0
1	0		0 0	0	0 0	0	0	0	0	0	0 0	0	0	0 0	0
1	1		0 (0	0 0	0	0	0	0	0	· 0 0	0	0	0 0	0
1	0		0 0	0	0 0	0	0	0	0	0	0 0	0,	0	0 0	0
1	12		0 (0	0 0	0	0	0	0	0	0 0	0	0	0 0	0
1	19		0 0	0	0 0	0	0	0	0	0	0 0		0	0 0	0
1	17		0 0	0	0 0	0	0	0	0	0 .	0 0	0	0	0 . 0	0
1	27		0 0	0	0 0	0	0	0	0	0	0 0	0	· 0	0 0	0
1	55		0 0	0	0 0	0	0	0	0	0	0 0		0	0 0	
1	4		. L	0	0 0	0	0	0	0	0	0 0		0	0 0	
1	1		0 (0	0 0	0	. 0	0	0	0	0 0		0	0 0	
<u>′</u> 1	0		0 (0	0 0	0	0	0	0	0	0 0		0	0 0	
1	2		0 (0	0 0	0	0	0	0	0	0 0	:	0	0 0	·
1	7		0 0	0	0 0		0	0	0	0	0 0		0	0 0	
1	8		0 0	0	0 0	0	0	0	0	0	0 0			0 0	
1	6		0 0	0	0 0		0	0	0	0	0 0			0 0	0
7	5		0 (0	0 0	0	0	0	0	0	0 0			0 0	0
1	43		0 (0	0 0	0	0	0	0	0	0 0			0 0	0
1	130		0 0	0	0 0	0	0	0	0	0	0 0			0 0	0
1	151		0 (0	0 0		0	0	0	0	0 0			0 0	0
1	23		0 (0	0 0	0	0	0	0	0	0 0			0 0	
1	16		0 (0	0 0	0	0	0	0	0	0 0			0 0	
1	31		0 (0	0 0	0		0	0	0	0 0		0	0 0	
1	47		0 0		0 0	0	0	0	0	0	0 0	0	0	0 0	0

			Maxillary molar/premolar	Mandibular molar/premolar
- 0	0	0	0	0
0	0	0	0	0
0	0	0	0	0
0	0	0	0	
0	0	0	0	0
0	0	0	0	0
0	0	0	· 0	0
0	0	0	0	
0	0	0	0	0
0	0		0	
. 0	. 0	0	. 0	0
0	0	0	0	0
0	. 0	0		. 0
0	0	0		0
. 0	0	0	0	0
0	0	. 0	0	0
0	0	0	0	0
0	0	0	0	0
0	0	0	0	0
0	0	0	0	0
0	0	0	. 0	0
0	0	0	0	0
0	0	0	0	0
. 0	0	0	. 0	0
. 0	0	0	0	0
0	0	0	0	0
0	, 0	0	. 0	0
o	0	. 0	. 0	. 0
0	0	0	0	- 0
0	0	ō	0	0
0	0	0.	0	0
0	0	0	0	. 0
0	0	0	0	0
0	0	0	0	. 0
0	0	0	0	0
0	0	. 0	0	0
. 0	0	0	0	0
0	0	0	0	0
0	0	0	0	0
0	0	0	0	. 0
0	0	. 0	0	0
0	0	0	0	0
0	0	0	0	0
0	0	0	0	0
0	0	0	0	0
0		0	0	
0	0	0	0	0
0	0	0	. 0	0
0	0	0	0	0
0	0	0	0	0
0			0	. 0
	0	0	0	
0	0	0		<u> </u>

Ref No I	Date	Phase	Feature Type Context Samp	e Species	Element	Side	Z1 Z2	Z3	Z4	Z 5	Z6 Z	Z7. Z	28 (Complet	te P	roximal	Dista	l Pati	nology	Butche	rv Bi	ırnt	Worked	Gnaw	Fresh Break	Articulated
59				0 Sheep/goat	maxillar) (10000					0	0				
60				0 Pig	Ulna	ī	0 .	1 1	1 1	1	0	0	0		u						2	0		i i		
61			 	0 Large mammal	mandible		0 () (0	0	0	0	0					<u> </u>			0	0				
62	i		93	0 Sheep/goat	P1		0 () (0	0	0	0	0	V .							0	O				
63				0 Medium mammal	Skull		0 () (0	0	0	0	0		- -						0	0				
64		-		0 Medium mammal	Vertebra		0 (0 0	0	0	0	0					T T		,	0	· 0		1		
65				0 Medium mammal	indet		0 () (0.	0	0	0	0					7		<u> </u>	0	0				
66				0 Medium mammal	Rib		0 () (0	0	0	0	0								0	0				
67			94	0 sheep	Horn	r	1 .	1 1	1 1	0	0	0	0								0	0		1		
68				0 Cattle	Femur	ī	0 () (0	1	0	0	0								0	0				
69			94	0 Sheep/goat	Metatarsal	r	1 '	1 1	1 1	1	1	0	0								0 .	0		1		
70				0 Large mammal	rib		0 () (0	0	0	0	0							, ·	0	0				
· 71				0 Cattle	. 14 ·		0 () (0	0	0	0	, 0	V							0	0				
. 72			94	0 chicken	Ulna	-	0 () (0	1	1	1	1								0	0				
73			. 94	0 goose	carpometacarpus		0 (0	0	0	0	0								0	0				
74			94	0 indet	indet		0 () (0	0	0	0	0								0	0				
· 75				0Pig	Metatarsus 3		1 .	1 1	1	1	1	0	0				u			-	0	0				
76	•			0 Cattle	mandible		0, 0) (0	0	0	0	0		_ _						0	0				
77			118	0 Large mammal	rib		0 (0	0	0	0	0								0	0				
78				0 Medium mammal	rib		0 (0	0	0	0	0								1	0				
79			I	0 Cattle	P1		0 0	0	0	0	0	0	0	V							0	0				
80			118	0 Large mammal	Vertebra		0 (0	0	0	0	0	0								2	0				
81		.		0 Large mammal	P3		0 (0 0	0	0	0	0								0	0				
82	_ 1		118	0 Sheep/goat	Femur	r	0 0	0	0	1	1	0	0		-						0	0				
83		-	118	0 Cattle	teeth		0 () (0	0	0	0	0								0	0				
84			118	0 Sheep/goat	tooth		0 () (0	0	0	0	0			•					0	0				
85				0 Sheep/goat	Calcaneus	r	0 0) (0	1	1	1	1								2	0				
86				0 Pig	Ulna	r	0 0) (0	0	0	0	0								1	0				
87			1	0 Cattle	Radius	i i	0 () (0	1	1	0	0				u				0	0				
88			1	0 Sheep/goat	Radius	r	0 0) () 1	0	0	0	0								0	0				
89			1	0 Sheep/goat	Tibia	r	0 (0	1	1	0	0								0	0				
90			_ 1	0 Pig	Fe	1	0 (_ 1	1		0		u						1	0				. 🛈
91			1	0 indet	indet		0 0) (0	0	0	0	0								0	0				
92			6	0 Pig	Metatarsal 4		_11	1	1	1	1	0	0								0	0				
93			6	0 Sheep/goat	maxillar		0 0					0	0								0	0		<u> </u>		
94				0 Large mammal	mandible		0 0	~+			0	0	0								0	0				
95				0 Large mammal	Vertebra		0 (_			0	0							<u> </u>		0,	0				
96				0 Large mammal	Rib		0 0	0	0	0	0	0	0							ļ	1	0				
97				0 Cattle	Metatarsal		1 1	<u>' </u>	<u>'</u>	1	_1	0	0				u				0	0				
98				0 Cattle	Fe	r	0 0	0 0	0	_1	_1 _		0		_		u				0	0				
99				0 Sheep/goat	Maxillar		0 0		-1			0	!_								0	0				
100			. 2	0 Sheep/goat	Femur	l	0 0	0 () 1	0	0	0	0								0	0				
101				0 Cattle	Metacarpal	r	0 1	0) 1	0	0	0	0								0	0				
102				0 Cattle	Metapodial		0 0				_1 _		0				u	[0	0				
103				0 Medium mammal	LBF		0 0					_	0					[<u> </u>		0	0				
104				0 Sheep/goat	P1		0 0						0								0	0				
105				0 Pig	maxillar	r	0 0					0			_ _						0	0				
106				0 indet	indet		0 0	0 0	0				0		_ _						0	0		1		
107			i	0 Pig	Ulna		0 0	· ·	1		0		0					[0 .	0				
108				0 Medium mammal	Rib		0 0			0		0									0	0				
109				0 Sheep/goat	Pe	r			0			0						{			0	. 0				
110			2	0 Large mammal	indet		0 0	0 0	0	0	0	0	0					<u> </u>	<u> </u>	<u> </u>	0	0				

Condition Measured GL GLI GLM Bp Bd SD/SC DD Other measurement Sex	Tooth wear Dp4 P4 N	11 M2 M3 MWS Age	Notes Notes
2			two very worn teeth
2			chop and cut marks
2			
2 0 0 0 0 0 0			
2 0 0 0 0 0 0			
3			
2 0 0 0 0 0 0			
3 0 0 0 0 0 0			· ·
3			
2			
3 0 0 0 0 0 0			
3			
2 0 0 0 0 0 0			
3 0 0 0 0 0 0			
2 0 0 0 0 0 0			
3 0 0 0 0 0 0			
2 0 0 0 0 0 0			
3 0 0 0 0 0 0			
2 0 0 0 0 0 0			
2 0 0 0 0 0 0			
			abanad (
			chopped
2			· · · · · · · · · · · · · · · · · · ·
3			broken roots
2 0 0 0 0 0 0			M1/M2 7a
2 0 0 0 0 0 0			chopped
2 0 0 0 0 0 0			
3 0 0 0 0 0 0			
2 0 0 0 0 0 0			
2 0 0 0 0 0 0 0			
2 0 0 0 0 0 0			·
2 0 0 0 0 0 0			·
2			
2 0 0 0 0 0 0			3 teeth in wear
2			
2 0 0 0 0 0 0 0			·
2			three with cut marks
3 🗆 0 0 0 0 0 0 0			
3			
2 0 0 0 0 0 0 0			teeth in wear, calculus P4 erupting
2			
3			
3			·
2			
2 0 0 0 0 0 0			·
2			3 teeth in wear
3 0 0 0 0 0 0			
2 0 0 0 0 0 0			
2			
2 0 0 0 0 0 0			
3 🗆 0 0 0 0 0 0			
			t

Quantity We	eight (g) Fra	action Sieved	Mand I Mand C	Mand Pm Mar	nd M Mai	nd M3 M	ax I M	ax C Ma	x M Ma	nd dec i Mand o	lec c Mand	dec pm Max dec	i Max dec.c	Max dec.pm Max F	m Mand dec dp4	Incisor (indet)
1	20	1. 🗆	0 0	0	0	0	0	0	0	0	0	0	0 0	0	0 0	. 0
1	30		0 0	0	0	0	0	0	0	0	0	0 .	0 0	0	0 0	
1	9		0 0	0	0	0	0	0	0	0	0	0	0 0	0	0 0	0
1	5		0 0	0	0	0	0	0	0	0	0	0	0 0	0	0 0	0
1	3		0 0	0	0	0	0	0	0	0	0	.0	0 0	0	0 . 0	0
1	3		0 0	0	0	0	0	0	0	0	0	O (0 0	0	0 0	0
2	3		0 0	. 0	0	0	0	0	0	0	0	0 (0 0	. 0	0 0	0
1	0		0 0	0	0	0	0	0	0	0	0	0	0 0	0	0 0	0
. 1	15		0 0	0	0	0	0	0	0	0	0	. 0	0 0	0	0 0	0
1	31		0 0	0	0	0	0	0	0	0	0	0	0 0	0	0 0	0
1	14		0 0	0	0	0	0	0	0	0	0	. 0	0 0	0	0 0	0
1	12		0 0	0	0	0	0 .	0	0	0	0	0 (0 0	0	0 0	0
1	14		0 0	0	0	0	0	0	0	0	0	0 (0 0	. 0	0 0	0
1	0		0 . 0	. 0	0	0	0	0	0	0	0	0 (0 0	0	0 0	0
1	2		0 0	0	0	0	0	0	0	0	.0	0 (0 0	0	0 0	0
1	0		0 0	0	0	0	0	0	0	0	0	0	O O	0	0 0	0
1	4		0 0	0	0	0	0	0	0	0	0	0 (0 0	· 0	0 0	0
1	106		0 0	0	0	. 0	.0	0	0	0	0	0 (0 0	0	0 0	0
1	8		0 0	0	0	0	0	0	0	0	0	0 (. 0	0	0 0	0
` 1	1		0 0	0	0	0	0	0	0	0	0	0 (0 0	0	0 0	0
1	29		0 0	0	0	0	0	0	0	0	0	0 (0 0	0	0 0	0
1	12		0 0	0 -	0	0	0	0	0	0	0	0 (0 0	0	0 0	0
1	3		0 0	0	0	0	0	0	0	0	0	0 (0 0	0	0 0	0
1	24		0 0	.0	0	0	0	0	0	. 0	0	0 (0 0	0	0 0	0
4	8		0 0	0	0	0	0	0	0	0	0	0 (0 0	0	0 0	0
1	1		0 0	0	0	0	0	0	0	0	0	0 (0	0	0 0	0
1	4		0 0	0	0	0 .	0	0	0	0	0	0 (0 0	0	0 , 0	0
. 1	14		0 0	0	0	0	0	0	0	0	0	0 (0 0	0	0 0	0
1	144		0 0	0	0	0	0	0	0	0	0	0 · (0 0	0	0 0	0
1	2		0 0	0	0	0	0	0	0	0	0	0 (0 0	0	0 0	0
1	. 11		0 0	0	0	0	0	0	0	0	0	0 (0	0	0 0	0
1	40		0 0	0	0	0	0	0	0	0	0	0 (0	0	0 0	0
1	1		0 0	0	0 '	0	0	0	. 0	0	0	0 (0	0	0 0	0
1	8		. 0 0	. 0	0	0	0	0	0	0	0	0 (0	0	0 0	0
1	31		0 0	0	0	0	0	0	0	0	0	0 (0 0	0	0 0	0
2	51		0 0	0	0	0	0	0	0	0	0	0 (0	0	0 0	0
1	32		0 0	0	0	0	0	0	0	0	0	0 (0	0	0 0	0
7	57		0 0	0	0	0	0	0	0	0	0	. 0	0	0	0 0	0
1	48		0 0	0	0	0	0	0	0	0	0	0 (0		0 0	0
1	144		0 0	0	0	0	0	. 0	0	0	0	0 (0		0 0	0
1	12		0 0		0	0	0	0	0	0	0	0 (0	0	0 0	0
1	5		0 0	0	0	0	0	0	0	0	0	0 (0	0	0 0	0
1	24		0 0	0	0	0	0	0	0	0	0	0 (0	0	0 0	0
1	10		0 0	0	0	0	0	0	0	0	0	0 (0	0	0 0	0
1	2		0 0		0	0	0	0	0	0	0	0 (0	0	0 0	
1	4		0 0	0	0	0	0	0	0	0	0	0 (0	0	0 0	0
1	9	. _	0 0	0	0	0	0	0	0	0	0		0	0	0 0	0
1	4		0 0		0	0	0	0	0	0	0) Ö	0	0 0	0
1	10		0 0	0	0	0	0	0	0	0	0		0	0	0 0	0
1	1		0 0		0	0 .	0	0	0	0	0		0	0	0 0	0
1	11	, []	0 0		0	0	0	0	0	0	0		0	0	0 0	
2	9		0 0		0	0	0	0	0	. 0	0		0	0	0 0	0
			-1 -1		-1						-1					

Molar (indet) Maxilla	ry P2/M3 Mandi	bular P2/M3 Maxillary	molar/premolar Mandibular m	iolar/premolar
0	0	0	0	0
0	0	. 0	0	. 0
0	0	0	0	0
0	0 .	0	0	0
0	0	0	0	0
0	0	0	0	. 0
0	0	0	0	0
0	. 0	0	0	0
0	0	0	0	0
0	, O	0	0	0
0	0	0	0	0
0 .	0	0	0	0
0	0	0	0	0
0	0	0	0	0
0	0	0	0	0
0	0	0	0	0
0	0	0	0	
0	0	0	0	0
0	0	0	0	0
0	0	0	0	0
0	0	0	0	0
0 0	0	0	0 -	
0	0	.0	0	<u>0</u>
0	0	0	. 0	0
0	0	0	0 .	. 0
0	0 .	0	0	0
0	0	ol ol	0	0
0	0	0	0	0
0	0	0	0	0
. 0	o o	0	0	0
0	0	0	0	0
0	0	0	0	0
0	0	0	0	0
0	0	0	0	0
0	0	0	0	0
0	0	0	0	0
0	0	0	0	0
0	0	0	0	0
. 0	0	. 0	. 0	0
0	0	0	0	0
0	0	. 0	0	0
0	0	0	0	0
0	0	0	0	0
. 0	0	0	0	0
0	0	0	0	0
0	0	0	0	0
0	0	0	0	0
0	0	0	0	0
0	0	0	0	0
0	0	0	0	0
0	0	0	0	0

Pof No Data	Dhasa Castura Tura	Contavelor	nple Species	Elamant	c:42	74 7	72	74.7	5 7¢	77 -	70 7	Complete	Dravim	al Diasa	l Dathalan	Butcho-	r Pii	e Wasis	d Gravi	Eroch Droo	V Articulator
111	ranase realures ype	110	0 Medium mammal	indet	Siue /	0 (0 0				LEIOVIIII	וסוטוום		DUILLIE	<u>التالي ما م</u>	O D	us GudW	rresil brea	Naturaled
112		1 10	0 Medium mammal	mandible	+	0 (0 0	 	0		_	-	 			0 📙			
113				tooth		0 (i!-	0 0		0	_	 			 			-		
114		6	0 Sheep/goat 0 chicken	coragcoid	 	0 (0 0	4	4		 	-	+						
		6					-1		1 1	1	1		 ·				-				+
115		6		Rib		0 (-		0 0		0	_ 📙 _	 -	_							
116			0 indet	indet		0 (0 0	!	0		-		 	-	7	0	<u> </u>		
117			0 Medium mammal	vertebra	+-+		0 0		0 0	 	0		<u> </u>			 	<u> </u>				
118				rib .	+-+		0 0		0 0		0						<u> </u>		+		
119		2	0 Cattle	P1			0 0	0	0 0	!— Ŭ	0		 	- -			<u> </u>				
120		2		Metapodial		!		_0	1 1	⊢ ∸ ⊢	0		 			<u> </u>	<u> </u>	0			1
121		2	0 indet	Pelvis	 _ 		0 0		0 0		U		<u>u</u>			<i>j</i>	=				
122		2	0 Large mammal	Scapula			0 0		0 0		0		 		┼- ;	<u> </u>	<u> </u>				
123		2	0 Cattle	Tibia	1 -		0 0		0 0		0		<u> </u>				0 (
124		2	0 Large mammal	indet		- `⊢-`	0 0	0	0 0		0				 	<u> </u>		0 🗓	<u> </u>		
125		2	0 Medium mammal	vertebra			0 0	0	0 0	Y -	0		<u> </u>						- 		
126		2	0 Cattle	Pelvis			0 0		0 0	0	0			<u> </u>	 				<u> </u>		
127		2	0 Cattle	Humerus		0 (0 (0 0	!-	1		· ·	_ f	 - 		2 (
128		2	0 Cattle	Tibia		1 '	1 1		0 0		0	_ 💾 _	fusing		<u> </u>		U (
129		1	0 Cattle	Skull	1	0 (0 0	0	0, 0	<u> </u>	0		ļ <u> </u>		1-4-	<u> </u>	2 (
130		1	0 Large mammal	Vertebra		0 (0 0	_ 0	0 0	<u></u>	0		u			(<u> </u>				
131		1	0 Cattle	Radius	1		0 1	1	0 0		0		<u> </u>			(1		
132		1	0 Cattle	Hyoid		0 (0 0	0	0 0		0								_		
133		2	0 Sheep/goat	Pelvis	r	0 0	0 [0	0	0 0		0		ļ			<u> </u>	0 0				
134		2	0 Pig	Metacarpal 4	1	0 (0 0	0	1 1	0,	0			u			0 0				
135		2	0 Pig	fibula	r	0 (0 0	0	0 0	_ 0	0						0 0				
136		2	0 Pig	Tibia		1 (0 0	0	0 0		0					(o <u>'</u>				
137		2	0 indet	indet		0 0	0 0	0	0 0	0	0					(0 0				
138		2	0 Cattle	Tooth	<u> </u>	0 0	0_0	0	0_0	0	0					(0 0	<u> </u>			
139		2	0 Sheep/goat	Humerus ,		0 (0 0	0	0 1	·	0		<u> </u>	<u> </u>		C	0 0				
140		2	0 deer sp.	Radius	r		0 0	0	1 1		0			u		<u> </u>	0				
141		2	0 deer sp.	Tibia		0 (0 0	_0_	1 1	0	0			_u			0 0				
142		2		Humerus	r	0 0	0 0	0	1 1	1	1		<u> </u>	f		1	1 0		1		
143		2	0 Pig	Tibia		0 (0 0	0	1 1	0	0				🗆	<u> </u>					
144		2	0 Large mammal	LBF		0 (0 0	0	0 0	0	0					0) 0		_		
145		2	0 Cattle	Femur	r	0 (0 (0	0 0	0	1			f		2	2 0				
146		2	0 Medium mammal	Rib		0 0	0 0	0	0 0	0	0					1	1 0				
147		2	0 indet	indet		0 0	0_0	0	0 0	0	0					0	0				
148		2	0 Sheep/goat	P1		0 (0 (0	0 0	0	0	V	f			0	,				
149		2	0 large bird	Ulna		0 0	1	1	1 1	0	0					0	0 0				
150		2		Radius	1	0 0	1	1	1 1	0	0					. 0	0 0		1		
151		2		Radius	1		1	1	1 1	0	0					1	0		c+r		
152		2		Calcaneus		0 0	0	0	0 0	0	0	~				0	0				
153		2		P1		1 1	-1		0 0	0	0		u			0	0				
154		2		Tibia	1 1	0 0			0 0		-					0	0				
155		2		Tibia	1	0 0			0 0							0	0				
156		2		Ulna		0 0		0	1		0			† - -		1	0				
157		2		Ulna		0 0			0 0							0	0				
158		2		Vertebra		0 0			0 0				<u> </u>			0	 -				
159		2		indet		0 0			0, 0				-			0	!		1		
160		2		Rib	1+	0 0			0 0					1		0	 	 	 		
161		2		Vertebra	 		1 !	0		:_				<u> </u>		0			 - 	 	
162		2		Skull	+			0							+-3-	0		<u>- = -</u>	1		
102	<u> </u>			Okuli	1_1	o _i c	<u>, u</u>		<u> </u>	<u> </u>	U		L			, 0	, 0				<u> </u>

Table1

Condition Measured		GI C	1:116	:lim	Rn	Rd	12)/SC	nn	Other measurement	Sex	Tool	h wear	Dn4	P4	M1	M2 M	3 MW	S Ag	e Notes
2	10000	0	0	C					1)	JOUR	21,00			e train o	2 (1011-0.5)		<u> </u>		
2 🗆	╁╌	0	0		-) (n –									† †		1	_	
2	+-	0	0		·	<u> </u>	า				-			 			- -	-	-	M1/M2 7a
2	+	0	0 .		\vdash	-	<u> </u>						 		·	-		1.	 	
2 -	-	0	0				-)				+	 - -	+	_			
3		0	0				-		ļ)	_			 		+		 		
	+) (-		-		<u> </u>			 		┤╼╌┤		+		
3 🗆	-	0	0	0	!					·				 				-		
2 📗	-	0	0	0			0) (ļ .			 		 		-	-	
. 4	 	0	0	0							<u> </u>	 		ļ	<u> </u>	┼┤			- `	
4	┦—	0	0	0			0	(ļ ·		 			_ _	
2 📙	_	0	0	0		-	ם כ)				ļ						chopped
3 🗆	_	0	0	_ 0		·	ס)				<u> </u>		1 1		-	_	
. 2		0	0	0	+		ם) (1			<u> </u>			<u> </u>		_		
3 🗆		0	0	0	-		0										_			
2 🗆		0	0	0			0	()		·								
2 🗆		0	0	0	(<u></u> [כ) ()										
3 🗆		0	0	Q) (ם וכ	() ()	L									cut and chopped
2 🗆		0	0	0	(ס	C) ()										. ,
2 🗆		0	0	0	(0	ם כ	C) ()										chopped
3 🗆		0	0	0			וֹכ	() ()	<u> </u>	<u> </u>							\top	,
4	\top	0	0	0) () (_			1	<u> </u>	
2	+	0	0	0	-)) (<u> </u>						1. 1			-	
2	╁	0	0	0		+ -	า)				ļ. —		1				
2 0	+	0	0	0	!		<u> </u>					!		 		-	-		 	
2 □	+-	0	0	0	-	+	<u></u>) . (<u> </u>)	ļ			-		_	-	-	<u> </u>
2 1	+	0	0	0			7) (!							+	
2 0	-	0	0	-0			7						 	+		-	- -	+	+-	
2		0	0		-	<u>: </u>				<u> </u>	<u> </u>	l		 			_	1		P4 very worn
3 🗍	+	0	0.	0	_		_					<u> </u>	<u> </u>	+		-	-		+-	IF4 Very Worth
	_		—i—		-!		<u> </u>			<u></u>				 						
2	<u> </u> _	0	0	0		[7		1	<u> </u>		<u> </u>		 					_	
2 🗆	-	0	0_	0	<u> </u>		J									-			_	
2	+	0	0	0	 	+	기_				ļ			<u> </u>				<u> · </u>	-	
3 📙	ļ <u> </u>	0	0	0			-									<u> </u>			-	
3 🗆	<u> </u>	0	0	0) (C		·				-						
2 🗆	<u> </u>	0	0	0		-							<u> </u>				_			
2 🗆		0	0	0			-	. (-1									ļ.,		
2 🗆	_	0	0	0	1 -	1-)				<u> </u>				_	1	
2		0	0	0		1		()									<u> </u>	
2 🗌		0	0	0	C)	C	-)										
2 🗆		0	0	0	C)										
2 🗆		0	0	0	C) (C) ()										carnivore and rodent gnawing
2 🗆		0	0	0	C) (ו	C) ()					·					
2 🗆	1	0	0	0	C) ()	0			1.									·
2		0	0	0	C) (ו	C) ()										
3 🗆		0	0	0			<u> </u>	C) (·
2 🗆	+	0	0	0) (+	<u> </u>	 -	<u> </u>			İ					
2 🗆	1	0	0	0			-			······································				<u> </u>						
2 🗍		0	0		-			. 0								1		1		
3 🗆	+-	0	0	0		+		· · ·			 			-	<u> </u>	+		 	-	one fragment gnawed (carnivore)
2 🗆	-	0	0								 	<u> </u>		 		-		-	+	one magnioni gravios (comitoro)
	-			_ 0	-					ļ — — — — — — — — — — — — — — — — — — —									_	
		0	0	0				0		<u></u>								-		
2 🗆	1	0	0	0	C) (J			<u>''</u>	<u></u>		<u> </u>		<u> </u>	<u> </u>				<u> </u>

03/12/2009

Table1

Molar (indet)	Maxillary P2/M3	Mandibular P2/M3	Maxillary molar/premolar	Mandibular molar/premolar
. 0	0	0		0
0	0	. 0	0	0
0	0	. 0	0	0
0	0	. 0		0
0	0	0		0
. 0	0	0		0
0	0	0	0	0
0	- 0	0	0	0
0	0	0	0	<u> </u>
0	0	0		0
0	0	0	0	0
0	. 0	0	0	
0	0	0	·	
0	0	0	0	
0	0	0	0	
0	0	- 0	0	0
0	0	0		0
0	. 0	0	0	0
0	0	0		0
0		0		0
0.	0	0	0	0
0	0	0	0	0
0	0	0	0	0
0	0	. 0	0	0
0	0	0	0	0
0	0	0	0	0
0	0	0	. 0	0
·0	0	0	0	0
0	0	0	0	0
0	0	0	0	0
. 0	0	0	0	0
0	0	0	0	0
0	0	0	0	0
0	0	0	0	0
0	0	0		. 0
0	0	0		0 · 0
0	0	0		0
. 0	0	, 0 0		0
0 0	0	0		. 0
0	0	0		0
0	0	0		0
0	0	0		0
0	0	0		0
0	0	0		0
0	0	0		0
0	0	0		0
0	0	0		. 0
0	0	0		0
0	0	. 0		0
0	, O	0	0	0

Ref No Dat	te Phase Feature Type	Context Sam	ple Species	Element ===	Side	Z1 2	Z2 Z	3 Z4	Z 5	Z6	Z7 Z	Coi	mplete P	roximal	Distal	Patholog	y Butchen	Bur	nt V	Vorked	Gnaw F	resh Break	Articulated
163		2	0 Large mammal	mandible		0			0 0									0	. 0				
164		109	0 Large mammal	indet		0	0	0 (0 0	0	0	0						2	0				
165		109	0 Sheep/goat	Femur	Ī	0	0	0. (0 0	0	1	1			fusing			1	0				
166		109	0 Large mammal	Rib		0	0	0 (0 0	0	0	0						0	0				
167		109	0 Sheep/goat	Ulna		0	1	1 '	1 0	0	0	0						1	0				
168		1	0 duck	Femur		1	1	1	1 0	0	0	0						0	0				
169		1	0 Sheep/goat	Scapula	г	1	1	1	1 0	0	0	0		-			,	0	0				
170		1	0 Medium mammal	LBF		0	0	0 (0 0	0	0	0						3	0 .				
171		1	0 Large mammal	indet		0	0	0 (0 0	0	0	0						0	0				
172		1	0 Large mammal	Rib		0	0	0 (0 0	0	0	0						0	0				
173		1	0 Medium mammal	Rib		0	0	0 (0 0	0	0	0			1	- L		1	0		1		
174		1	0 Medium mammal	Rib		0	0	0 (0 0	0	0	0						0	0				
175		1	0 Sheep/goat	Calcaneus	ı	0	0	0 0	0 0	0	0	0						1	0				
176		1	0 Sheep/goat	Radius		0	0	0 (0 0	0	-0	0						0	0				
177		5	0 Pig	Astragalus	1	0	0	0 0	0 0	0	0	0	V					0	0				
178		5	0 duck	ulna		0	,0	0 (0 0	0	0	0	V			. 🗆		0	0				
179		5	0 Medium mammal	vertebra		0	0	0 (0 0	0	0	0	[] 'u				· (0	0				
180		5	0 Large mammal	vertebra		0	0	0 0	0 0	0	0	0						O	0				
181		5	0 Medium mammal	Rib		0	0	0 0	0 0	0	0	0						O	0				
182		5	0 Cattle	Tooth		0	0	0 0	0 0	0	0	0					(ם	0				
183		5	0 indet	indet		0	0	0 (0 0	0	0	0						ס	0				
184		4	0 chicken	sacrum		0	0	0 (0 0	0	0	0	✓)	0				
185		4	0 indet	indet		0	0	0 0	0 0	0	0	0						ם כ	0		1		
186		4	0 indet.	indet		0	0	0 0	0 0	0	0	0					(וכ	0 -				
187		4	0 Large mammal	rib		0	0	0 0	0 0	0	0	0					()	0				. 🗆
188		4	0 Medium mammal	Rib		0	0	0 (0 0	0	0	0					•	1	0		1		
189		4	0 Medium mammal	vertebra	3	0	0	0 (0 0	0	0	0)	0				
190	•	4	0 Large mammal	vertebra		0	0	0, 0	0 0	0	0	0					()	0				
191		4	0 Pig	Femur	r	0	0	1 1	1 0	0	0	0					()	0				
192		2	0 Cattle	Humerus	r	0	0	0 1	1 1	1	0	0					(וֹ	0				
193		2	0 Cattle	mandible	r	0	0	0 0	0 0	0	. 0	0					(וֹ	0				
194		2	0 Large mammal	indet				0 0			0							[0		1		
195		2	0 Medium mammal	rib		0	0	0 0			0	ס						1	0				
196		2	0 Large mammal	rib				0 0										1	0				
197		115	0 goose/duck	mandible		0	0	0 (0 0	0	0 (0					()	0				· ·
198		115	0 Large mammal	rib		0	0	0 0	0 0	0	0 (()	0				
199		115	0 Medium mammal	rib			0			0	0 (()	0				
200		115	0 Medium mammal	vertebra		0	0	0 0	0 0	0	0 (()	0				
201		115	0 chicken	Femur		0	0	0 0	0 0	0	0 ((0				
202		115	0 chicken	Ulna		0	0	0 0	0 0	0	0 (✓ u		u		()	0				

Condition Measured	GL GLI GLM Bp	Bd SD/SC	DD Other measuremen	t Sex Tooth wea	r Dp4	P4 M1	M2 M	3 MWS A	ge Notes
2 🗆	0 0 0 0		0			-			
2 🗆	0 0 0 0	.0 (0						one frag chopped, one frag cut
2 🗆	0 0 0 0	0 (0						
2 🗆	0 0 0 0	0 (0				1		
2 🗆	0 0 0 0	0 (0						
2 🗆	0 0 0 0	0 (0						
4 🗆	0 0 0 0	0 (0	, 🗇					•
2 🗆	0 0 0 0	0 (0 -						chopped and sawn
2 🗆	0 0 0 0	0 (0		·				
2 🗆	0 0 0 0	0 (0					1	
2 🗆	0 0 0 0	0 . (0						
2 🗆	0 0 0 0	0 (0	□·					
2	0 0 0 0	0 (0				•		
2 🗆	0 0 0 0	0 (0						
. 2 🗆	0 0 0 0	0 (0						
2 🗆	0 0 0 0	0 (0						
2 🗆	0 0 0 0	0 (0						
2 🗆	0 0 0 0	0 (- 0	· □					·
2 🗆	0 0 0 0	0 (0						
2 🗆	0 0 0 0	0 (0						in wear P4
3 🗆	0 0 0 0		0						
. 2	0 0 0 0	0 (·						
3 🗆	0 0 0 0		0						
2 .	0 0 0 0		0.						
2 🗆	0 0 0 0	0 (
2 🗆	0 0 0 0	0 .(· · · · · · · · · · · · · · · · · · ·
2 🗆	0 0 0 0	0 (<u> </u>					'
2 🗆	0 0 0 0	0 '0	I						
2 🗆	0 0 0 0	i	0						
3 🗆	0 0 0 0	0 (ļ		juvenile
2	0 0 0 0	0 (ļ			ļ			
2 🗆	0 0 0 0							-	
2 🗆		0 0							
2 🗆	0 0 0 0		1 1		_		_		
3 🗆	0 0 0 0	0 0	I						
2 🗆	0 0 0 0		!						
4 📙	0 0 0 0		i						
4	0 0 0 0						ļ .		
3 🗆	0 0 0 0					_			
3 🗆	0 0 0 0	0 0	0				<u> </u>		ljuvenile

1 6	9		in and in the same	uniu.o.	mana:	Creek Contact Inter											- amages a sel 200 a 200 a 200 a 200 a 200 (£116 bb. 120 b 20 b 20 €1 a 16 b 1 b 1 b 1 b 2 b 1 b 1 b 1 b 1 b 1
6		1 L_1	0	0	0	0	0	0	0	0	0	0	0	0	0	C	Mand dec dp4 Incisor (indet)
	70		0	0	0	0	0	0	0	0	0	0	0 (0	0	0	0 0
1 1	13		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0 0
1	2		0	0	0	0	0	0	0	0	0 .	0	0 . (0	0	0	0 0
1	. 4		0	0	. 0	0	0	0	0	0	0	0	0	0	0	0	0 0
1	0		: 0	0	. 0	0	0	0	0	0	0	0	. 0	0	0	0	0 0
1	12		0	0	0	0 .	0	.0	0	0	0	0	0	0	. 0	0	0 0
1	10		0	0	0	0	0	0	0	0	0	0	0 (0	0	0	0 0
1	12		0	0	0	0	0	0	0	0	0	0	0	0 • 0	0	0	0 0
1	6		0	0	0	0	0	0	0	0	0	0	0 (0	0	0	. 0 0
1	1		0	0	0	0	0	0	0	0	0	0	0 (0	0	- 0	0 0
1	3		0	0	O	0	0	0	0 .	0	0	0	0	0	0	0	0 0
1	3		0	0	0	0	0	O	0	0	. 0	. 0	0 (0	0	. 0	0 0
1	16		0	0	. 0	0	0	. 0	0 .	0	0	0	0	0	0	0	0 0
1	13 ·		0	0	0	0	0	0	0	0	0	0	0 (0	0	0	0. 0
1	2		0	0	0	0	0	0	0.	0	0	0	0 (0	0	0	0 0
1	0	- I. 🗆	0	0	0	0	0	0.	0	0	0	0 '	0 (0	0	0	0 0
1	15		0	0	0	0	0	0	0	0	0	0	0 (0	0	0	. 0 0
1	0		0	0	0	0	0	0	0	0	0	0	0 (0	0	0	0 0
1	6		0	0	0	0	0	0	0	0	0	Ö	0 (0	0	0	0 0
5	12		0	0	0	0	0	0	0	0	0	0	0 (0	0	0	0 0
1	3		0	0	0	0	0	0	0	0	0	0	0 (Q	. 0	0	0 0
1	9		0	0	0	0	0	0	0	0	0	0	0 (0	0	0	0 0
1	3		0	0	0	0	0	0	0	0	0	0	0 (0	0	0	0 0
1	3		0	0	0	0	0	0	0	0	0	0	0 . (0	. 0	0	. 0 0
1	1		0	0	0	0	0	0	0	0	0	0	0 (0	. 0	0	0 0
1	1		0	0	0	0	0	0	0	0	0	0	0 (0	0	0	0 0
1	7		0	0	0	0	0	0	. 0	0	0	0	0 (0	0	0	0 0
1	17		0	0	0	0	0	0	0	0	0	0 .	0 (0	0	0	0 0
1	36		0	0	0	0	Ò	0	0	0	0 .	0	0 (0	0	0	0 0
1	17		0	0	0	0	0	0	0	0	0	0	0 (0	0	0	0 0
1	28		0	0	0	0	0	0	0	0	0	0	0 (0	0	0	0 0
1	3		0	0	0	0	0	0	0	0	0	0	0 (0			0 0
1	5		0	0		0	0	0	0 .	0	0	0	0 (0			
1	0		0	0		0	0	0	0	0	0	0		0			0 0
1	2		0	0		0	0	0	0	0	0	0 .		0			0 0
2	3		0	0		0	0	0	0	0	0	0		0			0 0
1	8		0	0		0	0	0	0	0	0	0		0	0	0	
1	1		0	0		0	0	0	0	0	0	0		0			
1	0		0	0		0	0	0	0	0	0	· 0		0			

Molar (indet) Maxilla	ry P2/M3 Man	dibular P2/M3 Maxillan	/ molar/premolar Mandibular mo	ar/premolar
0	0	0	0	0
0 .	0	0	0	0
0	0	. 0 .	0	0
0	0	0	0	. 0
0 '	0	0	0	.0
0	0	0	0	0
0	0	0	. 0	. 0
0	0	0	. , 0	0
0	0	0	0	0
0	0	0	0	0
0	0	0	0	, 0
0	0	0	0	. 0
0	0	0	. 0	0
0	0	0	0	0
0	0	0	0	0
0	0	0 .	0 :	0
0	0	0	0	. 0
0	0	0	0	0
. 0	0	0	0	0
0	0	0	0	0
. 0	0	0	0	0
0	. 0	. 0	0	0
0	0 .	0	0	0
0	0	0	0	0
0	0	0	0	0
0	0	0	0	0
0	0	0	0	0
. 0	0	0	0	0
0	0	0	0	0
0	0	0	0	. 0
0	0	0	0 .	. 0
0	0	0	0	0
0	0	. 0	0	0
0	. 0	0 _	0 .	0
0	0	. 0	0	0
0	0	0	0	0
0	. 0	0	0	0
0	0	0	0	0
0	0	0	0	. 0
0	0	. 0	0	0

OXFORD CASTLE MOUND

PHASE1

OXFCAMOS



Box1 FILE 15

EO ENVIRONMANTAL: SPECIALIST PEPORTS

OXFORD ARCHAEOLOGY, JANUS HOUSE, OSNEY MEAD, OXFORD, OX2 DES

PART 1 FILMING INSTRUCTIONS		
Submitter: OA		
No. of Diazo Copies: 3		
PART 2 TITLE/HEADINGS		
Site Information:		
Site: OLPORD Castle Mound	Parish:[0×f0R	1
Site identifier/accession code may be included 02	FC AAAA Z	
Line 2: Fieldworker/Excavator's Name [D.DOOD	-1 SOLOZOM	5 :2 <i>00</i> 8-) ໄ
Line 3:		J
Classification of Material:		in the state of th
		Tick if
		Present
		1 resent
Index to Archive		
Introduction		
A: Final Report		· · · · · · · · · · · · · · · · · · ·
A: Publication Report	-	
B: Site Data - Text: Diary/Daybook/Fieldnotes	· _ · · ·	
B: Site Data - Text: General Summaries		· · · · · · · · · · · · · · · · · · ·
B: Site Data - Text: Primary Context Records		<u> </u>
B: Site Data - Text: Synthesised Context Records		
B: Site Data - Text: Survey Reports		
B: Site Data – Text: Catalogue of Drawings		
B: Site Data - Text: Primary Drawings		
B: Site Data - Text: Synthesised Drawings		
C: Finds Data – Text: Primary Finds Data	\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	
C: Finds Data - Text: Synthesised Finds Data		
C: Finds Data – Text: Specialist Reports		
C: Finds Data – Text: Box/Bag List		
D: Catalogue of Photos/Slides/Videos/X-rays		
E: Environmental/Ecofact Data: Primary Records		
E: Environmental/Ecofact Data: Synthesised Records		
E: Environmental/Ecofact Data: Specialist Reports		/
F: Documentary		
F: Press and Publicity		
G: Correspondence		· ·
H: Miscellaneous		

POST EXCAVATION ASSESSMENT OF THE ANIMAL BONES RECOVERED FROM WATCHING BRIEF EXCAVATIONS AT CASTLE MOUND, OXFORD.

by Rachel Scales submitted September 2008

Introduction

Animal bone was recovered by hand from seventeen contexts towards the top of the castle mound. While phasing is not yet complete for the site, contexts associated with the animal bone are thought to be mainly post-medieval in date. Deposits containing animal bone included an 18th century landscaping area and 17th and 18th century backfills of robber trenches

Methods

The animal bone was recorded following the protocol outlined in Serjeantson (1996). Where possible fragments were identified to species using the Oxford Archaeology Zooarchaeology reference collection. Fragments that could not be identified to species were put into categories: large mammal sized (e.g. cattle, horse or large deer), medium mammal sized (e.g. sheep/goat or pig).

Results

A total of 234 bones were hand collected from the site, of which 116 (50%) were identifiable to species level. Of the material not identifiable to species level 31 (13%) bones were recorded as indeterminate, 49 (21%) were noted as being from large sized mammals and 36 (15%) from medium sized mammals.

Cattle (Bos taurus) was the most frequent species present making up 36% of the identifiable fragments in the assemblage (Table 1). Sheep/ goat (Ovis aries/ Capra hircus) was the second most frequent mammal (32%) present. Other species recorded in small numbers were pig (Sus scrofra) (15%), deer (Cervus sp.), chicken (Gallus gallus) (9%), goose (Anser anser), duck (Anas anas) and rabbit (Oryctolagus cuniculus). Table 2 shows the contexts, species and elements of the bones recovered.

The condition of the bone was on the whole very good, however the bone from a couple of contexts (16, 115) were very badly preserved due to plant root damage. No burnt bones were present.

Table 1. Number and percentage of bones identified to species.

Species	Number of fragments.	Percentage
Cattle	42	36
Sheep/goat	38	32
Pig	17	15
Deer sp.	2	3
Rabbit	1	0
Chicken	11	9
Goose	3	3
Duck	2	2
Total	116	100

Of the major domesticate bones, two sheep-goat, five pig and five cattle bones were from juvenile animals. Sixteen (7%) bones showed evidence of carnivore gnawing and a further 36 (15 %) exhibited

butchery marks. Cut marks indicative of filleting were present along with cut, chop and saw marks associated with the dismembering process. The presence of both meat bearing and non meat bearing cattle and sheep/ goat elements, together with butchery marks recorded appear to reflectbutchery waste. The two deer long bones were recovered from the 18th century landscaping layer (2) and a worked antler point was recovered from a gravel mound (41)

Recommendations

The animal bone assemblages from the castle mound was well preserved, with a range of both domestic and wild species represented.

Further work on this material is not recommended at this time, but should further excavations be carried out at the site it should be included in future analysis.

References

Serjeantson, D. (1996) "The animal bones," In *Refuse and disposal at Area 16 east Runnymede.* Runnymede Bridge research excavations, Volume 2, S. Needham and T. Spence, British Museum Press; London. pp. 194-253.

Table 2. Elements, quantity and weight by context.

Conte xt	Species	Element	Quantity	Weight (g)
1	Cattle	Hvoid	1	4
i	Cattle	Radius	2	170
i	Cattle	Skull	1	21
1	Duck	Femur	ı	0
ı i	Indeterminate	Indeterminate	1	1
1	Large mammal	Indeterminate	1	12
ī	Large mammal	Rib	1	6
1	Large mammal	Vertebra	1	45
1	Medium mammal	Long bone fragment	1	10
1	Medium mammal	Mandible	1	0
1	Medium mammal	Rib	2	4
1	Pig	Femur	1	40
1	Pig	Ulna	1	14
1	Sheep/goat .	Calcaneus	1	3
1	Sheep/goat	Radius	2	18
ı	Sheep/goat	Scapula	1	12
1	Sheep/goat	Tibia	1	11
2	Cattle	Femur	1	40
2	Cattle	Humerus	2	90
2	Cattle	Mandible	ı	17
2	Cattle	Metacarpal	· 1	24
2	Cattle	Metapodial	2	27
2	Cattle	Pelvis	1	25
2	Cattle	Phalange	2	18
2	Cattle	Tibia	2	121
2	Cattle	Tooth	1	5
2	Cattle	Ulna	1	13
2	Deer sp.	Radius	1	14
2	Deer sp.	Tibia	1	18
2	Indeterminate	Indeterminate	8 .	21
2	Indeterminate	Pelvis	1	7
2	Indeterminate	Skull	1	3
2	Large bird	Ulna	1	2
2	Large mammal	Indeterminate	6	60
2	Large mammal	Long bone fragment	1	30
2	Large mammal	Mandible	1	9
2	Large mammal	Rib	2	18
2	Large mammal	Scapula	1	19
2	Large mammal	Vertebra	1	6
2	Medium mammal	Long bone fragment	1	2
2	Medium mammal	Rib	3	7
2	Medium mammal	Tibia	2	15
2	Medium mammal	Vertebra	2	1

	D'	Pit. 1		
2	Pig	Fibula	1 1	0
2	Pig	Maxilar '	. 1	9
2	Pig	Metacarpal 4	1	6
2	Pig	Tibia	2	14
2	Pig	Ulna	1	10 _
2	Sheep/goat	Calcaneus	1	4
2	Sheep/goat	Femur	1	5
2	Sheep/goat	Humerus	2	26
2	Sheep/goat	Pelvis	2	17
2	Sheep/goat	Phalange	2	7
2 .	Sheep/goat	Radius	2	28
2	Sheep/goat	Ulna	1	2 ·
4	Chicken	Sacrum	1	3
4	Indeterminate	Indeterminate	2	12
4	Large mammal	Rib	 	3
4			·	
	Large mammal	Vertebra	11	7
4	Medium mammal	Rib	1	
4	Medium'mammal	Vertebra	1	1
4	Pig	Femur	1	17
5	Cattle	Femur	i i	144
5		Tooth		
	Cattle		1	6
5	Duck	Ul <u>na</u>	11	2
5	Indeterminate	Indeterminate	5	12
5	Large mammal	Vertebra		15
5	Medium mammal	Rib	i	0
5	Medium mammal	Vertebra	+ <u>i</u>	0
5				
	Pig	Astragalus	1	13
5	Sheep/goat	Maxitar	1	12
6	Cattle	Sacrum	<u> </u>	12
6	Chicken	Coracoid	1	0
6	Large mammal	Mandible	2	51
6	Large mammal	Rib	7	57
6	Large mammal	Vertebra	1	32
6	Medium mammal	Rib	2	0
6	Pig	Metatarsal 4	1 1	8 .
6	Sheep/goat	Maxilar	1	31
6	Sheep/goat	Radius	1	10
6		Tibia		
	Sheep/goat		1	28
6	Sheep/goat	Tooth	1	7
7	Cattle	Femur	1	63
7	Cattle	Metatarsal	1	48
7	Cattle	Phalange	1	19
7	Cattle	Radius	<u> </u>	12
. 7	Indeterminate	Indeterminate	2	0
7	Large mammal	Rib	1	13'
7	Large mammal	Vertebra	l	22
7	Medium mammal	Mandible	1	l
7	Medium mammal	Rib	2	i
7	Medium mammal	Vertebra	2	5
			_	
7	Sheep/goat	Calcaneus	1	11
_7	Sheep/goat	Radius	1	17
13	Cattle	Humerus	1	60
13	Large mammal	Rib	1	20
13	Large mammal	Vertebra	1	9
16	Cattle	Femur	 	23
16	Chicken	Carpometacarpus	1 1	0
16	Goose	Coracoid	11	2
16	Goose	Tarsometatarsus	1	0
16	Indeterminate	Indeterminate	3	10
16	Large mammal	Vertebra	1	14
16			1 1	2
	Medium mammal	Rib		
16	Rabbit	Tibia	11	0
16	Sheep/goat	Metatarsal	1 .	6
93	Cattle	Humerus	1	151
93	Cattle	Humerus	i	31
93	Cattle	Scapula	3	180
93	Cattle	Skull	2	82
93	<u>Indeterminate</u>	Indeterminate	7	5
93	Large mammal	Mandible	1	9
	Large mammal	Rib	1	4
93				

¢

93	Medium mammal	Rib	2	l i
93	Medium mammal	Skull	1	3
93	Medium mammal	Vertebra	2	3
93	Pig	Humerus	1	23
93	Pig	Tibia	1	47
93	Pig	Ulna	1	
				30
93	Sheep/goat	Maxilar	2	26
93	Sheep/goat	Phalange	2	7
93	Sheep/goat	Scapula	1 1	16
93	Sheep/goat	Ulna	<u> </u>	8
94	Cattle	Femur	2	35
94	Chicken	Ulna	11	0
94	Goose	Carpometacarpus	1	2
94	indet	Indeterminate	1	0
94	Large mammal	Rib] 1	12
94	Pig .	Metatarsus 3	1	4
94	Sheep	Horn	1	15
94	Sheep/goat	Metatarsal	1	14
107	Large mammal	Indeterminate	7	80
109	Large mammal	Rib	i	2
109	Sheep/goat	Femur	1	13
109	Sheep/goat	Uina	1	4
110	Medium mammal	Indeterminate	1	0
112	Chicken	Tarsometatarsus	3	
112	Chicken	Tibia	2	1
112	Large mammal	Rib	1	10
112	Pig	Metacarpal 4	1	5
112	Pig .	Ulna	1	8
112	Sheep/goat .	Ulna	1	0
115	Chicken	Femur	1	1
115	Chicken	Ulna	1	0
115	Goose/duck	Mandible	i	0
115	Large mammal	Rib	1	2
115	Medium mammal	Rib	2	3
115	Medium mammal	Vertebra	1	8
118	Cattle	Mandible	i i	106
118	Cattle	Phalange	1	29
118	Cattle	Tooth	4	8
118	Large mammal	Phalange	 i 	3
118	Large mammal	Rib	i	8
118	Large mammal	Vertebra	1 1	12
118	Medium mammal	Rib	<u> </u>	1
118	Sheep/goat	Calcaneus	1	4
118	Sheep/goat	Femur	1	24
118	Sheep/goat	Tooth	1	1
	5/100pr 50at	Totals	234	3006
L	<u> </u>	LUIAIS		3000

.

Oxford Castle Mound, Oxford Scheduled Ancient Monument 21701

NGR: SP 5096 0619

Sediment Assessment

1 Introduction

- 1.1 Project design
- 1.1.1 As part of an archaeological watching brief on stabilisation work at Oxford Castle Mound during 2007, two monolith samples were taken through the upper sediment sequence for sedimentary assessment. It was hope that these samples would help to inform about the construction methods of the mound and whether there was any evidence for secondary modifications.
- 1.1.2 The monolith samples were logged and assessed by a member of OA Geoarchaeology Department. These samples were placed within the sedimentary context of the mound and examined in conjunction with the sections and information collected during the watching brief.
- 1.2 Site Location and Description
- 1.2.1 The Oxford Castle Motte is situated on the south side of New Road, Oxford (NGR SP 5096 0619). It is part of Scheduled Monument 21701 Oxford Castle. The mound lies at the north-west corner of the Castle complex built in 1071 by Robert d'Oilli. The mound is turf covered with some scrub and mature trees.
- 1.2.2 The underlying geology is mapped as Pleistocene gravels overlying Oxford clay (BGS, 236).
- 1.3 Archaeological Background

- 1.3.1 A number of previous archaeological investigations have been undertaken on the castle motte. The uneven ground and marked circular feature at the top may represent the walls of the 10-sided stone tower shown on Agas' map in 1578, drawn by John Aubrey in the 17th century and partially excavated by Daniel Harris in the 1780s.
- 1.3.2 Boreholes put through the mound in 1965 as part of the archaeological work by Tom Hassal indicated an interruption in the material of the mound at a level that may represent a break in building or an earlier phase consisting of a lower mound. Examination at the base of the mound, when the revetment wall along New Road was rebuilt after a previous slippage in the 1970s, showed that there was a considerable amount of post-medieval material at the bottom of the slope.
- 1.3.3 The most recent archaeological investigations undertaken by Oxford Archaeology as part of the Oxford Castle Development works, revealed a portion of the motte ditch, the base of which was reached c. 8 m below the modern ground level. At the base of the ditch was a sequence of silt deposits dating from the 11th century to the late 15th century. A large quantity of leather shoes was recovered along with a limited number of wooden items. To the north east of the motte ditch, on the upper outer edge, a large limestone footing for the castle curtain wall was seen. A possible buttress or tower base was seen to butt its internal edge, and a crude limestone footing was also revealed that might have been a support for a small bridge over the ditch. Between the 13th and 16th centuries the motte ditch appears to have gone out of defensive use, being used as a dumping area for waste from the castle. A number of inhumations dating from the 16th to 18th centuries were revealed within the upper fills, and these appear to be burials of felons.

2 Aims

- 2.1 The main aim of the assessment was to record and interpret the sedimentary sequence from the monolith samples taken through the mound of Oxford Castle, to help to elucidate the mound's construction and how it developed over time. It was hoped that the assessment would provide information to help answer the following research objectives:
 - Whether the motte sequence represents a single phase of construction or whether it reflects a more complex sequence of redesigns.
 - To identify the character and possible source of the material used in the construction of the mound.
 - To identify any post construction processes, such as periods of slumping, destruction or soil formation, which may have occurred over time.

3 Method

3.1.1 The monoliths, context numbers and their relative locations were identified with reference to the field records/section drawings.

- 3.1.2 The sediments were described according to the OA Geoarchaeological Guidelines (2008 1st edition), which is based on Jones, Tucker and Hart (1999). The sediments were described in terms of colour (using the Munsell colour system on fresh sediment), compaction, texture, sorting, structure and inclusions (including abundance, shape and material). The nature of observable contacts/boundaries (e.g abrupt and irregular. diffuse etc) were also noted. All relevant information has been recorded on the OA monolith/core logging proforma sheet (Appendix 1).
- 3.1.3 The top surface of the monoliths were cleaned and photographed (at a resolution of at least 600dpi) with a digital camera prior to any recording/sampling taking place. The monoliths were photographed from directly overhead, using a tape measure placed alongside as a scale and an identification board (with details of site code/trench number, sample or borehole/core number).

4 Results

4.1 Monolith samples

- 4.1.1 Monolith samples <2> and <3> were taken through two clay deposits and interstratified gravel deposits identified near to the top of the south face of the mound. Detailed logs for each sample can be found in Appendix I. These deposits had been previously noted within the 1965 boreholes, leading to the suggestion of two possible phases of mound construction (see above).
- 4.1.2 The core of the mound is believed to be entirely composed of unconsolidated sandy gravel. These deposits were encountered at the base of the exposed sections of the mound. Overlying these deposits was a series of two clay layers, believed to be caps, interstratified with more sandy gravel. The lowest of these clay deposits (40), sampled within Monolith <3>, consisted of a soft and pliable dark greyish brown (2.5Y 4/2) silty clay with rare poorly sorted sub-rounded inclusions (2-3cm). The gravel inclusions potentially represent residual material that was incorporated into the clay during the construction of the mound. The nature of clay would indicate a low energy alluvial origin for this material with a potential source on the Oxford floodplain or nearby Castle stream.
- 4.1.3 The lower clay deposit (40) had a very sharp and well-defined boundary with the overlying sandy gravel (39). This deposit consisted of loose brown (10YR 4/3) sandy gravels with occasional clay inclusions. The gravels were poorly sorted sub-rounded pebbles ranging in size from 1-4cms. There was no evidence of any stabilisation or standstill horizons which would indicate either the development of a soil or that significant time had elapsed between the deposition of the two contexts.

- 4.1.4 The overlying upper clay (17) sampled in monolith sample <2> consisted of a very firm dark grey (10YR 4/1) silty clay with frequent poorly sorted gravel inclusions (0.5-2.5cm). This deposit was of a significantly different nature to the lower clay, suggesting a potentially different source for this material. The stiffness and appearance of this deposit is characteristic of the Oxford clay, which would have been readily available during the excavation of the moat.
- 4.1.5 Overlying the second clay cap there was a gradual transition into a moderately compacted dark greyish brown clayey silt/sand (22) with poorly sorted gravel inclusions (1-5cms). This deposit was slightly humic and potentially represents the start of soil formation processes on the mound. Deposit (22) was overlain by two further layers of gravely silt/sand (32) with frequent poorly sorted sub-rounded gravel inclusions. These two deposits may represent further phases of gravel slumping and soil formation.

5 Discussion and Summary

5.1 Discussion

- 5.1.1 The assessment revealed that the core of the mound was constructed with sandy gravels which were excavated during the creation of the castle moat. These deposits appeared to have been unconsolidated and inherently unstable. Without the presence of the clay cap they could have become saturated and liable to subsidence. The recent episodes of slumping have been largely caused by the erosion of the clay cap, allowing the gravels to become saturated by heavy rain. Episodes of collapse usually followed periods of prolonged rainfall, when the mound's field capacity had been reached.
- 5.1.2 The absence of any stabilisation or standstill deposits overlying the first clay cap would indicate that the overlying gravels were deposited shortly afterwards. This would suggest that the first clay cap was not representative of an earlier mound that was superseded, but rather that it was used to stabilize the mound in order to aid in the construction of the tower and the vault chamber. This is supported by the fact that the vault floor appears to have been constructed on the first clay mound at 70.31 m OD. The vault would have been constructed gradually with the deposition of the sandy gravel, and then sealed with the second clay cap. This is a much more plausible scenario than the alternative; that the vault was constructed by excavating into unconsolidated gravels once the mound was finished.
- 5.1.3 The selection of different source material to build the two clay caps may reflect their physical properties. The lower clay cap was added to consolidate the mound, so preventing rainwater percolating down into the core and making it unstable. The lower cap therefore had to act as an impermeable seal, which would have required a watertight material. The fine textured alluvial material would have been more suited for this purpose than the Oxford clay, which is more broken and fractured. Similarly the Oxford clay is better suited for the upper cap, which needed to be strong enough to take the weight of the stone tower.

5.1.4 The various phases of gravely deposits overlying the upper cap deposit would indicate periods of stabilisation and edge erosion. There is no evidence to suggest that rubbish was deposited on the mound, in fact the absence of midden deposits may indicate that this was forbidden. However the thickness and nature of the overlying deposits may indicate that the mound could have been used to graze animals like sheep and goat. No evidence of destruction or burning activity was detected.

5.2 Summary

- 5.2.1 Based on the results of the sediment assessment the following conclusions can be drawn:
 - The Oxford Castle mound was created as a single phase of construction that involved the use of two clay caps
 - The vault chamber was constructed first on top of the lower clay cap at 70.31m OD, and then gradually buried by further deposits of sandy gravel and sealed by a second clay cap. The stone tower was built on top of the second clay cap.
 - At least two different clay sources were utilised in the construction of Oxford Castle Mound due to their different physical properties.
 Holocene floodplain alluvial clay appears to have formed the inner clay core, whilst the outer core appears to have been constructed using Oxford Clay.
 - The mound has always been inherently unstable and relies on the integrity of the clay cap. The caps now only survive near to the top of the mound and the stabilisation work is badly needed in order to protect the monument.
 - Soil formation processes appear to have started to occur on the mound following the deposition of the upper clay cap deposit. The nature and depth of these upper deposits may indicate that animals may have grazed the mound. This occurred alongside episodic periods of erosion and slumpage.

6 Bibliography and References

Jones, A.P., Tucker, M.E. and Hart, J.K. (eds.) 1999 *The description and analysis of Quaternary stratigraphic field sections*, Technical Guide 7, Quaternary Research Association, London.

OCAS, 2007 Design Brief for Archaeological Watching Brief - Oxford castle Mound - SAM 21701