

Chapter 9: Tables

Table 9.1: Composition of Prehistoric pottery assemblage by date

| Date | Drainage | Sherd count | | | Total | Weight (g) |
|-----------------------------------|------------|-------------|-------------|----------|-------------|---------------|
| | | Offices | Visitor | Car Park | | |
| Early Neolithic | | | 78 | | 78 | 293 |
| Middle Neolithic | | 1 | | | 1 | 3 |
| Bronze Age? | | | 4 | | 4 | 44 |
| Middle Bronze Age | 1 | | 19 | | 20 | 247 |
| Middle or late Bronze Age | | 2 | | | 2 | 19 |
| Late Bronze Age | | 3 | 12 | | 15 | 84 |
| Late Bronze Age or early Iron Age | 2 | | 10 | | 12 | 83 |
| Early Iron Age | 4 | 30 | 10 | | 44 | 371 |
| Early or middle Iron Age | 68 | 294 | 732 | | 1094 | 6758 |
| Middle Iron Age | 41 | 51 | 324 | | 416 | 5773 |
| Iron Age | | | 1 | | 1 | 5 |
| Later prehistoric | | 3 | | | 3 | 7 |
| Indeterminate | 12 | 20 | 63 | | 95 | 81 |
| Total | 128 | 404 | 1253 | | 1785 | 13,768 |

Table 9.2: Prehistoric pottery fabrics

| Fabric group | Fabric letter | Fabric number | Sherd count | % by sherd count | Weight (g) | % by weight | Vessel count | % by vessel count |
|--------------|---------------|---------------|-------------|------------------|------------|-------------|--------------|-------------------|
| 1 | A | 1 | 1220 | 68.35 | 8710 | 63.26 | 63 | 73.26 |
| 1 | A | 2 | 47 | 2.63 | 392 | 2.85 | 2 | 2.33 |
| 1 | A | 3 | 10 | 0.56 | 841 | 6.11 | 2 | 2.33 |
| 2 | AB | 1 | 54 | 3.03 | 360 | 2.61 | 3 | 3.49 |
| 2 | AB | 2 | 25 | 1.40 | 202 | 1.47 | 1 | 1.16 |
| 2 | AB | 3 | 2 | 0.11 | 40 | 0.29 | 1 | 1.16 |
| 2 | ABO | 3 | 2 | 0.11 | 91 | 0.66 | 0 | 0.00 |
| 2 | ABPfe | 1 | 4 | 0.22 | 31 | 0.23 | 0 | 0.00 |
| 2 | ABS | 1 | 3 | 0.17 | 7 | 0.05 | 0 | 0.00 |
| 2 | BA | 1 | 5 | 0.28 | 22 | 0.16 | 0 | 0.00 |
| 2 | BA | 2 | 1 | 0.06 | 5 | 0.04 | 0 | 0.00 |
| 2 | BA | 3 | 22 | 1.23 | 152 | 1.10 | 1 | 1.16 |
| 3 | AC | 1 | 17 | 0.95 | 180 | 1.31 | 1 | 1.16 |
| 3 | AC | 2 | 25 | 1.40 | 886 | 6.44 | 1 | 1.16 |
| 4 | AF | 1 | 12 | 0.67 | 90 | 0.65 | 0 | 0.00 |
| 4 | AF | 2 | 5 | 0.28 | 26 | 0.19 | 0 | 0.00 |
| 5 | AQ | 1 | 2 | 0.11 | 13 | 0.09 | 0 | 0.00 |
| 6 | APfe | 1 | 33 | 1.85 | 366 | 2.66 | 1 | 1.16 |
| 6 | APfe | 2 | 4 | 0.22 | 70 | 0.51 | 0 | 0.00 |
| 6 | APfeB | 1 | 3 | 0.17 | 88 | 0.64 | 0 | 0.00 |
| 6 | APfeC | 1 | 2 | 0.11 | 33 | 0.24 | 0 | 0.00 |
| 6 | APfeG | 1 | 1 | 0.06 | 4 | 0.03 | 0 | 0.00 |
| 6 | APfeS | 1 | 3 | 0.17 | 15 | 0.11 | 0 | 0.00 |
| 7 | AS | 1 | 13 | 0.73 | 82 | 0.60 | 0 | 0.00 |
| 7 | AS | 2 | 3 | 0.17 | 34 | 0.25 | 1 | 1.16 |
| 7 | AS | 3 | 23 | 1.29 | 69 | 0.50 | 0 | 0.00 |
| 7 | ASPfe | 1 | 1 | 0.06 | 8 | 0.06 | 0 | 0.00 |
| 8 | AO | 1 | 8 | 0.45 | 67 | 0.49 | 0 | 0.00 |
| 8 | AO | 2 | 2 | 0.11 | 7 | 0.05 | 1 | 1.16 |
| 12 | AD | 1 | 1 | 0.06 | 4 | 0.03 | 0 | 0.00 |
| 12 | APfeD | 1 | 1 | 0.06 | 3 | 0.02 | 0 | 0.00 |
| 12 | D | 1 | 3 | 0.17 | 7 | 0.05 | 0 | 0.00 |
| 12 | D | | 1 | 0.06 | 5 | 0.04 | 0 | 0.00 |
| 14 | F | 1 | 6 | 0.34 | 18 | 0.13 | 0 | 0.00 |
| 14 | F | 2 | 4 | 0.22 | 42 | 0.31 | 0 | 0.00 |
| 14 | F | 3 | 22 | 1.23 | 271 | 1.97 | 1 | 1.16 |
| 14 | FA | 1 | 2 | 0.11 | 6 | 0.04 | 0 | 0.00 |
| 14 | FA | 2 | 68 | 3.81 | 256 | 1.86 | 5 | 5.81 |
| 14 | FA | 3 | 1 | 0.06 | 14 | 0.10 | 0 | 0.00 |
| 15 | FQ | 1 | 2 | 0.11 | 4 | 0.03 | 0 | 0.00 |
| 16 | QA | 1 | 1 | 0.06 | 3 | 0.02 | 1 | 1.16 |
| 16 | QA | 2 | 7 | 0.39 | 20 | 0.15 | 0 | 0.00 |
| 18 | Pfe | 1 | 3 | 0.17 | 21 | 0.15 | 0 | 0.00 |
| 19 | Untempered | | 1 | 0.06 | 3 | 0.02 | 0 | 0.00 |
| 20 | S | 1 | 17 | 0.95 | 91 | 0.66 | 1 | 1.16 |
| 20 | S | 2 | 1 | 0.06 | 8 | 0.06 | 0 | 0.00 |
| 20 | S | 3 | 2 | 0.11 | 20 | 0.15 | 0 | 0.00 |
| 21 | SA | 1 | 1 | 0.06 | 17 | 0.12 | 0 | 0.00 |
| 22 | Indeterminate | | 89 | 4.99 | 64 | 0.46 | 0 | 0.00 |

Table 9.3: Prehistoric pottery: fabric groups

| Fabric group | Group name | Fabric description | % of assemblage by sherd count |
|--------------|------------------------------|---|--------------------------------|
| 1 | Sand | 20-30% very fine, sometimes micaceous sand | 71.54 |
| 2 | Sand and sandstone | 10-30% fine micaceous sand and 1-3 pebbles; ferruginous pellets; fine-grained, glauconitic sandstone up to 10 mm | 6.61 |
| 3 | Sand and calcareous | 10% chalk/limestone, up to 10 mm; 10-20% sand, up to 1 mm; 1% ironstone and pebbles. | 2.35 |
| 4 | Sand and flint | 5% fine micaceous sand; 1-2% ill-sorted flint, 1-3 mm. | 0.95 |
| 5 | Sand and quartzite | 1% fine micaceous sand; 1-2% pebbles; 2% quartzite, mostly > 1mm. | 0.11 |
| 6 | Sand and ferruginous pellets | 10% fine micaceous sand; 1-2% pebbles; 1-3% ironstone. | 2.58 |
| 7 | Sand and shell | 10% fine micaceous sand; 5% shell, up to 3 mm (10 % of which is sometimes completely leached); 1-2% ironstone | 2.24 |
| 8 | Sand and organic | 10% fine micaceous sand; 5% organic inclusions | 0.56 |
| 12 | Greensand | 10% fine Greensand | 0.34 |
| 14 | Flint/flint and sand | Neolithic: 2% flint, 1-2 mm; 5% sand. Middle Bronze Age: 10-15% flint, 3 mm Late Bronze Age/iron Age: 3-10% ill-sorted flint, 1-3 mm; sometimes 5-10% fine sand | 5.77 |
| 15 | Flint, sand and quartzite | 10% sand, < 1 mm; 1% flint, < 3mm; 2% quartzite, < 2 mm | 0.11 |
| 16 | Quartzite | Neolithic: 2% angular quartzite, up to 2 mm Late Bronze Age/early Iron Age: 5-20% angular quartzite, 1-6 mm; sometimes 5% sand | 0.45 |
| 18 | Ferruginous pellets | 5 % ferruginous pellets, <1 mm. | 0.17 |
| 19 | Untempered | No visible temper | 0.06 |
| 20 | Shell | 7-20% poorly-sorted fossil shell, up to 5 mm. | 1.12 |
| 21 | Shell and sand | 7-20% poorly-sorted fossil shell, up to 5 mm; 15% fine sand | 0.06 |
| 22 | Indeterminate | | 4.99 |

Table 9.4: Prehistoric pottery: fabric groups by phase (quantified by sherd count)

| Date | Fabric groups | | | | | | | | | | | | | | | | | Total | |
|-----------------------------------|---------------|------------|-----------|-----------|----------|-----------|-----------|-----------|----------|------------|----------|----------|----------|----------|-----------|----------|-----------|-------------|------|
| | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 12 | 14 | 15 | 16 | 18 | 19 | 20 | 21 | 22 | | |
| Early Neolithic | 2 | | | | | | | | | 68 | | 8 | | | | | | | 78 |
| Early or middle Neolithic | | | | | | | | | | | | | | 1 | | | | | 1 |
| Bronze Age? | | | | | | | | | | 4 | | | | | | | | | 4 |
| Middle Bronze Age | | | | | | | | | | 20 | | | | | | | | | 20 |
| Middle or late Bronze Age | | | | | | | | | | 2 | | | | | | | | | 2 |
| Late Bronze Age | | | | 8 | 2 | | | | | 3 | 2 | | | | | | | | 15 |
| Late Bronze Age or early Iron Age | | | | 9 | | | | | | 3 | | | | | | | | | 12 |
| Early Iron Age | 14 | 3 | | | | 1 | 3 | 2 | | | | | | | 20 | 1 | | | 44 |
| Early or middle Iron Age | 934 | 51 | 17 | | | 39 | 37 | 8 | 5 | | | | 3 | | | | | | 1094 |
| Middle Iron Age | 321 | 64 | 25 | | | 6 | | | | | | | | | | | | | 416 |
| Iron Age | 1 | | | | | | | | | | | | | | | | | | 1 |
| Later prehistoric | | | | | | | | | | 3 | | | | | | | | | 3 |
| Indeterminate | 5 | | | | | | | | 1 | | | | | | | | | 89 | 95 |
| Total | 1277 | 118 | 42 | 17 | 2 | 46 | 40 | 10 | 6 | 103 | 2 | 8 | 3 | 1 | 20 | 1 | 89 | 1785 | |

Table 9.5: Prehistoric pottery form types (excluding Neolithic vessels)

| Form code | Form description | Sherd count | Weight (g) | Vessel count | % by vessel count |
|-----------|--|-------------|-------------|--------------|-------------------|
| B1 | Slack-shouldered jars | 3 | 34 | 1 | 2.1 |
| B2 | Globular jars with rounded or baggy profiles | 36 | 743 | 26 | 55.3 |
| B3 | Barrel -shaped jars with profiles regularly convex or incurving at rim | 36 | 1810 | 6 | 12.8 |
| C0 | Angular vessels | 7 | 33 | 2 | 4.3 |
| C2A | Bowls with a long flared rim, low globular body and sharp angle at neck. Red-coated. The width of the body at its widest is less than or equal to the rim diameter | 1 | 4 | 1 | 2.1 |
| C2B | Furrowed bowls | 1 | 8 | 1 | 2.1 |
| C2C | Bowl with sharp angular shoulder and neck carination, with flared rim. Usually decorated with incised lines | 2 | 12 | 1 | 2.1 |
| D0 | Fine globular or rounded vessels with carefully smoothed or burnished surfaces | 2 | 24 | 1 | 2.1 |
| D1 | Middle Iron Age rounded bowls | 18 | 364 | 8 | 17.0 |
| | Total | 106 | 3032 | 47 | 100.0 |

Table 9.6: Prehistoric pottery: correlation of fine to intermediate fabrics (inclusion sizes 1, 2 and 4) with form

| Fabric group | Fabric number | Forms | | | | | | | | Total | |
|----------------------------------|------------------|----------|-----------|-----------|----------|----------|----------|----------|----------|-----------|-----------|
| | | B1 | B2 | B3 | C0 | C2 | C2B | C2C | D0 | | D1 |
| 1 (Sand) | (Fine) 1 | | 32 | 4 | | 1 | | 1 | 2 | 18 | 58 |
| | (Intermediate) 2 | | 2 | | | | | | | | 2 |
| | Subtotal | | 34 | 4 | | 1 | | 1 | 2 | 18 | 60 |
| 2 (Sand and sandstone) | (Fine) 1 | | | | | | 1 | | | | 1 |
| 3 (Sand and calcareous) | (Intermediate) 2 | | | 24 | | | | | | | 24 |
| 4 (Sand and flint) | (Fine) 1 | | | | | | | 1 | | | 1 |
| 6 (Sand and ferruginous pellets) | (Fine) 1 | | 1 | | | | | | | | 1 |
| 7 (Sand and shell) | (Intermediate) 2 | 3 | | | | | | | | | 3 |
| 8 (Sand and organic) | (Intermediate) 2 | | | | 2 | | | | | | 2 |
| Total | | 3 | 35 | 28 | 2 | 1 | 1 | 2 | 2 | 18 | 97 |

Table 9.7: Surface treatment of prehistoric pottery

| | Surface treatment | Sherd count | Weight (g) | % by sherd count |
|---|--------------------------|--------------------|-------------------|-------------------------|
| 0 | None | 816 | 4144 | 48.6 |
| 1 | Smoothed | 108 | 839 | 6.4 |
| 2 | Roughly smoothed | 341 | 2625 | 20.3 |
| 3 | Burnished | 407 | 3084 | 24.2 |
| 4 | Red-coated | 5 | 15 | 0.3 |
| 6 | Red-coated and burnished | 1 | 3 | 0.1 |
| 8 | Dragged | 1 | 26 | 0.1 |

Table 9.8: Prehistoric pottery decoration (quantified by vessel count)

| | Decoration type | E Neo | Mid Neo | MBA | LBA-EIA | EIA | E-MIA | MIA |
|----|-------------------------|--------------|----------------|------------|----------------|------------|--------------|------------|
| 2 | Finger impressed | 1 | | | | | | |
| 4 | Grooved panel | | | | | | | 1 |
| 8 | Dots | | | | | | | 1 |
| 10 | Grooved design | | | | 1 | 1 | | 7 |
| 11 | Cordon | | | 1 | | | | |
| 13 | Tool/object impressions | | 1 | | | | 1 | |

Table 9.9: Quantification of Roman pottery fabrics

| Ware | Summary description | Nosh | Wt (g) | RE |
|--------------|---|-------------|---------------|-------------|
| S20 | South Gaulish samian ware (including La Graufesenque - LGF SA) | 1 | 1 | |
| F51 | Oxford red/brown colour-coated ware (OXF RS). | 1 | 11 | 0.17 |
| W10 | Fine (?Oxford) white ware | 1 | 3 | |
| E30 | Medium to coarse sand-tempered 'Belgic type' wares undifferentiated | 4 | 58 | |
| R20 | Coarse sandy reduced wares undifferentiated | 2 | 20 | 0.10 |
| R30 | Moderately fine sandy reduced wares undifferentiated | 2 | 21 | |
| Total | | 11 | 114 | 0.27 |

Table 9.10: Hill Farm: quantification of fired clay forms

| Type | Nos | Wt | Fabrics |
|--------------|------------|-------------|----------------|
| Oven wall | 120 | 4217 | A, C |
| Platelets | 10 | 128 | B, C |
| Utilised | 84 | 70 | A |
| Unidentified | 28 | 196 | A, C |
| Total | 242 | 4611 | |

Table 9.11: Northmoor Trust: quantification of fired clay forms

| Type | Nos | Wt | Fabrics |
|-----------------------|------------|-------------|----------|
| Oven structure | 44 | 226 | A, C |
| Oven wall | 7 | 105 | C |
| Furnace lining | 12 | 133 | A |
| Oven plate / disc | 5 | 110 | A |
| Platelets | 2 | 57 | A, A1 |
| Triangular oven brick | 17 | 526 | A |
| Pedestal | 39 | 290 | A |
| Bellow's guard | 1 | 210 | ~ |
| Utilised | 29 | 183 | A, B1, C |
| Unidentified | 7 | 34 | A |
| Sp. Whorl | 2 | 22 | B1, B2 |
| Briquetage | 4 | 12 | X1 |
| Total | 169 | 1908 | |

Table 9.12: Summary of the struck flint assemblage

| Category | Visitors' Car Park | Offices | Drainage | Total |
|------------------------------------|-----------------------|-----------|----------|-----------|
| Flake | 47 | 10 | | 57 |
| Blade | 1 | 2 | | 3 |
| Unclassifiable waste | 1 | | | 1 |
| Chip | 3 | 3 | | 6 |
| Single platform flake core | | 1 | | 1 |
| Retouched flake | 3 | | | 3 |
| End scraper | | 2 | | 2 |
| End-and-side scraper | 1 | | | 1 |
| Notch | 1 | | | 1 |
| Serrated flake | 3 | | | 3 |
| Backed knife | | | 1 | 1 |
| Total | 60 | 18 | 1 | 79 |
| No. of burnt struck flints | 2 | 1 | | 3 |
| No. of broken struck flints | 11 | 3 | 1 | 15 |
| No. of burnt unworked flint | 1 | | | 1 |
| Weight (g) of burnt unworked flint | 1 | | | 1 |

Table 9.13: The struck flint assemblage from Neolithic pit 135

| Category | Context | | Total |
|------------------------------------|----------|-----------|-----------|
| | 134 | 179 | |
| Flake | 2 | 30 | 32 |
| Blade | | 1 | 1 |
| Irregular waste | 1 | | 1 |
| Chip | 2 | 1 | 3 |
| Retouched flake | | 2 | 2 |
| Serrated flake | | 3 | 3 |
| Total | 5 | 37 | 42 |
| No. of burnt struck flints | | 1 | 1 |
| No. of broken struck flints | | 9 | 9 |
| No. of burnt unworked flint | | 1 | 1 |
| Weight (g) of burnt unworked flint | | 1 | 1 |

Table 9.14 Summary of stone objects from Hill Farm

| | Ball | Hammer-stone | Loomweight | Rotary quern | Rubber | Saddle quern | Smoother/Paving stone | Spindle-whorl | Total |
|-----------------------|----------|--------------|------------|--------------|----------|--------------|-----------------------|---------------|-----------|
| Querns | | | | | | | | | |
| Culham Greensand | | | | | 1 | 2 | | | 3 |
| Lower Calcareous Grit | | | | | | 1 | 1 | | 2 |
| Limestone, Corallian | | | | | 1 | | | | 1 |
| Lodsworth stone | | | | 1 | | | | | 1 |
| Greensand, chalky | | | 1 | | | | 1 | 1 | 3 |
| Flint | | 1 | | | | | | | 1 |
| Marcasite | 1 | | | | | | | | 1 |
| Total | 1 | 1 | 1 | 1 | 2 | 3 | 2 | 1 | 12 |

Table 9.15: Summary of burnt stone from Hill Farm

| Type of stone | No of pieces |
|------------------------|--------------|
| Flint | 16 |
| Fossil | 1 |
| Greensand | 39 |
| Greensand, chalky | 78+ |
| Greensand, ferruginous | 5 |
| Ironstone | 1 |
| Quartzite | 37 |
| Quartzitic sandstone | 11 |
| Unidentified | 1 |
| Total | 189 |

Table 9.16: Quantification of the stone assemblage by phase and by feature

| Phase | Feature | Cut | Deposit | No. | Weight (g) |
|-----------------|-----------|-----|---------|-----|------------|
| Early Neolithic | Pit | 135 | 134 | 1 | 302 |
| Early Iron Age | Pit | 742 | 753 | 1 | 578 |
| | | | 754 | 1 | 827 |
| | | | | | |
| Middle Iron Age | Ditch 60 | 126 | 127 | 1 | 29 |
| | | 34 | 35 | 14 | 169 |
| | | 50 | 38 | 3 | 67 |
| | | 103 | 104 | 2 | 74 |
| | | 167 | 168 | 3 | 68 |
| | | 262 | 265 | 4 | 121 |
| | Ditch 100 | 85 | 83 | 1 | 2 |
| | | 221 | 214 | 2 | 26 |
| | | 228 | 229 | 1 | 20 |
| | | 269 | 268 | 1 | 6 |
| | | 340 | 344 | 1 | 24 |
| | | | | | |

| Phase | Feature | Cut | Deposit | No. | Weight (g) |
|--------------|----------------|-------|---------|------------|--------------|
| | Ditch 535 | 535 | 536 | 1 | 2820 |
| | Ditch 610 | 582 | 585 | 2 | 8 |
| | Ditch 690 | 678 | 679 | 5 | 53 |
| | Ditch 700 | 775 | 778 | 3 | 118 |
| | Ditch 12066 | 617 | 619 | 2 | 20 |
| | Gully 110 | 239 | 341 | 3 | 67 |
| | Gully 174 | 139 | 138 | 3 | 62 |
| | | 417 | 416 | 11 | 395 |
| | Gully 175 | 137 | 136 | 4 | 41 |
| | Pit | 53 | 56 | 2 | 4 |
| | | | 57 | 5 | 59 |
| | Pit | 94 | 75 | 1 | 6 |
| | | | 76 | 1 | 10 |
| | | | 96 | 3 | 10 |
| | Pit | 97 | 98 | 9 | 245 |
| | Pit | 146 | 144 | 12 | 344 |
| | | | 147 | 15 | 274 |
| | Pit | 149 | 176 | 5 | 117 |
| | Pit | 318 | 316 | 24 | 9530 |
| | Pit | 486 | 428 | 11 | 1864 |
| | Pit | 528 | 530 | 2 | 657 |
| | Pit | 559 | 561 | 2 | 7 |
| | Pit | 597 | 598 | 1 | 77 |
| | Pit | 621 | 623 | 2 | 78 |
| | Pit | 625 | 627 | 1 | 14 |
| | Pit | 769 | 760 | 1 | 3500 |
| | | | 761 | 12 | 1777 |
| | Pit | 808 | 804 | 1 | 6 |
| | | | 805 | 4 | 60 |
| | Posthole | 67 | 68 | 1 | 32 |
| | Posthole | 44 | 45 | 2 | 16 |
| | Posthole | 398 | 396 | 2 | 52 |
| | Posthole | 411 | 410 | 1 | 29 |
| | Posthole | 518 | 520 | 1 | 4 |
| | Posthole | 668 | 670 | 1 | 2 |
| | Posthole | 713 | 711 | 2 | 2450 |
| | Posthole | 716 | 714 | 2 | 38 |
| | Posthole | 789 | 787 | 1 | 10 |
| | Posthole | 691 | 692 | 1 | 30 |
| | Stakehole | 285 | 286 | 1 | 3 |
| Iron Age | Ditch 620 | 580 | 578 | 17 | 1273 |
| | | | 579 | 2 | 207 |
| | | 632 | 631 | 1 | 301 |
| | Pit | 41 | 49 | 3 | 35 |
| | | | 69 | 42 | 3007 |
| | Pit | 605 | 607 | 2 | 44 |
| | Pit | 698 | 699 | 3 | 313 |
| | Posthole | 634 | 633 | 1 | 6 |
| | Posthole | 640 | 639 | 2 | 25 |
| Roman | Ditch 177 | 177 | 178 | 3 | 144 |
| Unphased | Ditch 12000 | 12000 | 12002 | 1 | 17 |
| Total | | | | 276 | 32574 |

Table 9.17: Quantification of the stone assemblage by feature type

| | Pits | Ditches and ring gullies | Postholes and stakeholes | Total |
|--------------------------|--------|--------------------------|--------------------------|-------|
| No. of features examined | 27 | 25 | 13 | 65 |
| No. of stone fragments | 167 | 91 | 18 | 276 |
| Total weight (g) | 23745 | 6132 | 2697 | 32574 |
| Average weight (g) | 142..2 | 67.4 | 149.8 | 118 |

Table 9.18: Catalogue of stone objects

| Feature | Context | Sf no. | Category: | Description | No. | (g) | Illustration |
|--------------|---------|--------|-------------|--|-----|------|--------------|
| Pit 41 | 69 | - | Quern | 15 fragments, burnt, upper & lower stones rotary quern, diam. c. 320 mm. Lodsworth stone, Lower Greensand. Source: Sussex, between Midhurst & Petworth | 15 | 2377 | Fig. 9.4 |
| Pit 97 | 98 | - | Loomweight? | Fragment, burnt, part of hour-glass hole. Greensand, chalky. | 1 | 240 | |
| Gully 174 | 138 | - | smoother? | Fragment with a worn surface. Greensand, chalky | 1 | 30 | |
| Ditch 177 | 178 | - | Ball | Small spherical ball. Marcasite? | 1 | 20 | |
| Pit 318 | 316 | 41 | Quern | Part of saddle quern, unevenly worn with both convex and concave grinding surface, weathered. Culham Greensand. | 1 | 5000 | Fig. 9.3, 1 |
| Ditch 535 | 536 | - | Quern | Part of saddle quern, unevenly burnt, grinding surface worn flat. Lower Calcareous Grit. | 1 | 2820 | |
| Ditch 620 | 631 | - | Rubber | Fragment with a worn surface, possible rubber or even quern fragment. Limestone, Corallian. | 1 | 301 | |
| Posthole 713 | 711 | - | Hammerstone | Part of large hammerstone. Flint. | 1 | 1260 | |
| Pit 742 | 754 | - | Smoother? | Part of cobble with a worn, slightly concave surface. Lower Calcareous Grit, rather fine-grained. | 1 | 827 | |
| Pit 769 | 760 | - | Rubber | Part of large rubber for saddle quern, partly burnt, convex grinding surface worn smooth, triangular cross-section. Culham Greensand. | 1 | 3500 | Fig. 9.3, 2 |
| Pit 769 | 761 | - | Quern | 9+ fragments from saddle quern with near flat grinding surface. Culham Greensand. | 9 | 1727 | |

Table 9.19: Quantification of the slag

| Phase | Feature | Context | Sample No. | Identification | wt. (g) | Length | breadth | depth | comment |
|-------|---------------|--------------|------------|------------------------|------------|--------|---------|-------|------------|
| EIA | Pit 742 | 757 | | fuel ash slag | 112 | - | - | - | |
| MIA | Ditch 70 | 265 | | smithing hearth bottom | 136 | 65 | 65 | 30 | incomplete |
| MIA | Stakehole 285 | 286 | | fuel ash slag | 2 | - | - | - | |
| MIA | Ditch 100 | 346 | | burnt coal | 1 | - | - | - | |
| MIA | Pit 769 | 761 | 137 | fuel ash slag | 55 | - | - | - | |
| MIA | Pit 769 | 761 | | fuel ash slag | 8 | - | - | - | |
| MIA | Postpipe 774 | 772 | 141 | fuel ash slag | 1 | - | - | - | |
| | | Total | | | 315 | | | | |